



US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460 NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION <i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</i>	EPA REGISTRATION NO. 34688-29	DATE OF ISSUANCE NOV 25 1985						
	TERM OF ISSUANCE Conditional							
	NAME OF PESTICIDE PRODUCT Intericide Copper Octoate 2% Wood Preservative - WK							
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)								
<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 60%; vertical-align: top;"> <div style="border: 1px solid black; padding: 5px;"> Interstab Chemicals, Inc. 500 Jersey Avenue New Brunswick, NJ 08903 </div> </td> <td style="width: 40%; text-align: right; vertical-align: middle;"> <table style="margin-left: auto; margin-right: auto;"> <tr> <td style="border-right: 1px solid black; padding: 5px;">161</td> <td style="padding: 5px;">158442</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 5px;">18</td> <td style="padding: 5px;">1</td> </tr> </table> </td> </tr> </table>			<div style="border: 1px solid black; padding: 5px;"> Interstab Chemicals, Inc. 500 Jersey Avenue New Brunswick, NJ 08903 </div>	<table style="margin-left: auto; margin-right: auto;"> <tr> <td style="border-right: 1px solid black; padding: 5px;">161</td> <td style="padding: 5px;">158442</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 5px;">18</td> <td style="padding: 5px;">1</td> </tr> </table>	161	158442	18	1
<div style="border: 1px solid black; padding: 5px;"> Interstab Chemicals, Inc. 500 Jersey Avenue New Brunswick, NJ 08903 </div>	<table style="margin-left: auto; margin-right: auto;"> <tr> <td style="border-right: 1px solid black; padding: 5px;">161</td> <td style="padding: 5px;">158442</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 5px;">18</td> <td style="padding: 5px;">1</td> </tr> </table>	161	158442	18	1			
161	158442							
18	1							
<p>NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:</p> <ol style="list-style-type: none"> 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(e)(5) when the Agency requires all registrants of similar products to submit such data. 2. Make the labeling changes listed below before you release the product for shipment: <ol style="list-style-type: none"> a. Add the phrase "EPA Registration No. 34688-29." b. Correct label ingredient statement to read 100%. c. Under Storage and Disposal add statement for product storage information. 3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling. 								
<input type="checkbox"/> ATTACHMENT IS APPLICABLE								
SIGNATURE OF APPROVING OFFICIAL 		DATE 11/25/85						

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.


Henry M. Jacoby
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (TS-767)

Enclosure

Front Panel

INTERCIDE COPPER OCTOATE 2%
WOOD PRESERVATIVE-WR

A Ready-to-Use Fungicide for the Control
of Mildew and Fungal Rot on Wood

Active Ingredient:		
Copper 2-ethylhexanoate	11.02%	
(Copper as metal--2%)		
Inert Ingredients:	<u>89.33%</u>	
	Total	100.00%

Keep Out of Reach of Children (12 pt)

CAUTION (18 pt)

See Side Panel for Additional Precautionary Statements

EPA Reg. No. 34688-

EPA Est. No. 34688-NJ-1

Net Contents: 55 gals.


Interstab Chemicals, Inc.
500 Jersey Ave.--PO Box 638
New Brunswick, NJ 08903

ACCEPTED
with COMMENTS
in EPA Letter Dated:

NOV 25 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

34688-29



Left Panel

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

(18 pt)

Contains Petroleum Distillate

Harmful if swallowed, inhaled or absorbed through the skin. Do not get in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling.

Statement of Practical Treatment:

If in eyes, flush with plenty of water and get medical attention.

If swallowed, do not induce vomiting. Call a physician immediately.


If on skin, wash with plenty of soap and water.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Combustible. Keep away from heat, sparks or open flame. Use with adequate ventilation.



Right Panel

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

(12 pt)

Do not contaminate water, food, or feed by storage or disposal.

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.


Instructions for Treating Wood

Intercide Copper Octoate 2% is a ready-to-use product containing Copper 2-ethylhexanoate. It contains a petroleum solvent and can be used for treating lumber and heavy timbers. Treatment of wood includes the following representative wooden items: wooden flooring for decks and patios, ladders, door and window frames and sashes, fence posts, stakes and small dimensional lumber, wooden siding and shingles, etc. It should be used on heavy structural timbers for above ground use only.

Dip Treatment: Lumber and small wooden structures should be totally immersed in Intercide Copper Octoate 2% treating solution for a period of from 30 seconds to 3 minutes depending on the thickness of the wood and the absorption required. Heavy lumber items should be dipped for 3 minutes, whereas light and absorptive stakes, window frames, etc. may be sufficiently treated in less time. The treated wood should be drained of excess solution and allowed to air dry until all solvent is gone and the wood is free from solvent odor. This usually takes 24 hours.

Brush Coating and Spraying: Intercide Copper Octoate 2% is ideal for brushing or spraying all types of wood items as illustrated above. When using a brush or spraying, coverage should be complete or until runoff starts to occur. After permitting to dry for 24 hours, a second coat may be applied.

Treated dried wood may be painted over if desirable.



Right Panel (cont)

This product contains a water repellent and may be used on any lumber where water repellency is desirable. Care should be taken in areas that are to be painted to insure that the dried surface can be properly painted. It is suggested that a trial be made on a small area before the product is used generally.

Cleaning of Brushes or Spraying Equipment

Equipment and/or brushes may be cleaned with mineral spirits or a suitable paint thinner.

