

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	EPA REGISTRATION NO. 34688-39	DATE OF ISSUANCE JUN 27 1988
	TERM OF ISSUANCE	
NOTICE OF PESTICIDE: REGISTRATION / REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended)		
NAME OF PESTICIDE PRODUCT Intercede Copper Octoate 1% Wood Preservative - Water Repellent		

NAME AND ADDRESS OF REGISTRANT (Include ZIP codes)

Intercede

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is hereby registered in accordance with FIFRA section 3(c)(5) as follows:

1. Submit/submit data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 34688-39."
 - b. Under the "Environmental hazard" subheading, revise the water contamination statement to read as follows:

"Do not contaminate water when disposing of equipment washwaters".
 - c. In the first sentence under the "Instructions" subheading, change the word "biocide" to "fungicide".
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL	DATE
---------------------------------	------

-2-

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Lois A. Rossi
Product Manager (21)
Fungicide-herbicide Branch
Registration Division (TS-767C)

Enclosures

3.95

FRONT PANEL

ACCEPTED
with COMMENTS
In EPA Letter Dated:

JUN 27 1988

Intericide Copper Octoate 1%
Wood Preservative - Water Repellent

Under the Federal Insecticide, Fungicide, and Rodenticide Act, this product is registered with EPA Reg. No.

34688-39

ACTIVE INGREDIENT:

Copper 2-ethylhexanoate.....5.51%
(Copper as metal--1%)

INERT INGREDIENTS.....94.49%

TOTAL.....100.00%

KEEP OUT OF REACH OF CHILDREN (12 Pt)

CAUTION (18 Pt)

SEE SIDE PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS

Net Contents: 1 Gal.
(Weight per Gallon = 6.75 Lbs. per Gallon)

This information is furnished without warranty, representation, inducement of any kind, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose except that it is accurate to the best of Interstab Chemical's knowledge or obtained from sources believed by Interstab Chemicals to be accurate, and Interstab Chemicals does not assume any legal responsibility for use or reliance upon same. Customers are encouraged to conduct their own tests. Before using any product read its label.

INTERSTAB CHEMICALS

500 JERSEY AVENUE, P.O. BOX 638
NEW BRUNSWICK, N.J. 08903 (201)247-2202

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

Right Panel

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

(12 Pt)

Store away from heat or open flame in a cool dry location. Keep container tightly closed when not in use. Clean up spills immediately with diatomaceous earth or similar substance.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse or equivalent. Then offer for recycling or re-conditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

INSTRUCTIONS FOR TREATING WOOD

Intercide Copper Octoate 1% - Water Repellent is a ready to use product containing Copper 2-ethylhexanoate, a biocide used to protect against wood rot fungi. It is suitable for protecting either exterior or interior wood items. The wood rot protection of interior wood is only required when such wood is subject to frequent or prolonged wetting (e.g., condensation or rain seepage). It can be used for treating lumber and heavy timbers, treatment of wood includes the following representative wooden items: wooden flooring for decks and patios, ladders, door and window frames and sashes, fence posts, stakes and small dimensional lumber, wooden siding and shingles, etc. Best results are obtained when the wood to be treated is dry and free of bark and the application temperature is above 50° F.

DIP TREATMENT: Lumber and small wooden structures should be totally immersed in Intercide Copper Octoate 1% treating solution for a period of from 30 seconds to 3 minutes, depending on the thickness of the wood and the absorption required. Heavy lumber items should be dipped for 3 minutes, whereas light and absorptive stakes, window frames, etc. may be sufficiently treated in less time. The treated wood should be drained of excess solution and allowed to air dry until all solvent is gone and the wood is free from solvent odor. This usually takes 24 hours.

BRUSH COATING AND SPRAYING: Intercide Copper Octoate 1% is ideal for brushing or spraying all types of wood items as discussed above. When using a brush or spraying coverage should be complete or until runoff starts to occur (approximately 300 sq. ft. per gallon). After permitting to dry for 24 hours, a second coat may be applied. Treated dried wood may be painted over if desirable.

CLEANING OF BRUSHES OR SPRAYING EQUIPMENT: Equipment and/or brushes may be cleaned with mineral spirits or a suitable paint thinner.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

(18 Pt)

Contains Petroleum Distillate

Harmful if swallowed, inhaled or absorbed through the skin. Do not get in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water and get medical attention.

IF SWALLOWED: Do not induce vomiting. Call a physician immediately.

IF ON SKIN: Wash with plenty of soap and water.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Combustible. Do not use or store near heat, sparks or open flame. Use with adequate ventilation.

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (TS-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.

34692-20

DATE OF ISSUANCE

JUN 27 1988

TERM OF REGISTRATION

NOTICE OF PESTICIDE:

Under the Federal Insecticide, Fungicide,
and Rodenticide Act (FIFRA)

REGISTRATION
RENEWAL

NAME OF PESTICIDE PRODUCT

Intercede Copper Octoate 1% Wood
Preservative - Water Repellent

NAME AND ADDRESS OF REGISTRANT (Include ZIP Code)

Interstate Chemical
2 Jersey Avenue
New Brunswick, NJ 08901

NOTE: Changes in labeling, formula, or other information in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is not to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, in his discretion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

For more information, contact the Registration Division, EPA, Washington, DC 20460, or the nearest EPA Regional Office.

For more information, contact the Registration Division, EPA, Washington, DC 20460, or the nearest EPA Regional Office.

For more information, contact the Registration Division, EPA, Washington, DC 20460, or the nearest EPA Regional Office.

For more information, contact the Registration Division, EPA, Washington, DC 20460, or the nearest EPA Regional Office.

For more information, contact the Registration Division, EPA, Washington, DC 20460, or the nearest EPA Regional Office.

For more information, contact the Registration Division, EPA, Washington, DC 20460, or the nearest EPA Regional Office.

For more information, contact the Registration Division, EPA, Washington, DC 20460, or the nearest EPA Regional Office.

For more information, contact the Registration Division, EPA, Washington, DC 20460, or the nearest EPA Regional Office.

ATTACHMENT IS APPLICABLE

BEST AVAILABLE COPY

SIGNATURE OF APPROVING OFFICIAL

DATE

-2-

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Lois A. Rossi
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (TS-767C)

Enclosures

FRONT PANEL

ACCEPTED
with COMMENTS
In EPA Letter Dated:

JUN 27 1988

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, this product is registered under EPA Reg. No. 34688-39

Intercede Copper Octoate 1%
Wood Preservative - Water Repellent

ACTIVE INGREDIENT:

Copper 2-ethylhexanoate.....5.51%
(Copper as metal--1%)

INERT INGREDIENTS.....94.49%

TOTAL.....100.00%

KEEP OUT OF REACH (12 Pt)
OF CHILDREN

CAUTION (13 Pt)

SEE SIDE PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS

Net Contents: 1 Gal.
(Weight per Gallon = 6.75 Lbs. per Gallon)

This information is furnished without warranty, representation, inducement of any kind, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose except that it is accurate to the best of Interstab Chemical's knowledge or obtained from sources believed by Interstab Chemicals to be accurate, and Interstab Chemicals does not assume any legal responsibility for use or reliance upon same. Customers are encouraged to conduct their own tests. Before using any product read its label.

→ 1 -

INTERSTAB CHEMICALS

500 JERSEY AVENUE, P.O. BOX 638
NEW BRUNSWICK, N.J. 08903 (201)247-2202

BEST AVAILABLE COPY

Right Panel

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

(12 Pt)

Store away from heat or open flame in a cool dry location. Keep container tightly closed when not in use. Clean up spills immediately with diatomaceous earth or similar substance.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse or equivalent. Then offer for recycling or re-conditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

INSTRUCTIONS FOR TREATING WOOD

Intercide Copper Octoate 1% - Water Repellent is a ready to use product containing Copper 2-ethylhexanoate, a biocide used to protect against wood rot fungi. It is suitable for protecting either exterior or interior wood items. The wood rot protection of interior wood is only required when such wood is subject to frequent or prolonged wetting (e.g., condensation or rain seepage). It can be used for treating lumber and heavy timbers, treatment of wood includes the following representative wooden items: wooden flooring for decks and patios, ladders, door and window frames and sashes, fence posts, stakes and small dimensional lumber, wooden siding and shingles, etc. Best results are obtained when the wood to be treated is dry and free of bark and the application temperature is above 50°F.

DIP TREATMENT: Lumber and small wooden structures should be totally immersed in Intercide Copper Octoate 1% treating solution for a period of from 30 seconds to 3 minutes, depending on the thickness of the wood and the absorption required. Heavy lumber items should be dipped for 3 minutes, whereas light and absorptive stakes, window frames, etc. may be sufficiently treated in less time. The treated wood should be drained of excess solution and allowed to air dry until all solvent is gone and the wood is free from solvent odor. This usually takes 24 hours.

BRUSH COATING AND SPRAYING: Intercide Copper Octoate 1% is ideal for brushing or spraying all types of wood items as discussed above. When using a brush or spraying coverage should be complete or until runoff starts to occur (approximately 300 sq. ft. per gallon). After permitting to dry for 24 hours, a second coat may be applied. Treated dried wood may be painted over if desirable.

CLEANING OF BRUSHES OR SPRAYING EQUIPMENT: Equipment and/or brushes may be cleaned with mineral spirits or a suitable paint thinner.

BEST AVAILABLE COPY

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

(18 Pt)

Contains Petroleum Distillate

Harmful if swallowed, inhaled or absorbed through the skin. Do not get in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water and get medical attention.

IF SWALLOWED: Do not induce vomiting. Call a physician immediately.

IF ON SKIN: Wash with plenty of soap and water.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Combustible. Do not use or store near heat, sparks or open flame. Use with adequate ventilation.

BEST AVAILABLE COPY