

U.S. ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (75-767)
WASHINGTON, DC 20460

EPA REGISTRATION
NO. 208075-41

DATE OF ISSUANCE
JUN 27 1980

TERM OF ISSUANCE

NOTICE OF PESTICIDE: REGISTRATION
RE REGISTRATION

Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended.

NAME OF PESTICIDE PRODUCT

Intercide Copper Octoate 10 Wood
Preservative - III

NAME AND ADDRESS OF REGISTRANT (Include ZIP Code)

[Faint text, possibly name and address]

ASG
208075 161
1 18
cite all

NOTE: Changes in labeling, formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

1. Make the following changes in the label for the product for sale:

a. Add the phrase "EPA Registration No. 208075-41."

b. Under the "Environmental Hazards" heading, revise the water contamination statement to read as follows:

"Do not contaminate water with this pesticide or its immediate derivatives."

c. In the first sentence under the "Instructions" heading, change the word "toxic" to "harmful."

2. Submit five (5) copies of your final printed labeling before you release the product for sale. Refer to the A-7 enclosure for a further description of final printed labeling.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

-2-

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

/s/

Lois A. Rossi
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (TS-767C)

Enclosures

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							

Right Panel

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Store away from heat or open flame in a cool dry location. Keep container tightly closed when not in use. Clean up spills immediately with diatomaceous earth or similar substance.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

INSTRUCTIONS FOR TREATING WOOD

Intercide Copper Octoate 1% - WR is a ready to use product containing Copper 2-ethylhexanoate, a biocide used to protect against wood rot fungi. It is suitable for protecting either exterior or interior wood items. The wood rot protection of interior wood is only required when such wood is subject to frequent or prolonged wetting (e.g., condensation or rain seepage). It can be used for treating lumber and heavy timbers, treatment of wood includes the following representative wooden items: wooden flooring for decks and patios, ladders, door and window frames and sashes, fence posts, stakes and small dimensional lumber, wooden siding and shingles, etc. Best results are obtained when the wood to be treated is dry and free of bark and the application temperature is above 50° F.

DIP TREATMENT: Lumber and small wooden structures should be totally immersed in Intercide Copper Octoate 1% treating solution for a period of from 30 seconds to 3 minutes, whereas light and absorptive stakes, window frames, etc. may be sufficiently treated in less time. The treated wood should be drained of excess solution and allowed to air dry until all solvent is gone and the wood is free from solvent odor. This usually takes 24 hours.

Heavy timbers and fence posts should be treated to contain 0.04 - 0.08% copper as metal depending upon severity of exposure environment and type of wood.

BRUSH COATING AND SPRAYING: Intercide Copper Octoate 1% is ideal for brushing or spraying all types of wood items as discussed above. When using a brush or spraying, coverage should be complete or until runoff starts to occur (approximately 300 sq. ft. per gallon). After permitting to dry for 24 hours, a second coat may be applied. Treated dried wood may be painted over if desirable.

CLEANING OF BRUSHES OR SPRAYING EQUIPMENT: Equipment and/or brushes may be cleaned with mineral spirits or a suitable paint thinner.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

(18 Pt)

Contains Petroleum Distillate

Do not use on items that will come in contact with the skin or food products.

Harmful if swallowed, inhaled or absorbed through the skin. Do not get in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water and get medical attention.

IF SWALLOWED: Do not induce vomiting. Call a physician immediately.

IF ON SKIN: Wash with plenty of soap and water.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. *Resin*

PHYSICAL OR CHEMICAL HAZARDS

Combustible. Do not use or store near heat, sparks or open flame. Use with adequate ventilation.