'APR 1 6 1987

Stauffer Chemical Company 1200 South 47th Street Richmond, CA 94804

Attention: Sharrown E. Bastings

Manager, Product Regulations

Gentlemen:

Subject: N-1386 DMF

EPA Registration No. 476-2151

Your Submission Dated September 16, 1986

This is to inform you that we have completed our evaluation of the acute toxicity studies (filed under EPA Accession No. 258926) and the acute inhalation and dermal sensitization studies (filed under EPA Accession No. 261592), submitted in support of this product registration. These data are acceptable in support of the revised precautionary language and first aid statements.

The proposed draft labeling submitted April 28, 1986 is acceptable provided that the following labeling revision is made:

- Revise the heading "Environmental Cautions" to read "Environmental Hazards"

A stamped copy of the draft labeling is enclosed for your records. Submit five (5) copies of the final printed labeling when printing is completed.

Sincerely yours,

APLE Kempter

Fromuct Hanager (32)

Disinfectants Branch

Registration Division (TS-767C)

Enclosure

89947: Douglas: K-5: KENCO: 4/10/87: 4/27/87: bjp: jh: tar

CONCURRENCES								
SAMBOL	48141011410							
en en en en e	l I						•	

FRONT PANEL

(No type on this label will be less than 6 point)

(Stauffer Shield)

N-1386 DMF

Slimicide/fungicide for use in the manufacture of products intended for the control of algae, bacteria or fungi in pulp and papermill process water systems, cooling water systems, secondary oil recovery injection water systems and as a preservative in adhesives and latexes.

*


ACTIVE INGREDIENT:

KEEP OUT OF REACH OF CHILDREN


DANGER

CORROSIVE - CAUSES EYE DAMAGE AND SKIN IRRITATION MAY BE FATAL IF INHALED

- . Do not get in eyes, on skin or clothing.
- . Do not breathe vapors.
- . Wear goggles or face shield and rubber gloves when handling.
- . Harmful or fatal if swallowed.



APR 1 6 1987



STATEMENT OF PRACTICAL TREATMENT

FIRST AID

Immediately start the procedures given below and CONTACT A POISON CENTER, A PRISICIAN, THE MEAREST HOSPITAL, OR STAUPPER EMERGENCY MEDICAL ASSISTANCE (203) 226-6602. Describe the type and extent of exposure, the victim's symptoms, and follow the advice given.

If putilized, limediately give several glasses of water but world indice welling. If whiteling occurs, give fitting white the limit of the state of condition will present inductionary woulding or evacuation of stomach. Do able to anything of mouth to an unconscious or convulsing person.

Par aye restact, immediately flush eyes with large amounts

STATEMENT OF PRACTICAL TREATMENT

FIRST AID (Cont'd)

If inhaled, remove to fresh air. If breathing is difficult, oxygen may be given with a physician's advice using a demand-type or a continuous-flow inhaler. If not breathing, clear victim's airway, start mouth-to-mouth artificial respiration. Get medical attention.

For skin contact, flush affected areas with large amounts of running water for 15 minutes and get medical attention. Clean or discard contaminated clothing and shoes.

ENVIRONMENTAL CAUTIONS:

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not discharge into lakes, streams, ponds or public waters unless in accordance with an NPDES permit. For guidance, contact your Regional Office of the Environmental Protection Agency.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Formulators are advise that they are responsible for obtaining EPA registration for their products formulated from N-1386 DMF.

For further information on the manufacture of formulations using N-1386 DMF, contact the Specialty Chemical Division of Stauffer Chemical Company of Westport, Connecticut 06881; 203-222-3000.

STORAGE AND DISPOSAL

- PROHIBITIONS: Do not contaminate with water, food or feed by storage or disposal. Open dumping is prohibited. Keep away from heat and flame.
- 2. STORAGE: Keep container tightly closed when not in '.'. use. Do not store near food or feedstuffs. Containers should be stored at room temperature in a dry, well':. ventilated area. Store away from flammable materials, source of heat and flame, and foodstuffs. Exercise due caution to prevent damage to leakage from the container. Avoid prolonged storage at temperatures above 158°F/70°C.

STORAGE AND DISPOSAL (Cont'd)

- 3. PESTICIDE DISPOSAL: Water resulting from the use of this product may be disposed of on site or at approved waste disposal facility.
- 4. CONTAINER DISPOSAL: METAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

NOTICE: Stauffer Chemical Company makes no warranty, express or implied, including the warranties of merchantability and/or fitness for any particular purpose, concerning this material, except those which are contained on Stauffer's label.


EPA Reg. No. 476-2151 EPA Est. 1935-NJ-1 LOT NO.


550 LB. NET WT. 249 KG


Made in U.S.A. by STAUFFER CHEMICAL COMPANY SPECIALTY CHEMICAL DIVISION WESTPORT, CT. 06881-0852

WT 4-86

S-3







•

•