

## DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SUPER CONCENTRATE ALGAECIDE is used to control algae, bacteria, and fungi in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algal growth, microbiological slime, and other deposits.

growth, microbiological slime, and other deposits.

An initial slug addition of 0.9 to 2.2 fluid ounces of SUPER CONCENTRATE ALGAECIDE per 1000 gallons of water to provide a concentration of 8 to 20 parts per million of SUPER CONCENTRATE ALGAECIDE, based on the total weight of water in the system, is recommended. Repeat initial dosage until control is evident.

Subsequent slug additions of 0.2 to 2.2 fluid ounces of SUPER CONCENTRATE ALGAECIDE per 1000 gallons of water (2 to 20 parts per million of SUPER CONC. ALGAECIDE) should be employed every 2 to 5 days or as needed. The frequency of audition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling

# SUPER CONCENTRATE Algaecide

ACTIVE INGREDIENT

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

See other Precautions and First Aid on side panel.

Rinstau dispose buried I dumpin

EPA RECH

CAUT vapors FIRST

quantif

these a

Avoid

ENVIR

toxic to

Permiti pesticid

For gui

STORA

when n


feed by

Do no

equival

or in a

39



ION

this product in

CIDE is used to

reculating comwers. Prior to

remove algal her deposits.

fluid ounces of

IDE per 1000 ation of 8 to 20

NCENTRATE

ght of water in

'.2 fluid ounces . CIDE per 1000

iion of SUPER

y of addition cedoff and the

m. Slug addi-

water cooling

it**ial dosage un-**

### **SUPER CONCENTRATE**

# Algaecide

\_\_\_\_\_

KEEP OUT OF REACH OF CHILDREN

#### **CAUTION**

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

See other Precautions and First Aid on side panel.

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing. FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately. ENVIRONMENTAL HAZARDS: This pesticide is

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds or public water. For guidance, contact the regional office of the Environmental Protection Agency.

STORAGE & DISPOSAL: Keep container closed when not in use. Do not contaminate water, food, or feed by storage, disposal, or cleaning of equipment. Do not reuse empty container. Triple rinse (or equivalent) and dispose of container in an incinerator or in an approved landfill, or bury in a safe place. instate that cannot be used or reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Open

dumping is prohibited.

Manufactured by:

### CSC EQUIPMENT & SUPPLY CO.

3805 Talley Road Richmond, Virginia 23228

EPA REG NO. 34692-3

EPA EST. NO. 34692 VA-01