

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

2 NOV 1995

Denise Boyd
Senior Regulatory Specialist
Aerosol Systems
Specialty Chemical Resources, Inc.
9100 Valley View Road
Macedonia, Ohio 44506-2035

Dear Ms. Boyd:

Subject: Label Amendment for Metered Flying Insect Spray 12152,
EPA Registration No. 34702-6

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted prior to releasing the product for shipment.

You must to the front panel the following statement:
See Back Panel for Additional Precautionary Statements.

You must modify the precautionary statements as follows:
Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing spray mist. Avoid contact with skin, eyes and clothing. Wash hands thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Cover or remove fish bowls and aquariums when in use.

Move to the directions for use the following statement:
Provide adequate ventilation of area being treated.

Add to the Directions for Use the following statement:
Do not install directly over any food handling or dispensing area.

Add the following caption to the Directions for Use in food processing areas that are not USDA inspected:
Food Areas of non-USDA Food Handling Establishments:

BEST AVAILABLE COPY

		CONCURRENCES					
SYMBOL	PM10						
SURNAME	A. Schold						
DATE	11/1/95						

If you have questions, please call Ann Sibold at 703 305-6502.

Sincerely,

RPK

Richard P. Keigwin, Jr.
Product Manager 10
Insecticide & Rodenticide Branch
Registration Division (7505C)

385

SPECIMEN LABEL

Metered Flying Insect Spray 12152

Front Panel

Kills Flies, Mosquitoes, and Gnats

This time released aerosol is to be used only in commercial food service and preparation areas of milk houses, hospitals, hotels, motels, factories, stores, ships, clubs, restaurants, schools.

Authorized for Use by USDA in Inedible Product Areas of Official Establishments Operating Under the Federal Meat, Poultry, Shell Egg Grading and Egg Products Inspection Programs.

ACTIVE INGREDIENTS:

Pyrethrins.....	0.90%	L
*Piperonyl butoxide, Technical.....	1.80%	
**N-Octyl bicycloheptene dicarboximide.....	3.00%	L
***INERT INGREDIENTS.....	94.30%	

	100.00%	L

* Equivalent to 1.44% (butylcarbityl) (6-propylpiperonyl) ether and 0.36% related compounds.

** MGK 264, Insecticide Synergist

*** Contains petroleum distillates, xylene or xylene range aromatic solvent. ✓

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a doctor or get medical attention. Do not induce vomiting. Do not give anything by mouth to an unconscious person. Avoid alcohol. ✓

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists. ✓

IF IN EYES: Flush eyes with plenty of water. ✓ Call a physician if irritation persists.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention. ✓

See Back Panel For Additional Precautionary Statements
Net Contents _____

EPA Reg. No.:
34702-6

Manufactured by:
Specialty Chemical Resources
9100 Valley View Road
Macedonia, OH 44056

EPA Est. No.:
34702-OH-1

BEST AVAILABLE COPY

Cover or remove fish bowls and aquariums when in use.

Back Panel

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing spray mist and ~~provide adequate ventilation of area being treated~~. Avoid contact with skin, eyes and clothing. In ~~case of contact, immediately flush skin and eyes with plenty of water. Wash hands thoroughly with soap and water after use and before smoking. If poisoning occurs, get prompt medical aid.~~
Remove contaminated clothing and wash before reuse.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. ✓

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To Install: Install at a distance of seven (7) feet from the floor and where air currents will carry spray throughout room. One unit will treat up to 6,000 cubic feet of air space (a room 30 x 20 x 10) for 30 days, 24 hours a day. *Do not install directly over any food handling or dispensing area.*

To Operate: Remove protective cap and place can in dispenser. Turn on dispenser. The automatic dispenser will dispense 50 mg. of insecticide every 15 minutes. Its effectiveness will be noticeable one hour after activation.

FOR USE IN USDA INEDIBLE PRODUCT AREAS: This product is acceptable as a residual pesticide for use in inedible product areas of official establishments operating under the Federal meat, poultry, shell egg grading, and egg products inspection programs. This product must be used in a manner that precludes entry into edible product areas through open windows, ventilating systems, etc.

In food processing areas, all utensils, shelving, etc. where food will be handled should be covered or removed before treatment or thoroughly washed with an effective cleaning compound followed by a potable water rinse prior to use.

non-USDA
FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS:

ACCEPTED
with COMMENTS
in EPA Letter Dated

2 NOV 1995

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

34702-6

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal. ✓

STORAGE: Store in a cool, dry place. Keep container closed.

DISPOSAL: Replace cap and discard container in trash. Do not incinerate or puncture. ✓