ACME® vegetation for driveways, patios, fence rows and other waste places

Prometon (2, 4-pis [isopropylamino] -6-methoxy-s-triazine)	3.6%
2, 4-Dichlorophenoxyacetic acid	
Aromatic petroleum distillates	. 86.9%
INERT INGREDIENTS	8.5%
TOTAL	100.0%

U.S. Pat. 2.909.420 (PRO-JETON)

WARNING KEEP OUT OF REACH OF CHILDREN

See Back Panel for Other Cautions.

NET CONTENTS 32 FL. OZ. (ONE QUART)

ACCEPTED

CONTESTED THE FEDERAL INSCRICIOE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTER-ED UNDER NO.3 3255-454 SUBJECT ED ATTACHED COMMENTS.

prod. changelfrom: 577-4540

DIRECTIONS FOR USE NOT FOR USE ON LAWNS . . . KILLS GRASS

Read Cautions First! Mix 3/4 to 1 pint per gallon of sprayer or sprinkler applicator. If sprayer is used work possible pressure and use large nozzle opening to g droplets.

Apply one gallon of mixed spray per 100 square feet. tered weeds wet all foliage to the ground. Full wetting tial for good control. New shoots from deep rooted p such as Canada Thistle and Milkweed may require repe ing. Make application when weeds are young and active ing. Action is slow if ground is dry or plants wilted.

Apply along fence lines, gravel drives, patio blocks, and buildings where no growth is desired. Kills grass and weeds. Do not use on lawns. Some species such as Qx not be completely killed. Annual weeds may sprout from or 4 months following treatment. Tall weeds should be as the dead foliage is a fire hazard.

Activity is apparent on plants in a few days but final kil penetration may take 2 or 3 weeks. The mixed spray and any skips are noticeable so that complete coverage to obtain.

WARNING HARMFUL IF SWALLOWED

Causes skin irritation and may cause eye irritation. Av tact with skin or eyes. In case of contact, wash skin w and water; for eyes, flush immediately with plenty for at least 15 minutes and get medical attention. Do contaminated clothing or shoes. Avoid breathing spi Wash thoroughly after using. Do not store near food feed. Do not store near fertilizers, seeds, insection fungicides. Keep away from children.


Care must be taken that none of this material falls of beds or edges of lawns. Do not spray over roots of trees, shrubs or grape vines. Do not contaminate water or water used for domestic purposes. Do not us killer sprayer or equipment to apply insecticides cides. Do not use same spray equipment for other Avoid spray drift to vegetables, flowers, ornamental sirable plants. Coarse sprays are less likely to drift

Keep out of lakes, streams, or ponds. Do not con water by cleaning of equipment, or disposal of waste this product only as specified on this label.

DO NOT USE, POUR, SPILL, OR STORE NEAR I OPEN FLAME.

Destroy this container when empty.

EPA Reg. No. 33955-454-AA EPA Est. No. 2217-KS-1



ACME® 85-15 VEGETATION

for driveways, patios, fence rows and other waste places

ACTIVE INGREDIENTS:

Prometon (2, 4-bis [isopropylamino]	,
-6-methoxy-s-triazine)	3.6%
2, 4-Dichlorophenoxyacetic acid	1.0%
Aromatic petroleum distillates	86.9%
INERT INGREDIENTS	8.5%
TOTAL	100.0%

U.S. Pat. 2.909.420 (PRO-METON)

WARNING KEEP OUT OF REACH OF CHILDREN

See Back Panel for Other Cautions.

NET CONTENTS 32 FL. OZ. (ONE QUART)

ACCEPTED

Comments on accomp letter under the federal inschicide act for economic poison registered under no. 3255-454 subject to attached comments.

prod. changelfrom: 577-454

DIRECTIONS FOR USE NOT FOR USE ON LAWNS . . . KILLS GRASS

Read Cautions First! Mix 3/4 to 1 pint per gallon of water in sprayer or sprinkler applicator. If sprayer is used work at lowest possible pressure and use large nozzle opening to give large droplets.

Apply one gallon of mixed spray per 100 square feet. On scattered weeds wet all foliage to the ground. Full wetting is essential for good control. New shoots from deep rooted perennials such as Canada Thistle and Milkweed may require repeat spraying. Make application when weeds are young and actively growing. Action is slow if ground is dry or plants wilted.

Apply along fence lines, gravel drives, patio blocks, and around buildings where no growth is desired. Kills grass and Broadleaf weeds. Do not use on lawns. Some species such as Oxalis may not be completely killed. Annual weeds may sprout from seed 3 or 4 months following treatment. Tall weeds should be cut first as the dead foliage is a fire hazard.

Activity is apparent on plants in a few days but final kill by root penetration may take 2 or 3 weeks. The mixed spray is white and any skips are noticeable so that complete coverage is easy to obtain.

WARNING HARMFUL IF SWALLOWED

Causes skin irritation and may cause eye irritation. Avoid contact with skin or eyes. In case of contact, wash skin with soap and water; for eyes, flush immediately with plenty of water for at least 15 minutes and get medical attention. Do not wear contaminated clothing or shoes. Avoid breathing spray mist. Wash thoroughly after using. Do not store near foodstuffs or feed. Do not store near fertilizers, seeds, insecticides, or fungicides. Keep away from children.

Care must be taken that none of this material falls on flower beds or edges of lawns. Do not spray over roots of valuable trees, shrubs or grape vines. Do not contaminate irrigation water or water used for domestic purposes. Do not use a weed killer sprayer or equipment to apply insecticides or fungicides. Do not use same spray equipment for other purposes. Avoid spray drift to vegetables, flowers, ornamentals, or desirable plants. Coarse sprays are less likely to drift.


Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

Destroy this container when empty.

EPA Reg. No. 33955-454-AA EPA Est. No. 2217-KS-1

918-1074



٠

164