



PM 19 34704-23
FEB 1994

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

FEB 24 1994

J ALLEN DUNLAP III
WILLIAM M. MAHLBURG
AGENT FOR: PLATTE CHEMICAL CO., INC.
BOX 667
GREELEY, CO. 80632

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Subject: Label Amendment Submission of 9/14/93 Response to PR Notice 93-7
EPA Reg. No. 34704-23
CLEAN CROP SEVIN 5 BAIT

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted subject to the comments reflected on the enclosed sheet. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the Worker Protection Standard (WPS) labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have not been reviewed or accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

WHAT YOU NEED TO DO NEXT:

By the next label printing make all the specified changes to your labeling. Send to EPA one (1) copy of the final printed labeling:

- BEFORE selling or distributing any product bearing the final printed labeling
- AND
- WITHIN one year from date of this acceptance.

BEST AVAILABLE COPY



Recycled/Recyclable
Printed with Soy/Canola ink on paper that
contains at least 50% recycled fiber

2024

Page 2


Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs (7505C)
U.S. Environmental Protection Agency
401 M Street, SW
Washington, D.C. 20460-0001

Hand or courier deliveries of final printed labeling may be made to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Sincerely,



Jim Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)

Attachment

BEST AVAILABLE COPY

PROPOSED
LABEL



ACCEPTED
with COMMENTS
in EPA Letter Dated
FEB 24 1994

SEVIN 5

Brand Carbaryl Insecticide

BAIT

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
Registration No. 34704-23

N-Methyl Carbamate Insecticide

ACTIVE INGREDIENT:	
Carbaryl (1-naphthyl-methyl carbamate)	5.0%
INERT INGREDIENTS:	
	95.0%
TOTAL	100.0%

FOR THE CONTROL OF ANTS, ARMYWORMS, CRICKETS,
CUTWORMS AND GRASSHOPPERS

KEEP OUT OF REACH OF CHILDREN CAUTION

See Below For Other Precautions

EPA REG. NO. 34704-23

EPA EST. NO. 34704-CO-1

NET WEIGHT 50 LBS. (22.68 KG)

SEVIN is a Registered T.M. of Rhone-Poulenc Nederland B.V. for Carbaryl Insecticide
3463 WPSEX08733

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

KEEP OUT OF REACH OF CHILDREN AND ANIMALS

Caution: May be harmful if swallowed. Avoid breathing dust. Avoid contact with eyes, skin or clothing.

Applicators and other handlers must wear: long-sleeved shirt and long pants, water proof gloves and shoes plus socks.

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering controls statements

When handlers use closed systems, enclosed cabs, or a craft in a manner that meets with requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR 170.230 (d)(6)), the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should:

Wash hands before eating, drinking, chewing gum, using tobacco or using toilet.

Remove clothing immediately if pesticide gets inside. Then wash thoroughly and change and launder clothes.

Remove PPE immediately after handling the product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change and launder clothes.

STATEMENTS OF PRACTICAL TREATMENT

If on Skin: Wash thoroughly with soap and water.

If Swallowed: Induce vomiting by drinking 1 or 2 glasses of water and touching back of throat with finger. Call a physician or Poison Control Center immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

If In Eyes: Flush with water for at least 15 minutes and get medical attention.

NOTE TO PHYSICIAN: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal. Do not use 2-PAM, opiates, or cholinesterase-inhibiting drugs.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic and estuarine invertebrates. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Discharge from rice fields may kill aquatic and estuarine invertebrates. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Carbaryl is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For more requirements specific to your State or tribe, consult the agency responsible for pest control regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard (WPS) (40 CFR 170.230) which contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry intervals. The requirements in this box apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for entry only to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, water proof gloves and shoes plus socks.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Keep children and pets out of the treated area until dusts have settled.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container. Do not store under conditions which might adversely affect the container or its ability to function properly. Such conditions include, but are not limited to, positioning of the container in storage, storage temperature, potential for crushing or damage due to stacking, and penetration of moisture.

STORAGE: Store in safe manner. Store in original container only. Store in cool, dry place. Keep container tightly closed when not in use. Reduce stacking height where local conditions, such as humidity or pallet overhang, can affect package strength. Personnel should use clothing and equipment consistent with good pesticide handling.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Plastic: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a

BEST AVAILABLE COPY

SEVIN® 5 BAIT
EPA REG. NO. 34704-23

Storage and Disposal, Cont'd.

sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. Paper Bag: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

HOUSEHOLD USE DISPOSAL

Do not reuse container (bottle, can, jar). Rinse thoroughly before discarding in trash. Securely wrap original container in several layers of newspaper and discard in trash.

GENERAL INFORMATION

READ ENTIRE LABEL. USE IN STRICT ACCORDANCE WITH LABEL DIRECTIONS AND CAUTIONS.

**IMPORTANT PRE-HARVEST AND
GRAZING USE INFORMATION**

Tolerances established under the Federal Food, Drug and Cosmetic Act permit the sale of crops bearing probable carbaryl residues when carbaryl is used in accordance with label directions.

If carbaryl insecticide is used in accordance with label directions, these crops, including bean vines, carrot tops, pea vines, sugar beet tops, corn forage and cotton forage may be grazed or harvested for use as feed for dairy and meat animals without resulting in residues in milk and meat.

APPLICATION INSTRUCTIONS

Broadcast application may be made with either ground equipment or aircraft, under conventional, minimal and no-till practices. Treatments may be repeated as necessary. Where a range of rates is provided, use lower rates for light infestation, early instars or when foliage is not too dense; use higher rates for moderate to heavy infestation, advanced instars or when foliage is thick. For best results on lawn and turf, cut lawn, remove clippings and water thoroughly before treatment. Dosages from 20 to 48 pounds of bait per acre will control cutworms, armyworms, field crickets, house crickets, mole crickets, darkling beetles, grasshoppers, sowbugs and ants.

Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl label(s).

Crop	Rate Per Acre	Rate per 1,000 Sq. Ft.	Days Between Final Application and Harvest
Cucumbers, melons, peanuts, pumpkins, squash	20 lbs.	7 1/2 ozs.	0
Birdsfoot trefoil (forage and hay), clover, wheat (pasture, forage)	30 lbs.	11 ozs.	0
Lawn and turf—GROUND APPLICATION ONLY	30 lbs.	11 ozs.	0
Pasture (rangeland and wasteland), forage grasses, fence row and non-crop areas			
Beans, carrots, corn (field, sweet, pop), eggplant, okra, peppers, potatoes, sorghum forage, soybeans, sweet potatoes, tobacco beds, tomatoes	20-40 lbs.	7 1/2-14 2/3 ozs.	0
Asparagus, strawberries	40 lbs.	14 2/3 ozs.	1
Broccoli, Brussels sprouts, cabbage, cauliflower, cowpeas, garden beets (roots), head lettuce, horseradish, kohlrabi, parsnips, radishes, rutabagas, salsify (roots), tobacco (field), turnips (roots)	20-40 lbs.	7 1/2-14 2/3 ozs.	3
Alfalfa, peas	30 lbs.	11 ozs.	3
Cotton	30 lbs.	11 ozs.	7
Celery, Chinese cabbage, collards, dandelion, endive (escarole), garden beet tops, Hanover salad, kale, leaf lettuce, mustard greens, parsley, rice*, salsify (tops), spinach, sugar beets, Swiss chard, turnip tops.	20-40 lbs.	7 1/2-14 2/3 ozs.	14
* Do not use on rice fields in which crayfish and/or catfish farming is included in the cultural practice.			
Wheat (grain)—Fall or Spring	30 lbs.	11 ozs.	21

Crop	Rate Per Acre	Rate per 1,000 Sq. Ft.	Days Between Final Application and Harvest
Sorghums (milo, grain sorghum, sweet sorghum and hybrids)	20-40 lbs.	7 1/2-14 2/3 ozs.	21 (grain)
Oats, barley and rye (fall treatment)	20-40 lbs.	7 1/2-14 2/3 ozs.	Do not feed treated fodder to dairy animals or animals being finished for slaughter or allow them to graze on crops treated with this product.
Sunflowers	20-40 lbs.	7 1/2-14 2/3 ozs.	60 (crop for oil, food or feed purposes) 0 (crop for seedling purposes only)
(all insects listed above except darkling beetles) for the following crops:			
Annual plants—herbaceous plants and shrubs, trees, woody plants (ornamental), grapes	40-48 lbs.	14 2/3-17 1/2 ozs.	0
Apples, cherries, peaches, pears, plums	40-48 lbs.	14 2/3-17 1/2 ozs.	1
Nectarines	40-48 lbs.	14 2/3-17 1/2 ozs.	3
Citrus	40-48 lbs.	14 2/3-17 1/2 ozs.	5
Apricots	40-48 lbs.	14 2/3-17 1/2 ozs.	28

NOTE: Do not make more than two applications after grain heads of wheat, alfalfa and clovers emerge from boot. Do not allow animals to graze on treated sunflower crops.

NOTICE

PLATTE WARRANTS THAT THIS PRODUCT CONFORMS TO THE CHEMICAL DESCRIPTION ON THE LABEL THEREOF AND IS REASONABLY FIT FOR THE PURPOSES STATED ON SUCH LABEL ONLY WHEN USED IN ACCORDANCE WITH THE DIRECTIONS UNDER NORMAL USE CONDITIONS. IT IS IMPOSSIBLE TO ELIMINATE ALL RISKS INHERENTLY ASSOCIATED WITH THE USE OF THIS PRODUCT. CROP INJURY, INEFFECTIVENESS, OR OTHER UNINTENDED CONSEQUENCES MAY RESULT BECAUSE OF SUCH FACTORS AS WEATHER CONDITIONS, PRESENCE OF OTHER MATERIALS, OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF PLATTE. IN NO CASE SHALL PLATTE BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER. EXCEPT AS EXPRESSLY PROVIDED HEREIN, PLATTE MAKES NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EITHER EXPRESSED OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE.

BEST AVAILABLE COPY

FORMULATED FOR
PLATTE CHEMICAL CO.
150 SO. MAIN STREET FREMONT, NEBRASKA 68025-5697