

AUG 1 1983

Mr. Dennis Burchette
Platte Chemical Co.
P.O. Box 667
Greeley, CO 80632

Dear Mr. Burchette:

Subject: Clean Crop Methyl Parathion
Toxaphene 3-6 EC
EPA Registration No. 34704-27
Your Application Dated July 7, 1983

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable.

A stamped copy is enclosed for your records.

Sincerely yours,

Jay B. Ellenberger
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

TS-767;Ellenberger;DCR-28815;WANG-0169C;KIM;Raven;479-2013;7/27/83

CONCURRENCES

SYMBOL ▶								
SURNAME ▶								
DATE ▶								

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER**

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING
Wear protective clothing, including long-sleeved shirt and long pants, and a respirator with a canister or cartridge, and gloves, socks and shoes.

WORK SAFETY RULES

1. Do not eat, drink, or use tobacco while using this product.
2. Do not use this product in a confined space.
3. Do not use this product in a poorly ventilated area.
4. Do not use this product in a residential area.
5. Do not use this product in a school or day care center.
6. Do not use this product in a hospital or nursing home.
7. Do not use this product in a public building.
8. Do not use this product in a place where people are sleeping.
9. Do not use this product in a place where people are eating or drinking.
10. Do not use this product in a place where people are working.

+ POISON SIGNS (Symptoms) +

Methyl Parathion causes irritation to the eyes, nose, throat, and skin. It causes dizziness, headache, nausea, vomiting, and diarrhea. It causes difficulty in breathing and a feeling of suffocation. It causes weakness, tremor, and convulsions. It causes a rapid pulse and a drop in blood pressure. It causes a decrease in heart rate and a decrease in body temperature. It causes a decrease in the number of red blood cells and a decrease in the number of white blood cells. It causes a decrease in the number of platelets and a decrease in the number of neutrophils. It causes a decrease in the number of lymphocytes and a decrease in the number of monocytes. It causes a decrease in the number of eosinophils and a decrease in the number of basophils. It causes a decrease in the number of mast cells and a decrease in the number of macrophages. It causes a decrease in the number of dendritic cells and a decrease in the number of microglia. It causes a decrease in the number of astrocytes and a decrease in the number of oligodendrocytes. It causes a decrease in the number of Schwann cells and a decrease in the number of myelin sheaths. It causes a decrease in the number of axons and a decrease in the number of synapses. It causes a decrease in the number of neurotransmitters and a decrease in the number of receptors. It causes a decrease in the number of enzymes and a decrease in the number of cofactors. It causes a decrease in the number of vitamins and a decrease in the number of minerals. It causes a decrease in the number of hormones and a decrease in the number of antibodies. It causes a decrease in the number of cells and a decrease in the number of tissues. It causes a decrease in the number of organs and a decrease in the number of systems. It causes a decrease in the number of functions and a decrease in the number of processes. It causes a decrease in the number of products and a decrease in the number of services. It causes a decrease in the number of people and a decrease in the number of communities. It causes a decrease in the number of nations and a decrease in the number of worlds.

NOTE TO PHYSICIAN

1. Do not give morphine or tranquilizers to a patient who has been treated with this product.
2. Do not give a patient who has been treated with this product a large meal or a large amount of liquid.
3. Do not give a patient who has been treated with this product a hot drink or a hot bath.
4. Do not give a patient who has been treated with this product a hot shower or a hot steam bath.
5. Do not give a patient who has been treated with this product a hot sunbath or a hot tanning bed.
6. Do not give a patient who has been treated with this product a hot sauna or a hot jacuzzi.
7. Do not give a patient who has been treated with this product a hot whirlpool or a hot hot tub.
8. Do not give a patient who has been treated with this product a hot swimming pool or a hot beach.
9. Do not give a patient who has been treated with this product a hot car or a hot truck.
10. Do not give a patient who has been treated with this product a hot plane or a hot ship.

ENVIRONMENTAL HAZARDS

1. Do not use this product in a residential area.
2. Do not use this product in a school or day care center.
3. Do not use this product in a hospital or nursing home.
4. Do not use this product in a public building.
5. Do not use this product in a place where people are sleeping.
6. Do not use this product in a place where people are eating or drinking.
7. Do not use this product in a place where people are working.

PHYSICAL & CHEMICAL HAZARDS

WARNING: COMBUSTIBLE
KEEP AWAY FROM HEAT AND OPEN FLAME
KEEP CONTAINER TIGHTLY CLOSED
LEAKING PALMERS SHOULD BE REMOVED TO A SAFE PLACE
DO NOT USE IN UNVENTILATED ROOM
DO NOT USE OR STORE IN OR AROUND THE HOME
DO NOT STORE AT TEMPERATURES BELOW 0°F

POST TREATED AREA

DIRECTIONS FOR USE

STORAGE AND DISPOSAL

PROHIBITIONS: Do not use this product in a residential area, school, day care center, hospital, nursing home, public building, or place where people are sleeping, eating, drinking, or working.
PESTICIDE DISPOSAL: Do not use this product in a residential area, school, day care center, hospital, nursing home, public building, or place where people are sleeping, eating, drinking, or working.
CONTAINER DISPOSAL: Do not use this product in a residential area, school, day care center, hospital, nursing home, public building, or place where people are sleeping, eating, drinking, or working.
GENERAL: Do not use this product in a residential area, school, day care center, hospital, nursing home, public building, or place where people are sleeping, eating, drinking, or working.

RESTRICTED USE PESTICIDE
FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.



**METHYL
PARATHION
TOXAPHENE
3-6 EC**

An emulsifiable concentrate for effective control for certain insects and mites

ACTIVE INGREDIENTS:	
O,O-Dimethyl O-(p-nitrophenyl phosphorothioate *)	25.8%
Toxaphene **	51.5%
Xylene	8.0%
INERT INGREDIENTS:	14.7%
TOTAL	100.0%

*Methyl Parathion
**Technical Chlorinated Camphene (Chlorine Content 67-69%)
Contains 3 lbs. Methyl Parathion and 6 lbs. of Toxaphene per gallon.

POISON
See side panels for antidote and precautions



DANGER
Keep out of reach of children

I CAN KILL YOU IF SWALLOWED

IF SWALLOWED, DO NOT INDUCE VOMITING. Give 1-2 glasses of water. Call your doctor or poison control center.

I CAN KILL YOU BY SKIN CONTACT

IF SKIN CONTACT, REMOVE CLOTHING. Wash skin with soap and water. Call your doctor or poison control center.

I CAN KILL YOU IF BREATHED

IF BREATHED, MOVE TO FRESH AIR. Call your doctor or poison control center.

+ STATEMENT OF PHYSICIAN TREATMENT +

IF PREPARING HAS STOPPED OR SWALLOWED, CALL YOUR DOCTOR OR POISON CONTROL CENTER IMMEDIATELY. IN CASE OF CONTACT, REMOVE CLOTHING AND WASH SKIN WITH SOAP AND WATER. CALL YOUR DOCTOR OR POISON CONTROL CENTER IMMEDIATELY.



FORMULATED FOR **MATTE CHEMICAL CO., Inc.**
150 SO MAIN STREET
FREMONT, NEBRASKA 68021

BEST AVAILABLE COPY