CAPTAN 5% Potato Seed Treater

ACTIVE INGREDIENT BY WEIGHT Captan (N-trichloromethylatio cyclohexene-1,2-digarbatinide) Related Derivatives (2) .0.12% INERT INGREDIENTS .95.00% TOTAL 100.00%

A FUNGICIDE FOR THE PROTECTION OF POTATO SEED PIÈCES AGAINST CERTAIN DISEASES.

KEEP OUT OF CHILDREN DANGER

STATEMENT OF PRACTICAL TREATMENT

if in eves: Flush with clenty of water, Call a physician.

If swallowed: Call chysician or Polson Control Center Immediately, Drink promptly a large quantity of milk, egg whites, getatin solutions, or if these are not available, drink large quantities of water. Avoid alcohol. Do not give anything by mouth to an unconscious person. it inhaled: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth-

If on skin: Remove contaminated clothing and wash affected area with soap and water.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

17143

EPA REG. NO. 34704-30 EPA 2ST. NO. 38091-ID-1

NET WEIGHT 50 POUNDS

CLEAN CROP'S A Registered T.M. of United Agri Products, Inc.

EXP-2G

Government and most states have seed laws and regulations requiring an appropriate caution statement be affixed to bags containing treated seed such as: "Treated Seed - Do Not use for food or feed."

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Do not store under conditions which might adversely affect the container or its ability to function properly. Such conditions include, but are not limited to, positioning of the container in storage, storage temperature, potential for crushing or damage due to stacking, and penetration of moisture.

STORAGE: Store in sale manner. Store in original container only. Store in cool, dry place. Reduce stacking height where local conditions, such as numidity or pallet overhang, can effect package strength. Personnel should use clothing and equipment consistent with good pesticide handling.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous, Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law, if these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary jandfill or by incineration, or, if allowed by State and local authorities, by burning, if burned, stay out of

Wear googles or face shield when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and separately launder clothing before reuse.

smoke.

Mixers/loaders when mixing and loading this product must wear a long-sleeved shirt and long parts or a coverall that covers all parts of the body except the head, hands and feet. Wear chemical resistant ployes, googles or a face shield and a chemically resistant approx.

Fleidworkers and harvesters must wear chemical resistant gloves. Leather or fabric gloves are not acceptable.

AFTER WORK: Take off all clothes and shoes. Shower using soap and water. Do not wear contaminated clothing, Wash protective clothing and equipment with soap and water after each use. Personal clothing worn during use must be laundered separately from household articles. 6 hours of cutting. If planting is delayed more than 1 or 2 days, treated pieces should be stored 2 days in open crates before bagging.

NOTE TO USER: Tuber damage and/or decay may occur on sandy soils under moist soil conditions and higher than normal soil temperatures. Do not use if these conditions can occur or if there has been any cast history of seed piece decay due to this problem,

This product will not control bacterial soft rot.

Not for use in Jefferson County, Idaho.

DO NOT USE TREATED SEED FOR FEED OR FOOD

NOTICE

DISCLAIMER-The label instructions for the use of this product reflect the opnion of expens based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions. presence of other materials, or the manner of use or application all of which are beyond the control of Platte Chemical Company. All such risks shall be assumed by the user. Platte Chemical Company warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use herein described when used in accordance with the directions for use, subject to the risk referred to above. Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values or any other special or Indirect damages, Platte Chemical Company makes no other express or implied warranty, Including any other express or implied warranty of FITNESS or of MERCHANTABILITY.

FORMULATED FOR PLATTE CHEMICAL COMPANY, INC. 150 SO. MAIN STREET FREMONT, NEBRASKA 88025