


Flipside*

NOTE: TILT FORWARD WHILE DISPENSING



DIAZINON[®] SEED PROTECTANT

11800-3
ACCEPTED
Feb 9 1973
UNDER THE FEDERAL INSECTICIDE
ACT AND REGULATIONS AND
FOR ECONOMIC INSECT CONTROL

Planter box treatment for the protection of seed and germinating seedlings of corn, peas, soybeans and beans from damage by seed corn maggots and corn from seed corn beetles.

ACTIVE INGREDIENT:

O, O-diethyl O-(2-isopropyl-4-methyl-6-pyrimidinyl) phosphorothioate 33.3%

INERT INGREDIENTS 66.7%

TOTAL 100.0%

*Diazinon[®] Registered Trademark of CIBA-GEIGY Corporation U.S. Patent No. 2,754,243

WARNING: Keep out of reach of children.

See Side Panels for Additional Cautions.

CAUTION: Caution must be observed

134704-361. **1.** May be fatal if swallowed. May be fatal if absorbed through skin. Do not breathe dust.

2. Avoid contact with skin, eyes, nose. Wash thoroughly after handling.

3. Avoid contamination of food and feed. Keep out of reach of domestic animals.


4. This product is toxic to fish and aquatic life. Treated seed exposed on soil surface may be hazardous to birds and wildlife. Do not eat excess treated seeds by burial. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product as specified on this label.

5. Do not reuse container. Destroy container by burning. Avoid smoke and fumes.

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Due to conditions of use which may vary, weather, condition of planting equipment, compatibility with other chemicals, etc., no claims other than those stated on the label are made.

Dispenser unit patent pending

STORE IN COOL, DRY PLACE



PROTECTANT

Feb 9 1972
 UNDER THE FEDERAL INSECTICIDE
 ACT AND REGULATIONS
 FOR ECONOMIC ANIMAL HEALTH
 AND OTHER LAWS

Planter box treatment for the protection of seed and germinating seedlings of corn, peas, soybeans and beans from damage by seed corn maggots and corn from seed corn beetles.

ACTIVE INGREDIENT:

O, O-diethyl O-(2-isopropyl-4-methyl-6-pyrimidinyl) phosphorothioate **33.3%**

INERT INGREDIENTS 66.7%

TOTAL 100.0%

*Diazinon® Registered Trademark of CIBA-GEIGY Corporation
 U.S. Patent No. 2,754,243

WARNING: Keep out of reach of children.

See Side Panels for Additional Cautions.

Dispenser unit patent pending
 (See side panels for use instruction and terms of sale.)

NET WEIGHT 3 POUNDS

EPA Reg. No. 11800-3

MIDWEST AGRICULTURAL WAREHOUSE CO.
 Fremont, Nebraska 68025

REMOVE TAPE FROM OTHER SIDE.

3. Avoid contamination of food and out of reach of domestic animals

4. This product is toxic to fish. Treated seed exposed on soil surface is hazardous to birds and wildlife. Avoid excess treated seeds by burial. Contaminate water by cleaning of equipment. Dispose of wastes. Apply this as specified on this label.

5. Do not reuse container. Destroy or burn. Avoid smoke and fumes.

NOTICE: Seller warrants that this product conforms to the ingredient statement. Due to conditions of use which include weather, condition of planting equipment, compatibility with other chemicals, no claims other than those stated.


STORE IN COOL, DRY PLACE

REMOVE TAPE SEAL BY PULLING



side*

NON[®] ED CTANT



for the protection of
seedlings of corn,
from damage by
and corn from seed

propyl-
(yl)
..... 33.3%
S 66.7%
TOTAL 100.0%

Registered Trademark
Corporation
2,754,243

**Keep out of
children.**
Additional Cautions.

CAUTION: Caution must be observed in usage.

1. May be fatal if swallowed. May be absorbed through skin. Do not breathe dust.
2. Avoid contact with skin, eyes, and clothing. Wash thoroughly after handling.
3. Avoid contamination of food and feed. Keep out of reach of domestic animals.
4. This product is toxic to fish and wildlife. Treated seed exposed on soil surface may be hazardous to birds and wildlife. Dispose of excess treated seeds by burial. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.
5. Do not reuse container. Destroy it by burying or burning. Avoid smoke and fumes.

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Due to conditions of use which vary, such as weather, condition of planting equipment, and compatibility with other chemicals, seller makes no claims other than those stated on the label.

STORE IN COOL DRY PLACE

Method of Application

PLANTER BOX TREATMENT:

Corn

Seed Corn Beetles: Mix 4 oz. (two pull-outs of dispenser unit) per 50-lb. bag of seed as a dry mixture in the planter box as a seed treatment prior to planting.


Corn, Peas, Soybeans and Beans (Lima, Snap, White and Kidney).

Seed Corn Maggots: Mix 2 oz. (one pullout of dispenser unit) per 50-lb. bag of seed as a dry mixture in the planter box as a seed treatment prior to planting.

PLANTER BOX MIXING INSTRUCTIONS:

For best mixing results in planter box dispense 2 oz. (one pull-out of dispenser unit) on 1/2 bag of seed. Stir seed slightly using a mixing stick. Add 1/2 bag of seed on top of already treated seed, dispense 2 oz. (one pull-out of dispenser unit). Again stir seed slightly using a mixing stick. Additional mixing will result from operation of the planter. **DO NOT MIX WITH BARE HANDS.**

NOTE: Use only on seed that has previously been treated with a fungicide.



for the protection of
seedlings of corn,
beans from damage by
insects and corn from seed

propyl-
yl)
..... 33.3%
S 66.7%
TOTAL 100.0%

Registered Trademark
Corporation
2,754,243

**Keep out of
children.**
Additional Cautions.

patent pending
(instruction and terms of sale.)

3 POUNDS

No. 11800-3
GRAIN WAREHOUSE CO.
Nebraska 68025

OUT OF REASON OF CONTAMINATING ACTIVITIES.

4. This product is toxic to fish and wildlife. Treated seed exposed on soil surface may be hazardous to birds and wildlife. Dispose of excess treated seeds by burial. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

5. Do not reuse container. Destroy it by burying or burning. Avoid smoke and fumes.

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Due to conditions of use which vary, such as weather, condition of planting equipment, and compatibility with other chemicals, seller makes no claims other than those stated on the label.

STORE IN COOL, DRY PLACE

**REMOVE TAPE SEAL BY PULLING FROM
THIS END**



**Corn, Peas, Soybeans and Beans
(Lima, Snap, White and Kidney).**

Seed Corn Maggots: Mix 2 oz. (one pullout of dispenser unit) per 50-lb. bag of seed as a dry mixture in the planter box as a seed treatment prior to planting.

**PLANTER BOX MIXING
INSTRUCTIONS:**

For best mixing results in planter box dispense 2 oz. (one pull-out of dispenser unit) on 1/2 bag of seed. Stir seed slightly using a mixing stick. Add 1/2 bag of seed on top of already treated seed, dispense 2 oz. (one pull-out of dispenser unit). Again stir seed slightly using a mixing stick. Additional mixing will result from operation of the planter. **DO NOT MIX WITH BARE HANDS.**

NOTE: Use only on seed that has previously been treated with a fungicide.

CAUTION:
Diazinon treated seed cannot be used for feed for livestock, or for the preparation of products for human consumption.