METHOD OF APPLICATION DIRECTIONS FOR USE

WHEAT, OATS, BARLEY.. RYE—Use rate of 2 ounces per bushel. FLAX—Use rate of 4 ounces per bushel. CORN, SOYBEANS—Use rate of 3 ounces per bushel.

Planter or Drill Box Treatment

For best results fill planter or drill box one-half of seed, then treat with one-half amount of Maneb-Lindane Seed Protectant and mix well by stirring with stick or paddle until color is imparted to all seed. Add remaining seed to the planter box and cover with balance of Maneb-Lindane Seed Protectant, mix thoroughly as above. DO NOT MIX WITH BARE HANDS.

CAUTION

Do not use treated seed for feed, food, or oil purposes.

Caution Must Be Observed In Usage

- 1. May be fatal if swallowed. May be absorbed through the skin. Do not breathe dust.
- 2. Avoid contact with skin, eyes, and clothing. In case of contact, wash promptly with soap and water; for eyes, get medical attention.
- 3. Avoid contamination of food or feed. Keep out of reach of domestic animals.
- 4. This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams and ponds. Treated seed on the soil surface will be hazardous to birds and wildlife. Dispose of excess seeds by burial. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.
- 5. Do not reuse this container. Destroy it by burning or burying.
- 6. Applicators who apply this product manually or without the use of a closed-system treatment procedure must wear the following protective clothing during the application process: long-sleeved shirt; long pants; gloves; and a disposable, paper dust mask which covers at least one-third of the face. This product shold be applied in a well-ventilated area.

BEST DOCUMENT AVAILABLE


ACCUPTED
with CONVENTS
in EPA Letter Dated:

34104-39

NOTICE

Seller warrants that this product conforms to the ingredient statement on the label. Due to conditions of use which vary, such as weather, condition of planting equipment and compatibility with other chemicals, seller makes no claims other than those stated on the label.

STORE IN COOL, DRY PLACE PROTECT FROM EXCESSIVE HEAT



OF APPLICATION TIONS FOR USE

te of 2 ounces per bushel.

ces per bushel.

3470-7-39 APR 2 / 1001

ACCUPTED with CONTIFETS

in EPA Letter Baked:

-half of seed, then treat with one-half amount of Maneby stirring with stick or paddle until color is imparted to ter box and cover with balance of Maneb-Lindane Seed) NOT MIX WITH BARE HANDS.

AUTION

or oil purposes.

ist Be Observed In Usage

osorbed through the skin. Do not breathe dust. othing. In case of contact, wash promptly with soap and

Keep out of reach of domestic animals.

id other wildlife. Keep out of lakes, streams and ponds. > hazardous to birds and wildlife. Dispose of excess seeds by cleaning of equipment, or disposal of wastes. Apply

it by burning or burying.


anually or without the use of a closed-system treatment protective clothing during the application process; longa disposable, paper dust mask which covers at least onebe applied in a well-ventilated area.

BEST DOCUMENT AVAILABLE

NOTICE

ns to the ingredient statement on the label. Due to condier, condition of planting equipment and compatibility with is other than those stated on the label.

N COOL, DRY PLACE



CAUTION

KEEP OUT OF REACH OF CH (See Side Panels For Additional Ca

See side panels for use instructions and

EPA REG. NO. 34704-39

NET WEIGHT 21/2 pounds (40

CLEAN CROP is a Registered T.M. of United Ar



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

435/112166

300 1188555

24 APR 1304

OFFICE OF PESTICIDES AND TOXIC SUBSTANCES

Mr. Dennis M. Burchett Platte Chemical Co. P.O. Box 667 Greeley, CO 80632

Dear Mr. Burchett:

Subject: Lindane RPAR

Clean Crop Maneb-Lindane Seed Protectant

EPA Req. No.: 34704-39

Appl. Date: November 28, 1983

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

- 1. Move the KEEP OUT OF REACH OF CHILDREN to a postion appearing immediately above the front panel signal word.
- 2. A STATEMENT OF PRACTICAL TREATMENT must be added to the labeling. We suggest the following statement, however, if your toxicological data suggests otherwise, please submit a draft STATEMENT OF PRACTICAL TREATMENT for prior approval:

"STATEMENT OF PRACTICAL TREATMENT

If swallowed-Call a physician or Poison Control Center immediately.

Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled- Remove victim to fresh air. Apply artificial respiration

if indicated.

If on skin- Remove contaminated clothing and wash affected area

with soap and water.

If in eyes- Flush eyes with plenty of water. Call a physician

if irritation persists."

- 3. Under number 6 on the left panel change "shold" to "should".
- 4. Delete "Do not use treated seed for feed...purposes." and insert:

"Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated seeds beyond planting time."

- 4. Insert the following to immediately follow the heading DIRECTIONS FOR USE:
 - "It is a violation of Federal law to use this product in a manner inconsistent with its labeling."
- 5. Insert a "STORAGE AND DISPOSAL" section in accordance with PR Notices 83-3 and 84-1.
- 6. Immediately preceding "CAUTION Caution must be observed..." insert the following headings:

"PRECAUTIONARY STATEMENTS

"HAZARDS TO HUMANS AND DOMESTIC ANIMALS"

7. Immediately preceding "This product is toxic to fish..." insert the following heading:

"ENVIRONMENTAL HAZARDS"

Submit five (5) copies of your revised final printed labeling before you release the product for shipment with the amended labeling.

A stamped copy of the label is enclosed for your records.

If you hold a Federal registration, a supplemental registration, or a Special Local Needs registration, you may continue to produce new stocks of such products, using current labeling, until April 1, 1984. After that date, all remaining inventories of affected products will fall under the Existing Stocks provisions stated in our letter of October 28, 1983.

Sincerely yours,

George T. LaRocca Product Manager (15) Insecticide-Rodenticide Branch Registration Division (TS-767C)

Enclosure