PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful or fatal if swallowed. Avoid contact with skin, eyes or clothing Avoid breathing vapor?

ENVIRONMENTAL HAZARDS

DO NOT USE ON OR NEAR DESIRABLE VEGETATION. To be used only on non-crop areas for non-selective weed control. Do not apply when weather conditions favor crift of spray from areas treated.

IMPORTANT — Injury to or loss of desirable trees or other plants may result from failure to observe the following. Do not apply, or drain or flush equipment on or near desirable trees or other plants or on areas where their roots may extend, or in locations where the chemical may be washed or moved into contact with their roots. Do not use on lawns walks, driveways, tennis courts, or similar areas. Prevent drift of spray to desirable plants. Do not contaminate domestic waters. Keep from contact with fertilizers, insecticides, fungicides, and seeds. Thoroughly clean all traces of CLEAN CROP BROMACIL WEED KILLER from application equipment immediately after use. Flush tank, pump, hoses, and boom with several changes of water after removing nozzle tips and screens (clean these parts separately).

Keep out of takes, ponds or streams. Do not contaminate water to, cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water food, or feed by storage or disposal. Open dumping is prohibited

PESTICIDE DISPOSAL

Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL

Triple rinse (or equivalent) and offer for recycling, recond floring, or disposal in approved landfill or bury in a rate place.

GENERAL

Consult federal, state or local disposal authorities for approved alternative procedures

GENERAL INFORMATION

CLEAN CROP BROMACIL WEED KILLER is a water soluble liquid to be mixed in water and applied as a spray on non-cropland areas. It is an effective general herbicide for control of brush and many annual and perennial weeds and is particularly useful for control of perennial grasses. Effects are slow to appear and may not become apparent until the chemical has been carried into the root zone of the weeds by moisture. The degree of control and duration of effect will vary with the amount of chemical applied, soil type, rainfall, and other conditions.

CLEAN CROP BROMACIL WEED KILLER after mixing in water, is non-votatile non-flammable, and non-corrosive to metals except aluminum Do not use with aluminum spray nozzles.

DIRECTIONS

Apply CLEAN CROP BROMACIL WEED KILLER just before or during the period of active growth of plants to be controlled. If dense growth is present results will be improved if vegetation is removed before treatment. Do not apply when ground is frozen.

Before spraying, calibrate equipment to determine quantity of water necessary to uniformly cover measured area to be treated. Measure the proper amount of CLEAN CROP BROMACIL WEED KILLER and mix into the necessary volume of water. After CLEAN CROP BROMACIL WEED KILLER has been thoroughly mixed in the spray tank, agitation of the spray solution is not required.

Use a fixed-boom power sprayer properly calibrated to a constant speed and rate of delivery. For application with a hand-gun sprayer, use at least 200 gals, spray per acre. For treating small areas, a tank-type hand sprayer or sprinkling can may be used.

WEED CONTROL

To control most weeds for an extended period of time on non-cropland areas such as FENCE ROWS, around FARM BUILDINGS, STORAGE BING and INDUSTRIAL PLANT SITES

Apply 4 to 8 gals. CLEAN CROP BROMACIL WEED KILLER per acre to untrof ANNUAL WEEDS AND GRASSES such as foxtail ryegrass, wild oats crabgrass cheatgrass, bromegrass, ragweed, lambsquarters puncturevine, orchardgrass and turkey mullein. When applied just prior to or after emergence of annuals rates as low as 2 gal. per acre control many annual weeds and grasses in low rainfall areas and give short term control in higher rainfall areas.

Apply 8 to 16 gals. CLEAN CROP BROMACIL WEED KILLER per acre to control PERENNIAL WEEDS and GRASSES such as smooth brome. Buttagrass. bitegrass, redtop, purpletop, quackgrass, broomsedge, aster dandelion dog fennel, goldenrod, plantain and wild carrot. In areas with low or seasonal rainfall, rates as low as 6 gals, per acre control many perennial weeds and grasses.

-%

FORM

TD FO

150 SO. MAIN

s a water soluble tiguid to be non-croptand areas. It is an prush and many annual and ful for control of pereinal in not become apparent and solution zone of the weeds by an of effect will vary with the It and other conditions.

after mixing in water is nonto metals except aluminum

JLLER just before or during controlled. If dense growth is retation is removed before item.


determine quantity of water irea to be treated. Measure "ACIL WEED KILLER and mix CLEAN CROP BROMACIL on the spray tank, agitation of

ly calibrated to a constant with a hand-gun sprayer use ting small areas a tank-type

eriod of time on non-cropland RM BUILDINGS STORAGE

IL WEED KILLER per acre to uch as foxfall ryegrass wild 5. ragweed lambsquarters liten. When applied just prior 'ow as 2 gall per acre control fall areas and give short term

ACIL WEED KILLER per acre SES such as smooth brome quackgrass, broomsedge plantain and wild carrot for low as 6 gals, per acre con-



Keep Out Of Reach Of Children CAUTION

HARMFUL IF SWALLOWED AVOID CONTACT WITH SKIN, EYES OR CLOTHING AVOID BREATHING VAPORS

STATEMENT OF PRACTICAL TREATMENT

In a sacot contact with eyes in broad iterations with plenty of water. Get mode is attend and are in particular.

Do not re-use container.
KEEP CONTAINER CLOSED WHEN NOT IN USE.

NET CONTENTS

GALLONS

EPA Reg. No. 34704-52

Apply 16 to 32 radio CLEAN CROP BROMACIL WEB acre to control JOHNSONGRASS use at the same rather to control JOHNSONGRASS use at the same rather to Kill PERENNIAL WEEDS and GRASS Bormudagrass Dallisgrass nutsedge Vasaygrass salingbet dogbare bracken tern and horsetal. Where tusually less than 4 inchesi occurs during the active is such as some areas of the West CLEAN CROP BROKILLER will not provide satisfactory control of hard to know perennial weeds such as Johnsongra.

Use the higher terrels of the dosage ranges on adsorption those high morganic matter or carbon).

Retreatment — Apply 2 to 8 gals. CLEAN CROP BROKILLER per acre when annual weeds and grasses real where weed growth has been controlled.

For Small Areas — Eight fl. oz. of CLEAN CROP BROKILLER per 250 sq. ft. is approximately 10% gals, per ac BRUSH CONTROL

To control undesirable woody plants on non-cropland FENCE ROWS around FARM BUILDINGS STORAGE DUSTRIAL PLANT SITES

Note: For effective brush control and prevention of datable vegetation, do not apply to brush standing in water strigation ditches nor on right-of-ways or other sites whitember or other desirable trees or shrubs are immediate the freated area.


Broadcast Treatment — Apply 6 to 13% gals per a only willow sweet gum and pine apply 16 to 32 gals control brush such as American elm, winged elm, hack and cottonwood. Use the higher levels of the dosage ran tive soils (those higher organic matter or carbon).

NOTICE TO BUYER

Sefer warrants that this product conforms to the chemon the label thereof and is reasonably fit for purposes stabel only when used in accordance with directions under onlybons. This warranty does not extend to use of the trary to label use directions for under abnormal use concound tions not reasonably foreseeable to seller, buyer a of any such use. Seller makes no other warranties, expressions of this material does not confer any rights uncountries, outside of the United States.

·····,下标 27B3(中 Cta + july in

BLATTE CHEMICALEO. Inc.



Keep Out Of Reach Of Children CAUTION

HARMFUL IF SWALLOWED AVOID CONTACT WITH SKIN, EYES OR CLOTHING AVOID BREATHING VAPORS

STATEMENT OF PRACTICAL TREATMENT

In case of contact with eyes, immediately flush with plenty of water. Get medical attention if irritation persists.

Do not re-use container.

KEEF CONTAINER CLOSED WHEN NOT IN USE.

NET CONTENTS

GALLONS

EPA Reg. No. 34704-52

Apply 16 to 32 gats CLEAN CROP BROMACIL WEED FILLER per acre to control JOHNSONGRASS use at the same rate for OTHER HARD-TO KILL. PERENNIAL WEEDS and GRASSES seem as Bermudagrass Dallisgrass nutsedge Vaseygrass saltgrass boundingbet dogbane bracken fern and horsetal. Where limited runtial tusually less than 4 inchesi occurs during the active growth provides such as some areas of the West CLEAN CROP BROMACIL WEED KILLER will not provide satisfactory control of hard-to-kill deep rooted perennial weeds such as Johnsongrass.

Use the higher levels of the dosage ranges on adsorptive soils rusually those high in organic matter or carbon).

Retreatment — Apply 2 to 8 gals. CLEAN CROP BROMACIL WEED KILLER per acre when annual weeds and grasses reappear on sites where weed growth has been controlled.

For Small Areas — Eight floz of CLEAN CROP BROMACIL WEED KILLER per 250 sq. ft. is approximately 10% gals, per acre.

BRUSH CONTROL

To control undesirable woody plants on non-cropland areas such as FENCE ROWS around FARM BUILDINGS STORAGE BINS and IN-DUSTRIAL PLANT SITES

Note: For effective brush control and prevention of damage to desirable vegetation, do not apply to brush standing in water, do not use in irrigation ditches nor on right-of-ways or other sites where marketable timber or other desirable trees or shrubs are immediately adjacent to the treated area.

Broadcast Treatment — Apply 6 to 13°4 gals per acre to control oak willow sweet gum and pine apply 16 to 32 gals per acre to with 11°4 1 with a American elm winged elm hackberry sumachid cottonwood. Use the figher levels of the dosage ranges on adsorptive soils (those high in organic matter or carbon).

NOTICE TO BUYER

Seller warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal use conditions. This warranty does not extend to use of this product contrary to tabel use directions or under abnormal use conditions or under conditions not reasonably foreseeable to seller, buyer assumes all risk of any such use. Seller makes no other warranties, express or implied Purchase of this material does not confer any rights under patents of countries outside of the United States.

Boy I'M of Broom Profes Me

ATTE CHEMICAL CO., Inc.