

CAUTION: May be harmful if swallowed. Do not take internally. Avoid eye contact. Flush contaminated eyes with plenty of water, and get medical attention if irritation persists. Wash thoroughly after handling. Wash contaminated clothing before re-use. Keep away from food, feedstuffs and domestic water supplies.

NOTE TO PHYSICIAN: Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Do not store under conditions which might adversely affect the container or its ability to function properly.

STORAGE: Store in safe manner. Store in original container only. Store in cool, dry place. Keep container tightly closed when not in use. Reduce stacking height where local conditions, such as humidity or pallet overhang, can affect package strength. Personnel should use clothing and equipment consistent with good pesticide handling.

DISPOSAL

Commercial Use

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Household Use: Do not reuse bag. Discard bag in trash. Securely wrap original container in several layers of newspaper and discard in trash.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Keep children and pets off treated areas until this material is washed into the soil and grass is dry. **DO NOT** apply to dchondra lawns.

Apply CHLORPYRIFOS 2.3G granular insecticide uniformly to home lawns and other ornamental and recreational turf grass areas using a hand or power operated gravity or rotary type spreader designed for application of granular materials. Treat when insects first appear using CHLORPYRIFOS 2.3G at the rate of 40 pounds per acre. To help this material distribute, apply one-half the required amount of product in one direction, then apply the balance at a right angle to the first application. Sprinkle the turf with 1300 gallons of water per acre so as to wash the granules of CHLORPYRIFOS 2.3G into the soil to control infestation. Retreat as necessary.

RATES TO USE

Area to be Treated	Pounds of CHLORPYRIFOS 2.3G	Gallons of Water to Sprinkle on Turf after Treatment
1000 sq. ft.	1	30
5000 sq. ft.	5	150
10700 sq. ft.	10	325

*To control certain white grub larvae of European chafers and Japanese beetles use two to four times the amounts of CHLORPYRIFOS 2.3G shown in the table, i.e. 2 to 4 pounds per 1,000 sq. ft. Apply the granules uniformly over the area treated followed immediately by thorough watering to wash the insecticide into the turf. For best results treat when grubs are young and actively feeding near the soil surface, usually during late July and August. Consult your local Agricultural Extension Service specialist for proper time to treat in your area.

**To control Hyperodes (Turfgrass Weevils) use twice the rate of CHLORPYRIFOS 2.3G shown in the table. Treat suspected problem areas in mid April and again in mid May. Consult your local Agricultural Extension Service specialist for best time to treat in your area.

NOTICE OF WARRANTY

Platte warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for the purposes stated on such label only when used in accordance with the directions under normal use conditions. It is impossible to eliminate all risks of injury associated with the use of the product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Platte. In no case shall Platte be liable for consequential, special, or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the buyer. Platte makes no warranties of merchantability or fitness for a particular purpose nor any other express or implied warranty except as stated above.



FORMULATED FOR
PLATTE CHEMICAL COMPANY, INC.
150 SO. MAIN STREET FREMONT, NEBRASKA 68025



**CHLORPYRIFOS
2.3G TURF
INSECTICIDE**

ACTIVE INGREDIENTS

Chlorpyrifos [O,O-diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorothioate]

INERT INGREDIENTS

TOTAL


Controls Chinch Bugs, Sod Webworms (Lawn Moths), Ants, Fleas, Ticks, Crickets, Cutworms, Earwigs, Sawbugs (Pillbugs), Certain Grubs* and Hyperodes (Turfgrass) Weevils** Infesting Home Lawns and other Ornamental Turf Areas.

Do Not Ship or Store with Foods, Feeds, or Cloth

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

MAY BE HARMFUL IF SWALLOWED

See Side Panel for Additional Precautionary State



U.S. Patent No. 3,244,586

EPA REG. NO. 34704-54
EPA EST. NO. 34704-CO-1

NET CONTENTS

Chlorpyrifos Mixture
RQ NA2783



Caution: Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

ENVIRONMENTAL HAZARDS

Product is toxic to fish, birds and other wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Do not store under conditions which might adversely affect the container or its ability to function properly.
STORAGE: Store in safe manner. Store in original container only. Store in cool, dry place. Keep container tightly closed when not in use. Reduce stacking height where local conditions, such as humidity or pallet overhang, can affect package strength. Personnel should use clothing and equipment consistent with good pesticide handling.

DISPOSAL
Commercial Use

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.
Household Use: Do not reuse bag. Discard bag in trash. Securely wrap original container in several layers of newspaper and discard in trash.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
 Keep children and pets off treated areas until this material is washed into the soil and grass is dry. **DO NOT** apply to dchondra lawns.
 Apply CHLORPYRIFOS 2.3G granular insecticide uniformly to home lawns and other ornamental and recreational turf grass areas using hand or power operated gravity or rotary type spreader designed for application of granular materials. Treat when insects first appear.
 Apply CHLORPYRIFOS 2.3G at the rate of 40 pounds per acre. To help obtain uniform distribution, apply one half the required amount of product in one direction, then apply the balance at a right angle. Immediately after application sprinkle the turf with 1300 gallons of water per acre so as to wash the granules of CHLORPYRIFOS 2.3G into the zone of insect infestation. Retreat as necessary.

RATES TO USE

Area to be Treated	Pounds of CHLORPYRIFOS 2.3G	Gallons of Water to Sprinkle on Turf after Treatment
1000 sq. ft.	1	30
5000 sq. ft.	5	150
10700 sq. ft.	10	325

Control certain white grubs (larvae of European chafer and Japanese beetle) use two to four times the amounts of CHLORPYRIFOS shown in the table, i.e. 2 to 4 pounds per 1000 sq. ft. Apply the granules uniformly over the area treated followed immediately by thorough watering to wash the insecticide into the turf. For best results treat when grubs are young and actively feeding near the soil surface, usually during late July, and August. Consult your local Agricultural Extension Service specialist for proper time to treat in your area.
 Control Hyperodes (turfgrass) weevils use twice the rate of CHLORPYRIFOS 2.3G shown in the table. Treat suspected problem areas in April and again in mid May. Consult your local Agricultural Extension Service specialist for best time to treat in your area.

NOTICE OF WARRANTY

Platte warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for the purposes stated on the label only when used in accordance with the directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of the product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as other conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Platte. Platte shall be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such liability shall be assumed by the buyer. Platte makes no warranties of Merchantability or fitness for a particular purpose nor any other express or implied warranty except as stated above.



FORMULATED FOR
PLATTE CHEMICAL COMPANY, INC.
 150 SO. MAIN STREET FREMONT, NEBRASKA 68025



CHLORPYRIFOS
2.3G TURF
INSECTICIDE

ACTIVE INGREDIENTS

Chlorpyrifos [O,O-diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorothioate] 2.3%

INERT INGREDIENTS 97.7%

TOTAL **100.0%**


Controls Chinch Bugs, Sod Webworms (Lawn Moths), Ants, Brown Dog Ticks, Crickets, Cutworms, Earwigs, Sawbugs (Pillbugs), Certain White Grubs* and Hyperodes (Turfgrass) Weevils** Infesting Home Lawns and other Ornamental Turf Areas.

Do Not Ship or Store with Foods, Feeds, or Clothing.

KEEP OUT OF REACH OF CHILDREN
CAUTION

MAY BE HARMFUL IF SWALLOWED

See Side Panel for Additional Precautionary Statements



U.S. Patent No. 3,244,586
 EPA REG. NO. 34704-54
 EPA EST. NO. 34704-CO-1

NET CONTENTS

Chlorpyrifos Mixture
 RQ NA2783

