



Ortho Rose & Floral Dust

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. May be absorbed through skin. Avoid breathing of dust. Avoid contact with skin and eyes. Keep children and animals away from treated areas until these areas are dry. **STATEMENT OF PRACTICAL TREATMENT:** If swallowed, give a large amount of water to drink, make person vomit and call a doctor. If inhaled, remove person to fresh air. If on skin, wash thoroughly with soap and water. If in eyes, wash eyes with fresh water for at least 15 minutes. If irritation continues, see a doctor. **Note to Physicians:** Emergency Information: call (415) 233-3737.

ENVIRONMENTAL HAZARDS: Toxic to fish. Keep out of any body of water. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

DIRECTIONS

Apply as a dust. Apply by dusting in early morning or late evening when the temperature is low and the air is still. Apply so all exposed parts are contacted, especially upper and lower leaf surfaces.

For Insect Control: Treat thoroughly when damage or insects first appear. Repeat as necessary.

For Disease Control: Start regular preventive program of treatments as soon as foliage appears. Under normal conditions, apply every 7 to 10 days during growing season. Treat at least weekly during periods of moderate infection and twice weekly during periods of rapid new growth and severe infection caused by continuous summer rains or high humidity. Reapply after sprinkler or overhead irrigation or rainfall.

NOTE: Do not use on certain ferns including Boston Maidenhair and Phoenixes, or on some species of Crassula (example: Jade Plant). Do not use on Boston Ivy. Do not use on Japanese Maple. Do not use within 2 weeks of an air spray treatment.

Plants	Insects	Diseases
Roses and Other flowers	Aphids, Spider Mites, Japanese Beetles, Rose Chafers, Rose Leafhoppers, Leafrollers, Rose Slugs, Lacebugs, Boxwood Leafminer, Bagworms and Scale Crawlers.	Powdery Mildew, Black Spot

STORAGE AND DISPOSAL

STORAGE: Keep pesticide in original container. Do not put concentrate or dilute in food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area.

DISPOSAL: PRODUCT — Partially filled can may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash. **CONTAINER** — Do not reuse empty can. Rinse thoroughly before discarding in trash.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Chevron Chemical Company

Ortho Consumer Products Division
San Francisco CA 94120-7144 Richmond LA 94804-0036
Product 5071 Made in U.S.A.
Form 9007-N
EPA Reg. No. 239-2346-AA

EPA Est. 239-CA-1-239-NJ-1-239-MO-1
Superscript used is first letter of lot number.



Ortho Rose & Floral Dust

Controls Insects and Diseases
Aphids, Japanese Beetles,
Powdery Mildew, Black Spot
and Certain Other Flower
Garden Pests



Active Ingredients	By Wt.
**Carbaryl (1-methyl-N-methylcarbamate)	30%
**Malathion	40%
***Folpet	50%
****1-bis-(chlorophenyl)-2,2,2-trichloroethanol	15%
Inert Ingredients	86.5%
*SEVIN® Reg. TM of Union Carbide Corp. for Carbaryl Insecticide.	
**DD dimethyl phosphorothioate of diethyl mercaptosuccinate	
***N-(Trichloromethylthio)phthalimide (PHALTAN®)	
****KELTHANE® Reg. TM of Rohm & Haas Co.	

Keep out of reach of children

CAUTION

See back panel for additional precautionary statements.

NET WT. 1 LB.

