

CLEAN CROP ACCURATE TURF INSECTICIDE 7/2 U

SEP 23 1967

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide

EPA Reg. No. 34704-55

ACTIVE INGREDIENT:
 Chlorpyrifos [O,O-diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorothioate] 0.5%
INERT INGREDIENTS: 99.5%
TOTAL 100.0%

Orange and Disposal, cont'd.
CONTAINER DISPOSAL: Do not reuse empty container. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Do Not Ship or Store with Food, Feeds, or Clothing

KEEP OUT OF REACH OF CHILDREN CAUTION

EPA REG. NO. 34704-55
 EPA EST. NO. _____
 NET WEIGHT 50 POUNDS

19829 * CLEAN CROP is a Registered T.M. of United Agri. Products, Inc. 05787 AAA

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed. Do not take internally. Avoid eye contact. Flush contaminated eyes with plenty of water, and get medical attention if irritation persists. If on skin, wash with plenty of soap and water. Wash thoroughly after handling. Wash contaminated clothing before reuse. Keep away from food, feedstuffs and domestic water supplies.

NOTE TO PHYSICIAN: Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Keep children and pets off treated areas until this material is washed into the soil and grass is dry. **DO NOT** apply to dichondra lawns.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Do not store under conditions which might adversely affect the container or its ability to function properly. Such conditions include, but are not limited to, positioning of the container in storage, storage temperature, potential for crushing or damage due to stacking, and penetration of moisture.

STORAGE: Store in safe manner. Store in original container only. Store in cool, dry place. Reduce stacking height where local conditions, such as humidity or pallet overhang, can affect package strength.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Apply this product uniformly to home lawns and other ornamental and recreational turf grass areas using any hand or power operated gravity or rotary type spreader designed for application of granular materials. Treat when insects first appear using this product at the rate of 200 pounds per acre. To help obtain uniform distribution, apply one-half the required amount of product in one direction; then apply the balance at a right angle. Immediately after application sprinkle the turf with 1300 gallons of water per acre so as to wash the granules into the zone of insect infestation. Consult the following table to determine amounts of this product and water needed for smaller sized areas. Retreat as necessary. Controls Ants, Brown Dog Ticks, Chinch Bugs, Crickets, Cutworms, Earwigs, Fleas, Grasshoppers, Hyperodes (Turfgrass) Weevils*, Sod Webworms (Lawn Moths), Sowbugs (Pillbugs), and Certain White Grubs** Infesting Home Lawns and other Ornamental Turf Areas.

*To control Hyperodes (turfgrass) weevils use twice the rate of this product shown in L's table. Treat suspected problem areas in mid-April and again in mid-May. Consult your local Agricultural Extension Service specialist for best time to treat in your area.

**To control certain white grubs (larvae of European chafer and Japanese beetle) use two to four times the amounts of this product shown in the table i.e., 10 to 20 pounds per 1,000 sq. ft. Apply the granules uniformly over the area treated followed immediately by thorough watering to wash the insecticide into the turf. For best results treat when grubs are young and actively feeding near the soil surface, usually during late July and August. Consult your local Agricultural Extension Service specialist for proper time to treat in your area.

RATES TO USE

Area to be Treated	Pounds of this product	Gallons of Water to Sprinkle on Turf after Treatment
1000 sq. ft.	5	30
5000 sq. ft.	25	150
10700 sq. ft.	50	325

NOTICE OF WARRANTY

Seller and Manufacturer warrant that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the directions for use. This product is sold subject to the understanding that the buyer assumes all risks of vices and defects which may result in loss or damage which are beyond the control of the manufacturer and seller, such as for example incompatibility with other products, the manner of its use or application, or the presence of other products or materials in or on the soil or crop. Seller and Manufacturer make no other express or implied warranty of fitness or merchantability. The exclusive remedy of the buyer or user, and the limit of the liability of manufacturer and seller, for any and all losses, injuries or damage resulting from the use or handling of this product shall be the purchase price paid by the user or buyer for the quantity of this product involved. The buyer and all users are deemed to have accepted the terms of this notice which may not be varied by any verbal or written agreement.

FORMULATED FOR
PLATTE CHEMICAL COMPANY, INC.
 150 SO. MAIN STREET FREMONT, NEBRASKA 68025

BEST AVAILABLE COPY