Reg No: 34704-86 PM-12 194

FEB 1 4 1989

Ms. Judith A. Thompson Platte Chemical Company P.O. Box 667 Greeley, CO 80632

Dear Ms: Thompson:

Subject: Addition of Borers and Fire Ants
Clean Crop Household Insect Spray
EPA Registration No. 34704-86
Your Application Dated September 2, 1988

The amendment referred to above, submitted in connection with registration under section 3(c)(7)(A) of the Pederal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you:

- Submit/cite all data required for registration/reregistration
 of your product under FIFKA section 3(c)(5) when the Agency requires
 all registrants of similar products to submit such data.
- 2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosure

CONCURRÊNCES								
ANBOL								
MHAME)	•						*****************	
ATE				1	1			

CLEAN CROP HOUSEHOLD INSECT SPRAY Contains Dursban*

ACTIVE INGREDIENTS:

Chlorpyrifos [0,0-diethyl 0-(3,5,6-trichloro-2-

pyridyl)phosphorothioatel..... Xylene Range Aromatic solvent 0.33% INERT INGREDIENTS: 99.17%

TOTAL 100.00% ACCEPTED)

*Req. Trademark of Dow Chemical Co.

EPA Reg. No. 34704-86

U.S. Patent No. 3,244,586

KEEP OUT OF REACH OF CHILDREN (12 pt.) CAUTION (18 pt.)

FEB | 4 | 1989

Date: the Federal Inserticity Smedelds, and Rosen van 1975

en emendes, for the comment

god under Eiter N 🛴 🧸 🦠

COMMENTS

EPA Est. No. Letter Linked

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & COMESTIC ANIMALS CAUTION

34704-86

Avoid contact with eyes, skin and clothing. Avoid breathing vapors or spray mist. Keep away from food, feedstuffs and domestic water supplies. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting touching back of throat with finger. Do not give anything by mouth to an unconscious person. Get medical attention.

IF ON SKIN: In case of contact, remove contaminated clothing and immediately wash skin with plenty of soap and water.

IF IN EYES: Flush eyes with plenty of water.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is an antidote.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not apply where runoff is likely to occur. not apply when weather conditions favor drift from areas treated. not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do Not Use or Store Near Heat or Open Flame.

NOTICE

Seller warrants that the product conforms to the chemical description and is reasonably fit for the purposes stated on the label when used .in.. accordance with the directions under normal conditions of ego, neither this warranty nor any other warranty of MERCHANTABILITY . on... FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use. this product contrary to label instructions or under abnorma. conditions, or under conditions not reasonably foreseeable to sellWi and buyer assumes the risk of any such use.

NET CONTENTS:

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL(12 pt.)

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Do not store below temperature of 32 degrees F. Store in large of the store of the store

container only, preferably in a locked area. Keep
container tightly closed when not in use. Store in a cool, dry
place. Do not use food or drink containers for mixing or
storage.

: PESTICIDE DISPOSAL: Securely wrap original container in several : layers of newspaper and discard in trash.

: CONTAINER DISPOSAL: Do not reuse empty container. Rinse : thoroughly before discarding in trash.

GENERAL INFORMATION: Use this product to control the pests indicated in the areas listed below. Use as an undiluted spray (0.5% chlorpyrifos) unless otherwise specified. Repeat the treatment as needed.

Do not apply sprays of this product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazard. Do not use in poultry houses or other animal buildings. Do not allow spray to contact food, feedstuffs, and water supplies. Thoroughly wash dishes and food handling utensils with soap and water if they become contaminated by application of this product. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls (tanks) before spraying.

PESTS INDOORS

APPLICATION WITHIN RESIDENTIAL PUILDINGS INCLUDING HOMES AND APARTMENT BUILDINGS AND WITHIN NONFOOD AREAS OF INDUSTRIAL, INSTITUTIONAL, AND COMMERCIAL BUILDINGS, INCLUDING HOSPITALS, STORES, MANUFACTURING PLANTS AND WAREHOUSES: FOR SPOT TREATMENT ONLY - Apply as a coarse spray or with a paint brush to localized areas where COCKROACHES (including strains resistant to certain other insecticides), ANTS, CLOVER MITES, CRICKETS, FIREBRATS, SILVERFISH, and SPIDERS are found or normally occur including dark corners of rooms and closets; cracks and crevices in walls; along and behind baseboards; beneath and behind sinks, stoves, refrigerators and cabinets; around plumbing and other utility installations. FOR ANTS apply to ant trails, also around doors and windows and wherever else these pests may find entrance.

NOTE: A period of 4 to 7 days is normally required for maximum effect on cockroaches.

FOR CONTROL OF CARPET BEETLES, thoroughly apply as a spray for spot treatment along baseboards and edge of carpeting, under carpeting, rugs and furniture, in closets and on shelving, and wherever else these insects are seen or suspected.

FOR CONTROL OF FLEAS AND BROWN DOG TICKS, thoroughly apply as a spray for spot treatment to infested areas such as pet beds and resting quarters; nearby cracks and crevices; along and behind baseBoards, window and door frames and localized areas of floor and floor covering where these pests may be present. Old bedding of pets should be

removed and replaced with clean, fresh bedding after treatment of pet area. DO NOT TREAT PETS WITH THIS PRODUCT. To control the source of flea infestation, pets inhabiting the treated premises should be treated with a product registered for application to animals.

PESTS OUT-OF-000RS

flies, MOSQUITOES: For outdoor use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screens, doors, window frames or wherever tilese insects may enter the room. Also treat surfaces around light fixtures on porches, in garages, and other places where these insects alight or congregate. Repeat as necessary.

ANTS, DROWN DOG TICKS, CRICKETS, FLEAS AND EARWIGS: For treatment of localized infestations of these insects in outdoor areas where there are weeds or brushy non-crop areas, spray infested areas thoroughly. For ants, thoroughly wet hills and runways. Repeat applications as infestations warrant and as reinfestations occur.

FIRE ANT MOUNDS: Apply this product as a drench diluted at the rate of 1 quart per 1 gallon of water. Gently sprinkle a total of 1 gallon of the diluted solution over the surface of each mound using a sprinkler can. Thoroughly wet mound and surrounding area to a 4 ft. diameter (12 sq. ft.). For best results apply in cool weather, 65-80 degrees F., or in early morning or late evening hours. Treat new mounds as they appear. Pressurized sprays may disturb the ants and cause migration, reducing product effectiveness.

ORNAMENTAL TREE BORERS: Clearwing moths (Such as: Ash, Dogwood, Lesser peachtree, Lilac, Oak, Rhododendron), Metallic wood (Such as: Bronze birch, Flatheaded appletree, Twolined chestnut), Longhorned beetles (Such as: Locust, Red Oak): Mix 1 1/2 quarts of this product with 1 gallon of water and apply to the trunks and lower limbs of trees and shrubs when the adults begin to emerge. Consult your State Agricultural Experiment Station or Extension Service Specialist for proper time to treat. Apply uniformly as a coarse low-pressure spray. Do not contact foliage with spray.

BORERS (Such as Cottonwood, Peachtree): Mix 1/2 gallon of this product with 1/2 gallon of water and apply co flowering trees and shrubs of the genus 'Prunus' as a trunk spray before newly-hatched larvae enter the trees. Apply as a coarse, low-pressure spray. Thoroughly wet all bark areas from ground level to scaffold limbs. Do not contact foliage with spray.

FORMULATED FOR
PLATTE CHEMICAL COMPANY, INC.
150 So. Main Street
Fremont, Nebraska 68025

