



**MAGIKIL  
JELLY**  
CONTAINS BAYGON  
CAUTION: KEEP OUT OF REACH  
OF CHILDREN. SEE CAUTION  
ON BACK PANEL.  
ACTIVE INGREDIENT  
delta-tetramethoxyphenyl  
methylcarbamate 1.00  
INERT  
INGREDIENT  
Total

**KILLS ROACHES  
and  
ANTS**

Manufactured by  
**LETHELIN PRODUCTS CO. Inc.**

**CAUTION**  
**PRECAUTIONARY  
STATEMENTS**  
**HAZARDS TO HUMANS  
AND DOMESTIC ANIMALS**  
**DIRECTIONS**

**BEST DOCUMENT AVAILABLE**

JAN 24 1984

Mr. J.C. Wittwer  
Lethelin Products Co., Inc.  
15 MacQuisten Parkway, South  
Mount Vernon, NY 10550

Dear Mr. Wittwer:

Subject: Magikil Jelly with Baygon  
EPA Registration No. 395-30  
Application for Amendment Dated ~~May-25~~, 1983

*12/6/83*  
The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

This also confirms our acceptance of your application for an additional brand name of "Magikil with 1% Baygon" for the above name product.

Sincerely yours,

Jay S. Ellenberger  
Product Manager (12)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767)

Enclosure

DCK-22457:Ellenberger:1/16/84:del.2/3/84:CPI-15:tar

CONCURRENCES							
SYMBOL ▶							
SUBNAME ▶							
DATE ▶							

# prentox<sup>®</sup> DUAL SYNPHY CHLORPYRIFOS NO. 4

(Contains Dursban<sup>®</sup>)

ONLY FOR SALE TO US AND STORAGE BY SERVICE PLANTS

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**WARNING**  
MAY BE FATAL IF SWALLOWED OR ABSORBED THROUGH SKIN. IF SWALLOWED, GET IMMEDIATE MEDICAL ATTENTION. HARMFUL IF INHALED. DO NOT BREATHE VAPORS. IRRITANT TO EYES. MAY CAUSE EYE DAMAGE. CONTACT WITH EYES, WASH IMMEDIATELY WITH WATER AND GET MEDICAL ATTENTION. WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING. DO NOT EAT, DRINK, OR SMOKE WHILE HANDLING. DO NOT FEED OR WATER ANIMALS FROM CONTAINERS THAT HAVE BEEN TREATED WITH THIS PRODUCT.  
**ENVIRONMENTAL HAZARDS**  
This product is toxic to fish and wildlife. Keep out of lakes, ponds, or streams. Do not contaminate water by cleaning of equipment or disposal of waste.  
**PHYSICAL & CHEMICAL HAZARDS**  
**DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME**

**NOTE TO PHYSICIAN** Active ingredients contain a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

**DIRECTIONS FOR USE**  
IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

**STORAGE & DISPOSAL**  
**Prohibitions** DO NOT CONTAMINATE WATER OR FEED OR STORAGE DISPOSAL OR CLEANING OF EQUIPMENT. OPEN BURNING IS PROHIBITED.  
**Pesticide Disposal** PESTICIDE SPRAY MIXTURE OR RINSE WATER THAT CANNOT BE USED OR CHEMICALLY PROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES.  
**Container Disposal** LESS THAN 30 GAL. TRIPLE RINSE AND OFFER FOR RECYCLING, RECONDITIONING OR DISPOSAL IN APPROVED LANDFILL OR BURY IN A SAFE PLACE.  
**30 GAL. OR LARGER** RESEAL CONTAINER AND OFFER FOR RECYCLING OR TRIPLE RINSE AND OFFER FOR RECYCLING, RECONDITIONING OR DISPOSAL IN AN APPROVED LANDFILL OR BURY IN A SAFE PLACE.

**USE PRECAUTIONS**  
Keep children and pets from contact with treated surfaces until spray has dried. Do not spray air in rooms or use on plants. Apply to surfaces only as specified on this label. Do not allow spray to contact food, feedstuff, or water supplies. Thoroughly wash dishes and food handling utensils if contaminated with this product.

**DIRECTIONS FOR USE - DILUTION RATES BY VOLUME**  
**WATER** 2 oz. of Concentrate with 1 gal. of water for 0.50% Chlorpyrifos. 1 oz. of Concentrate with 1 gal. of water for 0.25% Chlorpyrifos.

**ACTIVE INGREDIENTS:**

Chlorpyrifos (O,O-diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorothioate)	31.98%
Piperonyl Butoxide, Technical	16.64%
Pyrethrins	3.33%
Petroleum Distillates	13.32%
Xylene Range Aromatic Solvent	29.72%
<b>INERT INGREDIENTS:</b>	<b>5.00%</b>
<b>TOTAL:</b>	<b>100.00%</b>

Equivalent to 11.11% (Butylcarbitol) (6-propylpiperonyl) Ether and 4.28% related compounds.

Can be diluted with tap water or Deodorized Kerosene. For control of Cockroaches, Ants, Silverfish, Spiders, Crickets, Earwigs and Brown Dog Ticks. Use in and around homes, apartments, garages, similar residential structures, institutions, restaurants and food processing plants. Use outdoors as an aid in reducing annoyance from flies and mosquitoes entering homes.

**KEEP OUT OF REACH OF CHILDREN**  
**WARNING**  
IF SWALLOWED: Contains petroleum distillates. Do not induce vomiting. Get medical attention immediately.  
IF INHALED: Remove victim to fresh air. Apply respiration if indicated.  
IF ON SKIN: Wash area immediately with soap and warm water.  
IF IN EYES: Flush with plenty of water and get prompt medical attention.  
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

**PRENTOX<sup>®</sup>** Registered Trademark of Prentiss Drug & Chemical Co., Inc.  
**DURSBAN<sup>®</sup>** Registered Trademark of The Dow Chemical Co.  
E.P.A. Reg. No. 655-589      E.P.A. EST. NO. 655-NBEGA-1

NET CONTENTS \_\_\_\_\_ GAL      LOT # \_\_\_\_\_

Manufactured by  
**prentiss**  
Drug & Chemical Co., Inc.

Plant: Keelin Road  
Sandville, GA. 31082  
Office: C.B. 200  
Floral Park, N.Y. 11001

**DIRECTIONS FOR USE (Cont'd)**  
**DEODORIZED KEROSENE** - 1 qt. of Concentrate with 1 gal. Deodorized Kerosene for 0.40% Chlorpyrifos. 1/2 qt. of Concentrate with 1 gal. of Deodorized Kerosene for 0.20% Chlorpyrifos.  
**APPLICATION WITHIN FOOD HANDLING ESTABLISHMENTS (Other Than Private Residences in Which Food is Held, Prepared, Packaged or Stored)** BAKERIES, BUT NOT LIMITED TO, RESTAURANTS, GROCERY STORES, BAKERIES, BOTTLING PLANTS, CANNERIES & GRAM MILLS  
Use as a spot treatment to control cockroaches (including strains resistant to certain other insecticides), ants, crickets, firebrats, silverfish and spiders in and around both food and non food areas by application to cracks, low pressure (20 psi or less) spray to localized areas where the above pests have been seen or are suspected of hiding or entering. Apply only enough spray to thoroughly cover the surfaces treated using special care to avoid unnecessary runoff. Do not introduce the spray into the air or allow the spray to contact food or food-contacting surfaces. Areas treated may include dark areas of rooms and closets along and behind baseboards, beneath and behind stove refrigeration units and similar food preparation areas and equipment, floor drains, and around plumbing and other utility installations. For ants, apply to ant trails and wherever these pests may find entrance. Spot treatment may encompass cracks and crevice treatment by applying small amounts of material directly into openings leading to voids and hollow spaces in walls, equipment legs and bases or which occur at joints between different elements of construction or between equipment and floors. Equipment capable of delivering a fine stream of insecticide should be used. Repeat treatment as needed, but not more often than once every 7 days in restaurants and similar food service establishments or more often than once every 14 days in other types of food handling establishments. In case of emergency (call back) may be treated after 2 days from last treatment but emergency use should be limited to once per month.  
**APPLICATION OF THIS PRODUCT IN FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A SPOT AND/OR CRACK CREVICE TREATMENT ARE NOT PERMITTED**  
**APPLICATION WITHIN RESIDENTIAL BUILDINGS INCLUDING HOMES AND APARTMENT BUILDINGS & WITHIN NON-FOOD AREAS OF INDUSTRIAL, INSTITUTIONAL, AND COMMERCIAL BUILDINGS INCLUDING HOSPITALS, STORES, MANUFACTURING PLANTS AND WAREHOUSES FOR SPOT TREATMENT ONLY** - Use as a coarse spray or with a paint brush to localized areas where cockroaches (including strains resistant to certain other insecticides), ants, crickets, firebrats, silverfish, spiders are found or normally occur including dark corners, cracks and closets, cracks and crevices in walls, along and behind baseboards, beneath and behind stoves, refrigerators and cabinets, around plumbing and other utility installations. For ants, apply to ant trails, also around doors and windows and wherever else these pests may find entrance. For silverfish, use a 0.5% spray only. **NOTE** A period of 4 to 7 days is normally required for maximum effect on cockroaches.  
**BROWN DOG TICKS** - Apply thoroughly as a spot treatment to infested areas, such as pet beds and resting quarters nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor coverings where these pests may be present. Fresh bedding should be placed in animal quarters following treatment. Do not spray pets with this product.  
**FLIES & MOSQUITOES** - Use only on outdoor surfaces. Spray outside surfaces of windows and door frames & other areas where these pests may enter the home. Also spray corners & localized resting areas such as under eaves, porches, partitions & in garages where these insects may congregate. Flies & mosquitoes coming to rest on treated surfaces will be killed. Repeat treatment when effectiveness diminishes.

DOCUMENT AVAILA



18

(PAPER)

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

**STORAGE:** If container is damaged: Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required as to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Do not store, use, pour or spill near heat or open flame.

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

BEST DOCUMENT AVAILABLE

(SLEEVE)

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Open dumping prohibited.

**STORAGE:** If container is damaged: Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand, or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Do not store, use, pour, or spill near heat or open flame.

Do not store in car trunk where temperatures may exceed 120°F.

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

RECEIVED  
JUL 17 1986

Propoxur Flea Collar RF-101 for Cats  
EPA Reg. No. 2724-275

2724-275

Front Panel

(Optional)

use not to exceed 6 months from acceptance.

- New** [redacted] Stretch Band
- New** [redacted] Feature
- [redacted] Break-away Collar
- [redacted] Expandable Collar
- Unique [redacted] Feature

- One-piece Buckle Design
- Integrated Plastic Buckle
- U [redacted] e Buckle Design
- New** Integrated One-Piece Buckle
- [redacted] One-Piece Buckle

Alternate Directions for Use

Thread flat end of the collar through buckle hole and tighten as necessary, so that at least two ridges are covered by the buckle. Collar must be worn loosely, but securely enough to prevent easy removal. Cut off any excess length and discard in trash.

The expandable section molded into the collar will stretch under the weight of an average size cat and allow the cat to free itself if it becomes hooked or entangled by the collar. Since both the expandable section and plastic buckle are molded into the collar, the probability of neck irritation and buckle failure is reduced.

To release the collar, squeeze buckle between thumb and finger and pull sharply.

Do not use on kittens under 6 weeks of age.

EPA/RD  
RECEIVED  
JUL 16 1986