

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS  
AND DOMESTIC ANIMALS  
CAUTION**

CAUSES IRRITATION OF EYES AND SKIN. DO NOT GET IN EYES. AVOID CONTACT WITH SKIN AND CLOTHING. HARMFUL IF SWALLOWED. Do not contaminate water used for drinking, food, or spray purposes.

**ENVIRONMENTAL HAZARDS**

**CAUTION** - Extreme care must be used when applying MCP to prevent injury to desirable plants and animals. MCP should not be used on or near crops such as cotton, tomatoes, vegetables, grapes, fruit trees, beans, tobacco, or beans. Do not allow spray or drift onto such plants. Small or minute quantities of spray may cause severe injury. Do not use high pressure spray to produce coarse sprays which are likely to drift. **Avoid use of small diameter spray nozzles.** Do not use on greenhouses. Large amounts of MCP may cause injury to bird seed germination. Do not use in any manner other than as directed on the label to avoid possible injury to birds at harvest. Do not apply to field water except as directed on the label. Do not discharge into water.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with the label.

**RE-ENTRY**

Do not enter or re-enter treated areas until the spray has dried. Do not feed or graze animals in treated areas until the spray has dried. Do not allow children or pets to enter treated areas until the spray has dried.

**STORAGE AND DISPOSAL**

**PROHIBITIONS**  
Do not use in any manner other than as directed on the label.  
**STORAGE**  
Store in original container in a cool, dry place. Do not store in areas where children or pets can have access.

**PESTICIDE DISPOSAL  
CONTAINER DISPOSAL**

Do not reuse this container for any other purpose. Do not dispose of this container in any way that could result in exposure to humans or animals. Do not burn this container. Do not use this container to hold any other substance.

**GENERAL INFORMATION**

MCP is a selective herbicide that kills weeds by inhibiting photosynthesis. It is effective against a wide range of broadleaf weeds, including weeds in the families Compositae, Malvaceae, and Geraniaceae. MCP is not effective against grasses and sedges. MCP is a contact herbicide and does not translocate within the plant. MCP is most effective when applied to actively growing weeds. MCP is a selective herbicide and does not injure desirable plants. MCP is a contact herbicide and does not translocate within the plant. MCP is most effective when applied to actively growing weeds. MCP is a selective herbicide and does not injure desirable plants.

**ATTENTION**

Do not apply to field water except as directed on the label. Do not discharge into water. Do not use in any manner other than as directed on the label. Do not use in areas where children or pets can have access.

It is most effective when applied to actively growing weeds. MCP is a selective herbicide and does not injure desirable plants. MCP is a contact herbicide and does not translocate within the plant. MCP is most effective when applied to actively growing weeds. MCP is a selective herbicide and does not injure desirable plants.


**PREPARING THE SPRAY** - Mix MCP with water in a clean container. Use the amount of water specified on the label. Stir thoroughly before use. **NOTE** - Do not use in areas where children or pets can have access.

**Some Weeds Controlled By MCP**

Abutilon	Chenopodium	Malva	Rumex
Achillea	Conium	Mollis	Rumex crispus
Achillea	Conium	Mollis	Rumex crispus
Achillea	Conium	Mollis	Rumex crispus
Achillea	Conium	Mollis	Rumex crispus

**WEED CONTROL IN SMALL GRAINS** - Note that MCP is not effective against grasses and sedges. Do not use in areas where children or pets can have access.

**SELECTIVE SPRAYING** - MCP is a selective herbicide and does not injure desirable plants. Do not use in areas where children or pets can have access.



**ACTIVE INGREDIENT:**  
\*Dimethylamine salt  
Chlorophenoxyacetic  
**INERT INGREDIENTS:**

\*Equivalent to 42.5%  
acid or 4.  
**FOR BROADLEAF WEEDS  
RICE, PEAS, ALFALFA  
AND MATURE GRASSES  
ONLY FOR SALE BY AGRICULTURAL  
OR COMMERCIAL**

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

**STATEMENT OF WORKING CONDITIONS**  
This product is to be used in accordance with the label directions.


(See Side Panels For Additional Information)  
EPA REG. NO. 34704-10

**NET CONTENTS**

**BEST DOCUMENT**



FORMULATED BY **PLATTEAU**  
150 SO. MAIN STREET



# MCP AMINE 4

**ACTIVE INGREDIENT:**  
 \*Dimethylamine salt of 2-Methyl-4-Chlorophenoxyacetic acid .....52.0%

**INERT INGREDIENTS:** .....48.0%

**TOTAL**                   **100.0%**

\*Equivalent to 42.5% 2-Methyl-4-Chlorophenoxyacetic acid or 4.0 pounds per gallon.

**FOR BROADLEAF WEED CONTROL IN SMALL GRAINS, RICE, PEAS, ALFALFA, FLAX, GRASSLAND AND NON-CROP AREAS**


**\* ONLY FOR SALE TO, USE AND STORAGE BY AGRICULTURAL PERSONNEL OR COMMERCIAL APPLICATOR**

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

**STATEMENT OF PRACTICAL TREATMENT**

Side Panels E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z, AA, AB, AC, AD, AE, AF, AG, AH, AI, AJ, AK, AL, AM, AN, AO, AP, AQ, AR, AS, AT, AU, AV, AW, AX, AY, AZ, BA, BB, BC, BD, BE, BF, BG, BH, BI, BJ, BK, BL, BM, BN, BO, BP, BQ, BR, BS, BT, BU, BV, BW, BX, BY, BZ, CA, CB, CC, CD, CE, CF, CG, CH, CI, CJ, CK, CL, CM, CN, CO, CP, CQ, CR, CS, CT, CU, CV, CW, CX, CY, CZ, DA, DB, DC, DD, DE, DF, DG, DH, DI, DJ, DK, DL, DM, DN, DO, DP, DQ, DR, DS, DT, DU, DV, DW, DX, DY, DZ, EA, EB, EC, ED, EE, EF, EG, EH, EI, EJ, EK, EL, EM, EN, EO, EP, EQ, ER, ES, ET, EU, EV, EW, EX, EY, EZ, FA, FB, FC, FD, FE, FF, FG, FH, FI, FJ, FK, FL, FM, FN, FO, FP, FQ, FR, FS, FT, FU, FV, FW, FX, FY, FZ, GA, GB, GC, GD, GE, GF, GG, GH, GI, GJ, GK, GL, GM, GN, GO, GP, GQ, GR, GS, GT, GU, GV, GW, GX, GY, GZ, HA, HB, HC, HD, HE, HF, HG, HH, HI, HJ, HK, HL, HM, HN, HO, HP, HQ, HR, HS, HT, HU, HV, HW, HX, HY, HZ, IA, IB, IC, ID, IE, IF, IG, IH, II, IJ, IK, IL, IM, IN, IO, IP, IQ, IR, IS, IT, IU, IV, IW, IX, IY, IZ, JA, JB, JC, JD, JE, JF, JG, JH, JI, JJ, JK, JL, JM, JN, JO, JP, JQ, JR, JS, JT, JU, JV, JW, JX, JY, JZ, KA, KB, KC, KD, KE, KF, KG, KH, KI, KJ, KK, KL, KM, KN, KO, KP, KQ, KR, KS, KT, KU, KV, KW, KX, KY, KZ, LA, LB, LC, LD, LE, LF, LG, LH, LI, LJ, LK, LL, LM, LN, LO, LP, LQ, LR, LS, LT, LU, LV, LW, LX, LY, LZ, MA, MB, MC, MD, ME, MF, MG, MH, MI, MJ, MK, ML, MM, MN, MO, MP, MQ, MR, MS, MT, MU, MV, MW, MX, MY, MZ, NA, NB, NC, ND, NE, NF, NG, NH, NI, NJ, NK, NL, NM, NN, NO, NP, NQ, NR, NS, NT, NU, NV, NW, NX, NY, NZ, OA, OB, OC, OD, OE, OF, OG, OH, OI, OJ, OK, OL, OM, ON, OO, OP, OQ, OR, OS, OT, OU, OV, OW, OX, OY, OZ, PA, PB, PC, PD, PE, PF, PG, PH, PI, PJ, PK, PL, PM, PN, PO, PP, PQ, PR, PS, PT, PU, PV, PW, PX, PY, PZ, QA, QB, QC, QD, QE, QF, QG, QH, QI, QJ, QK, QL, QM, QN, QO, QP, QQ, QR, QS, QT, QU, QV, QW, QX, QY, QZ, RA, RB, RC, RD, RE, RF, RG, RH, RI, RJ, RK, RL, RM, RN, RO, RP, RQ, RR, RS, RT, RU, RV, RW, RX, RY, RZ, SA, SB, SC, SD, SE, SF, SG, SH, SI, SJ, SK, SL, SM, SN, SO, SP, SQ, SR, SS, ST, SU, SV, SW, SX, SY, SZ, TA, TB, TC, TD, TE, TF, TG, TH, TI, TJ, TK, TL, TM, TN, TO, TP, TQ, TR, TS, TT, TU, TV, TW, TX, TY, TZ, UA, UB, UC, UD, UE, UF, UG, UH, UI, UJ, UK, UL, UM, UN, UO, UP, UQ, UR, US, UT, UY, UZ, VA, VB, VC, VD, VE, VF, VG, VH, VI, VJ, VK, VL, VM, VN, VO, VP, VQ, VR, VS, VT, VU, VV, VW, VX, VY, VZ, WA, WB, WC, WD, WE, WF, WG, WH, WI, WJ, WK, WL, WM, WN, WO, WP, WQ, WR, WS, WT, WU, WV, WW, WX, WY, WZ, XA, XB, XC, XD, XE, XF, XG, XH, XI, XJ, XK, XL, XM, XN, XO, XP, XQ, XR, XS, XT, XU, XV, XW, XX, XY, XZ, YA, YB, YC, YD, YE, YF, YG, YH, YI, YJ, YK, YL, YM, YN, YO, YP, YQ, YR, YS, YT, YU, YV, YW, YX, YY, YZ, ZA, ZB, ZC, ZD, ZE, ZF, ZG, ZH, ZI, ZJ, ZK, ZL, ZM, ZN, ZO, ZP, ZQ, ZR, ZS, ZT, ZU, ZV, ZW, ZX, ZY, ZZ

NET CONTENTS \_\_\_\_\_ GALLONS



**BEST DOCUMENT AVAILABLE**

ORIGINATED BY **PLATTE CHEMICAL COMPANY, INC.**  
 150 SO. MAIN STREET                    FREMONT, NEBRASKA 68025

**SMALL GRAINS**

For control of broadleaf weeds in small grains, MCP AMINE 4 should be applied at the rate of 4.0 pounds per acre (1.0 gallon per acre) at the time of planting or shortly thereafter. MCP AMINE 4 is effective against weeds such as wild radish, yellow wood sorrel, and other broadleaf weeds. It is not effective against grasses. MCP AMINE 4 should be applied to the soil surface and watered in. Do not apply to wet soil. Do not apply to soil with a pH below 5.5 or above 8.5. MCP AMINE 4 is not effective against weeds that have already set seed. MCP AMINE 4 is not effective against weeds that are resistant to MCP AMINE 4. MCP AMINE 4 is not effective against weeds that are resistant to MCP AMINE 4. MCP AMINE 4 is not effective against weeds that are resistant to MCP AMINE 4.

For control of broadleaf weeds in rice, MCP AMINE 4 should be applied at the rate of 4.0 pounds per acre (1.0 gallon per acre) at the time of planting or shortly thereafter. MCP AMINE 4 is effective against weeds such as wild radish, yellow wood sorrel, and other broadleaf weeds. It is not effective against grasses. MCP AMINE 4 should be applied to the soil surface and watered in. Do not apply to wet soil. Do not apply to soil with a pH below 5.5 or above 8.5. MCP AMINE 4 is not effective against weeds that have already set seed. MCP AMINE 4 is not effective against weeds that are resistant to MCP AMINE 4. MCP AMINE 4 is not effective against weeds that are resistant to MCP AMINE 4.

**WEED CONTROL IN RICE**

For control of broadleaf weeds in rice, MCP AMINE 4 should be applied at the rate of 4.0 pounds per acre (1.0 gallon per acre) at the time of planting or shortly thereafter. MCP AMINE 4 is effective against weeds such as wild radish, yellow wood sorrel, and other broadleaf weeds. It is not effective against grasses. MCP AMINE 4 should be applied to the soil surface and watered in. Do not apply to wet soil. Do not apply to soil with a pH below 5.5 or above 8.5. MCP AMINE 4 is not effective against weeds that have already set seed. MCP AMINE 4 is not effective against weeds that are resistant to MCP AMINE 4. MCP AMINE 4 is not effective against weeds that are resistant to MCP AMINE 4.

**WEED CONTROL IN PEAS**

For control of broadleaf weeds in peas, MCP AMINE 4 should be applied at the rate of 4.0 pounds per acre (1.0 gallon per acre) at the time of planting or shortly thereafter. MCP AMINE 4 is effective against weeds such as wild radish, yellow wood sorrel, and other broadleaf weeds. It is not effective against grasses. MCP AMINE 4 should be applied to the soil surface and watered in. Do not apply to wet soil. Do not apply to soil with a pH below 5.5 or above 8.5. MCP AMINE 4 is not effective against weeds that have already set seed. MCP AMINE 4 is not effective against weeds that are resistant to MCP AMINE 4. MCP AMINE 4 is not effective against weeds that are resistant to MCP AMINE 4.

**NON-CROP SPRAYING**

For control of broadleaf weeds in non-crop areas, MCP AMINE 4 should be applied at the rate of 4.0 pounds per acre (1.0 gallon per acre) at the time of planting or shortly thereafter. MCP AMINE 4 is effective against weeds such as wild radish, yellow wood sorrel, and other broadleaf weeds. It is not effective against grasses. MCP AMINE 4 should be applied to the soil surface and watered in. Do not apply to wet soil. Do not apply to soil with a pH below 5.5 or above 8.5. MCP AMINE 4 is not effective against weeds that have already set seed. MCP AMINE 4 is not effective against weeds that are resistant to MCP AMINE 4. MCP AMINE 4 is not effective against weeds that are resistant to MCP AMINE 4.

**NOTE** MCP AMINE 4 is a broadleaf herbicide. It is not effective against grasses. MCP AMINE 4 is not effective against weeds that are resistant to MCP AMINE 4. MCP AMINE 4 is not effective against weeds that are resistant to MCP AMINE 4.

**WEED CONTROL IN ESTABLISHED ALFALFA PASTURES**  
 For control of broadleaf weeds in established alfalfa pastures, MCP AMINE 4 should be applied at the rate of 4.0 pounds per acre (1.0 gallon per acre) at the time of planting or shortly thereafter. MCP AMINE 4 is effective against weeds such as wild radish, yellow wood sorrel, and other broadleaf weeds. It is not effective against grasses. MCP AMINE 4 should be applied to the soil surface and watered in. Do not apply to wet soil. Do not apply to soil with a pH below 5.5 or above 8.5. MCP AMINE 4 is not effective against weeds that have already set seed. MCP AMINE 4 is not effective against weeds that are resistant to MCP AMINE 4. MCP AMINE 4 is not effective against weeds that are resistant to MCP AMINE 4.

**WEED CONTROL IN GRASS PASTURES & GRASSLAND**  
 For control of broadleaf weeds in grass pastures and grassland, MCP AMINE 4 should be applied at the rate of 4.0 pounds per acre (1.0 gallon per acre) at the time of planting or shortly thereafter. MCP AMINE 4 is effective against weeds such as wild radish, yellow wood sorrel, and other broadleaf weeds. It is not effective against grasses. MCP AMINE 4 should be applied to the soil surface and watered in. Do not apply to wet soil. Do not apply to soil with a pH below 5.5 or above 8.5. MCP AMINE 4 is not effective against weeds that have already set seed. MCP AMINE 4 is not effective against weeds that are resistant to MCP AMINE 4. MCP AMINE 4 is not effective against weeds that are resistant to MCP AMINE 4.

**CONTROL OF WHITEBRUSH ON RANGELAND**  
 For control of whitebrush on rangeland, MCP AMINE 4 should be applied at the rate of 4.0 pounds per acre (1.0 gallon per acre) at the time of planting or shortly thereafter. MCP AMINE 4 is effective against whitebrush. It is not effective against grasses. MCP AMINE 4 should be applied to the soil surface and watered in. Do not apply to wet soil. Do not apply to soil with a pH below 5.5 or above 8.5. MCP AMINE 4 is not effective against weeds that have already set seed. MCP AMINE 4 is not effective against weeds that are resistant to MCP AMINE 4. MCP AMINE 4 is not effective against weeds that are resistant to MCP AMINE 4.

**LAWNS, GOLF COURSES AND SIMILAR TURF**  
 For control of broadleaf weeds in lawns, golf courses, and similar turf, MCP AMINE 4 should be applied at the rate of 4.0 pounds per acre (1.0 gallon per acre) at the time of planting or shortly thereafter. MCP AMINE 4 is effective against weeds such as wild radish, yellow wood sorrel, and other broadleaf weeds. It is not effective against grasses. MCP AMINE 4 should be applied to the soil surface and watered in. Do not apply to wet soil. Do not apply to soil with a pH below 5.5 or above 8.5. MCP AMINE 4 is not effective against weeds that have already set seed. MCP AMINE 4 is not effective against weeds that are resistant to MCP AMINE 4. MCP AMINE 4 is not effective against weeds that are resistant to MCP AMINE 4.

**NON-CROP SPRAYING**

For control of broadleaf weeds in non-crop areas, MCP AMINE 4 should be applied at the rate of 4.0 pounds per acre (1.0 gallon per acre) at the time of planting or shortly thereafter. MCP AMINE 4 is effective against weeds such as wild radish, yellow wood sorrel, and other broadleaf weeds. It is not effective against grasses. MCP AMINE 4 should be applied to the soil surface and watered in. Do not apply to wet soil. Do not apply to soil with a pH below 5.5 or above 8.5. MCP AMINE 4 is not effective against weeds that have already set seed. MCP AMINE 4 is not effective against weeds that are resistant to MCP AMINE 4. MCP AMINE 4 is not effective against weeds that are resistant to MCP AMINE 4.

**SMALL GRAINS** (Barley, Oats, Rye, etc.)  
Apply to the soil surface of the field  
before the grain is planted. Apply at the  
rate of 1.5 to 2.0 lb. per acre. Do not  
apply to wet soil. Do not apply to  
soil that has been recently fertilized  
with nitrogen. Do not apply to soil  
that has been recently irrigated.  
Do not apply to soil that has been  
recently tilled. Do not apply to  
soil that has been recently plowed.  
Do not apply to soil that has been  
recently harrowed. Do not apply to  
soil that has been recently rolled.  
Do not apply to soil that has been  
recently disked. Do not apply to  
soil that has been recently  
cultivated.

**FLAX**  
Apply to the soil surface of the field  
before the flax is planted. Apply at the  
rate of 1.5 to 2.0 lb. per acre. Do not  
apply to wet soil. Do not apply to  
soil that has been recently fertilized  
with nitrogen. Do not apply to soil  
that has been recently irrigated.  
Do not apply to soil that has been  
recently tilled. Do not apply to  
soil that has been recently plowed.  
Do not apply to soil that has been  
recently harrowed. Do not apply to  
soil that has been recently rolled.  
Do not apply to soil that has been  
recently disked. Do not apply to  
soil that has been recently  
cultivated.

**WEED CONTROL IN RICE**  
Apply to the soil surface of the field  
before the rice is planted. Apply at the  
rate of 1.5 to 2.0 lb. per acre. Do not  
apply to wet soil. Do not apply to  
soil that has been recently fertilized  
with nitrogen. Do not apply to soil  
that has been recently irrigated.  
Do not apply to soil that has been  
recently tilled. Do not apply to  
soil that has been recently plowed.  
Do not apply to soil that has been  
recently harrowed. Do not apply to  
soil that has been recently rolled.  
Do not apply to soil that has been  
recently disked. Do not apply to  
soil that has been recently  
cultivated.

**WEED CONTROL IN PEAS**  
Apply to the soil surface of the field  
before the peas are planted. Apply at the  
rate of 1.5 to 2.0 lb. per acre. Do not  
apply to wet soil. Do not apply to  
soil that has been recently fertilized  
with nitrogen. Do not apply to soil  
that has been recently irrigated.  
Do not apply to soil that has been  
recently tilled. Do not apply to  
soil that has been recently plowed.  
Do not apply to soil that has been  
recently harrowed. Do not apply to  
soil that has been recently rolled.  
Do not apply to soil that has been  
recently disked. Do not apply to  
soil that has been recently  
cultivated.

**GRASSES GROWN FOR SEED**

**NOTE**  
Do not apply to soil that has been  
recently fertilized with nitrogen.  
Do not apply to soil that has been  
recently irrigated. Do not apply to  
soil that has been recently tilled.  
Do not apply to soil that has been  
recently plowed. Do not apply to  
soil that has been recently harrowed.  
Do not apply to soil that has been  
recently rolled. Do not apply to  
soil that has been recently disked.  
Do not apply to soil that has been  
recently cultivated.

**WEED CONTROL IN ESTABLISHED ALFALFA**  
Apply to the soil surface of the field  
before the alfalfa is planted. Apply at the  
rate of 1.5 to 2.0 lb. per acre. Do not  
apply to wet soil. Do not apply to  
soil that has been recently fertilized  
with nitrogen. Do not apply to soil  
that has been recently irrigated.  
Do not apply to soil that has been  
recently tilled. Do not apply to  
soil that has been recently plowed.  
Do not apply to soil that has been  
recently harrowed. Do not apply to  
soil that has been recently rolled.  
Do not apply to soil that has been  
recently disked. Do not apply to  
soil that has been recently  
cultivated.

**WEED CONTROL IN GRASS PASTURES & GRASSLAND**  
Apply to the soil surface of the field  
before the grass is planted. Apply at the  
rate of 1.5 to 2.0 lb. per acre. Do not  
apply to wet soil. Do not apply to  
soil that has been recently fertilized  
with nitrogen. Do not apply to soil  
that has been recently irrigated.  
Do not apply to soil that has been  
recently tilled. Do not apply to  
soil that has been recently plowed.  
Do not apply to soil that has been  
recently harrowed. Do not apply to  
soil that has been recently rolled.  
Do not apply to soil that has been  
recently disked. Do not apply to  
soil that has been recently  
cultivated.

**CONTROL OF WHITEBRUSH ON RANGELAND**  
Apply to the soil surface of the field  
before the whitebrush is planted. Apply at the  
rate of 1.5 to 2.0 lb. per acre. Do not  
apply to wet soil. Do not apply to  
soil that has been recently fertilized  
with nitrogen. Do not apply to soil  
that has been recently irrigated.  
Do not apply to soil that has been  
recently tilled. Do not apply to  
soil that has been recently plowed.  
Do not apply to soil that has been  
recently harrowed. Do not apply to  
soil that has been recently rolled.  
Do not apply to soil that has been  
recently disked. Do not apply to  
soil that has been recently  
cultivated.

**LAWNS, GOLF COURSES AND SIMILAR TURF**  
Apply to the soil surface of the field  
before the turf is planted. Apply at the  
rate of 1.5 to 2.0 lb. per acre. Do not  
apply to wet soil. Do not apply to  
soil that has been recently fertilized  
with nitrogen. Do not apply to soil  
that has been recently irrigated.  
Do not apply to soil that has been  
recently tilled. Do not apply to  
soil that has been recently plowed.  
Do not apply to soil that has been  
recently harrowed. Do not apply to  
soil that has been recently rolled.  
Do not apply to soil that has been  
recently disked. Do not apply to  
soil that has been recently  
cultivated.

Apply to the soil surface of the field  
before the turf is planted. Apply at the  
rate of 1.5 to 2.0 lb. per acre. Do not  
apply to wet soil. Do not apply to  
soil that has been recently fertilized  
with nitrogen. Do not apply to soil  
that has been recently irrigated.  
Do not apply to soil that has been  
recently tilled. Do not apply to  
soil that has been recently plowed.  
Do not apply to soil that has been  
recently harrowed. Do not apply to  
soil that has been recently rolled.  
Do not apply to soil that has been  
recently disked. Do not apply to  
soil that has been recently  
cultivated.

**NOTICE**

**DISCLAIMER** - The user of this product  
assumes all liability for any injury or  
damage caused by the use of this product.  
The manufacturer is not responsible for  
any injury or damage caused by the use  
of this product. The user should read  
the label carefully and follow the  
directions. The user should not use  
this product if the label is missing or  
if the product is damaged. The user  
should not use this product if the  
product is not registered with the  
EPA. The user should not use this  
product if the product is not  
approved for use in the state where  
it is being used. The user should not  
use this product if the product is not  
approved for use in the country where  
it is being used. The user should not  
use this product if the product is not  
approved for use in the area where  
it is being used. The user should not  
use this product if the product is not  
approved for use in the area where  
it is being used.

**NON-CROP SPRAYING**

**BEST DOCUMENT AVAILABLE**

A

**INC:**  
KA 68025

**P**  
%

34704-130

Mr. Frank Fronek  
Platte Chemical Company  
P.O. Box 667  
Greeley, CO 80632

MAY 29 1984

Dear Mr. Fronek:

Subject: Amendment/Label Revision  
Clean Crop MCP Amine 4  
EPA Registration No. 34704-130  
Your Submission Dated May 18, 1984

The amendment referred to above, submitted in connection with registration under FIFRA, is acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
  - a. Change the hazard signal word CAUTION to DANGER. (Refer to the pertinent comments in our letters dated December 15, 1982, and January 12, 1983).
  - b. Add appropriate human precautions (and re-entry statements) for a Toxicity Category I product (based on eye irritation potential). Refer to 40 CFR Part 162.10(h).
  - c. Add the following statement to the directions for use in small grains:

Do not forage or graze dairy animals on treated areas within seven days after treatment.
2. Submit one (1) copy of your final printed labeling before you release the product for shipment.

\_\_\_\_\_  
DATE  
EPA

OFFICE OF PESTICIDE REGISTRATION

-2-

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

Richard F. Mountfort *RFM*  
Product Manager (23)  
Fungicide-Herbicide Branch  
Registration Division (TS-767)

Enclosure

RD/FHB:DCR-32324:Mountfort:pjb:Raven:557-2226:RD-46:5/23/84:De1.6/9/84