



34704-149

PM 23

1061

CAPTAN 7.5 DUST

ACTIVE INGREDIENTS:

	BY WEIGHT
Captan (N-trichloromethylthio-4-cyclohexano-1,2-dicarboximide)	7.33%
Related derivatives	0.17%
TOTAL	92.50%
	100.00%

INERT INGREDIENTS:

TOTAL 100.00%

**KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO**

PRECAUCION AL USUARIO: Si usted no lee Ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

STATEMENT OF PRACTICAL TREATMENT

If In eyes: Flush with plenty of water. Call a physician.
 If swallowed: Call a physician or Poison Control Center immediately. Drink promptly a large quantity of milk, egg whites, gelatin scilicous, or if these are not available, drink large quantities of water. Avoid alcohol. Do not give anything by mouth to an unconscious person.
 If inhaled: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention.
 If on skin: Remove contaminated clothing and wash affected area with soap and water.

See Below for Addl. nat Precautionary Statements.

EPA REG. NO. 34704-149 EPA EST. NO. _____

NET WEIGHT _____ POUNDS

* CLEAN CROP is a Registered TM. of United Agri Products, Inc. EXP-10

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
DANGER**

Causes irreversible eye damage. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Avoid contact with skin and clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RE-ENTRY STATEMENT

Do not allow persons to enter treated areas within 4 days following application unless a long-sleeved shirt and long pants or a coverall that covers all parts of the body except the head, hands and feet and chemically resistant gloves are worn.

Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information. Do not apply this product in such a manner as to directly or through drift expose one's self or other persons. The area being treated must be vacated by unprotected persons. Conspicuously post reentry information at site of application.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Oral warnings must include the same information that is in the written warnings. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Written or oral warnings must include the following information:

DANGER

(Insert area or field description) treated with Captain on (insert date of application). Do not enter treated areas within 4 days following application unless a long-sleeved shirt and long pants or a coverall that covers all parts of the body except the head, hands and feet and chemically resistant gloves are worn.

In case of accidental exposure: Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to Captain and describe his condition. For further information see the "STATEMENT OF PRACTICAL TREATMENT" portion of the pesticide label.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Do not store under conditions which might adversely affect the container or its ability to function properly. Such conditions include, but are not limited to, positioning of the container in storage, storage temperature, potential for crushing or damage due to stacking, and penetration of moisture.

STORAGE: Store in safe manner. Store in original container only. Store in cool, dry place. Reduce stacking height where local conditions, such as humidity or pallet overhang, can affect package strength. Personnel should use clothing and equipment consistent with good pesticide handling.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and separately launder clothing before reuse. Miners/hunters when mixing and loading this product must wear a long-sleeved shirt and long pants or a coverall that covers all parts of the body except the head, hands and feet. Wear chemical resistant gloves, goggles or a face shield and a chemically resistant apron. A dust mask must be worn when mixing and loading this product.

During application only, from a tractor with a completely enclosed cab or from an aircraft with an enclosed cockpit a long-sleeved shirt and long-legged pants must be worn. Chemically resistant gloves must be available in the cab or cockpit and worn while exiting. After work: Take off all clothes and shower. Shower using soap and water. Do not wear contaminated clothing. Wash protective clothing and equipment with soap and water after each use. Personal clothing worn during use must be laundered separately from household articles. Clothing and protective equipment heavily contaminated or drenched with Captain must be destroyed according to state and local regulations.

For best results apply when air is calm. A good hand or power dusting machine should be used to secure complete coverage of plants with a light film of dust. Begin application prior to or at first sign of infection. Repeat applications as necessary. Keep new growth protected. Captain should not be used closely following oil sprays or solvent formulations of parathion.

FRUIT CROPS

APPLES—Bitter rot, Black rot, Firefly leaf spot, Black rot, Botryosphaeria: Apply 27 to 50 pounds/acre. Apply in late cover and pre-harvest periods. For Toffee leaf spot also use 27 to 53 pounds/acre in pre-bloom and blossom periods. **GROUNDS**—Brown spot, Firefly: Use 15 to 50 pounds/acre. Apply in cover periods. Scab: For primary infection use 27 to 100 pounds/acre. Apply in pre-bloom, blossom, petal fall and late cover periods. For secondary infection use 15 to 33 pounds/acre. Apply in cover periods. Sooty blotch: Use 15 to 28 pounds/acre. Apply in cover periods. Note: Red Delicious and other sensitive varieties may be injured by early season applications.

CHERRIES—Botrytis rot: Apply 80 pounds/acre. Apply at petal fall, shuck shed, and in cover sprays. Brown rot: For fruit rot, apply 15 to 68 pounds/acre in pink, full bloom, petal fall, shuck shed, and cover periods. Leaf spot: Apply 40 to 53 pounds/acre. Apply in pink, bloom, petal fall, and first cover periods and in 1 or 2 post-harvest foliage applications.

PEACHES—Brown rot, Rhizopus, Scab: Apply 27 to 66 pounds/acre. Apply in pink, full bloom, shuck shed, cover, and pre-harvest periods.

Pears—Fruit spot, Scab (primary infection): Apply 27 to 40 pounds/acre. Apply in pink, petal fall, and first two cover periods. Do not use on D'Anjou pears. Russeting may be increased on Bosc pears.

PLUMS, PRUNES—Brown rot: Apply 27 to 60 pounds/acre. Apply at rad bud, 750 percent bloom, petal fall, and in cover applications as necessary.

STRAWBERRIES—Botrytis rot (gray mold), Leaf spot: Apply 27 to 53 pounds/acre. Begin at new growth. Repeat at 7 day intervals through picking and after harvest.

VEGETABLE CROPS

CANTALOUPE, CUCUMBERS—Angular leaf spot, Arthura, rose, Downy mildew: Apply 15 to 50 pounds/acre. Begin at first sign of disease. Repeat at 5 to 7 day intervals.

TOBACCO (Field and greenhouse)—Anthracnose, Early and late blights, Gray leaf spot (Stemphylium), Septoria leaf spot: Apply 27 to 68 pounds/acre. Begin at first sign of disease. Repeat at 6 to 7 day intervals. Damping-off, Root rot: Apply 65 to 100 pounds/acre.

Only the applicator is permitted to be in the greenhouse during application of captain. Open vents to greenhouse during application and for at least 1 hour after application.

Workers placing in experimental soil must wear chemical resistant gloves.

ORNAMENTAL CROPS

GRASSES (Ornamental in non-pastured areas only)—Leaf spots, Damping-off, Brown patch, Copper spot, Mailing out, Seeding blights and Brown spot on St. Augustine grass: Apply 1.33 to 2.68 pounds/1000 square feet. Begin when growth starts in spring. Repeat at 7 to 14 day intervals throughout season. Do not graze treated areas. Do not feed clippings to livestock.

HOLLYHOCK, LILAC, SHAPDRAGON, SPIREA—Anthracnose: Apply 28 pounds/acre. Apply before disease appears. Repeat at weekly intervals during warm, wet weather.

ROSES—Black spot, Botrytis blossom blight: Apply 30 to 40 pounds/acre begin at first growth or first sign of disease. Repeat at 7 to 14 day intervals, and more frequently during frequent rains and heavy dew.

STOCKS—Botrytis rot: Apply 64 to 68 pounds/acre. Apply when disease appears. Repeat at 7 day intervals as needed.

Platte warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for the purposes stated on such label only when used in accordance with the directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Platte. In no case shall Platte be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the buyer. Platte makes no warranties of merchantability or fitness for a particular purpose nor any other express or implied warranty except as stated above.

FOR FORMULATED FOR
PLATTE CHEMICAL COMPANY, INC.
150 BO. MAIN STREET FREMONT, NEBRASKA 68028