

PM 23

34704-149

CAPTAN 7.5 DUST

ACTIVE INGREDIENTS: BY WEIGHT Captan (N-trichloromethylthlo-4cyclohexene-1,2-dicarboximide) 7.33% Related derivatives 0.17% INERT INGREDIENTS:92.50% TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN DANGER PELIGRO

PRECAUCION AL L'SUARIO: Si ustartino lee Ingles, no use este producto hasta que la etiqueta le hava eldo explicada ampliamente.

STATEMENT OF PRACTICAL TREATMENT

If In eyes: Flush with plenty of water, Call a physician.
If swallowed: Call a physician or Poison Control Center Immediately. Drink promptly a large quantity of milk, egg whites, gelatin solutions, or if these are not available, drink large quantities of water. Avoid alcohol. Do not give anything by mouth to an unconscious person.

If inhaled: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention

If on akin: Remove contaminated clothing and wash affected area with soap and water.

See Below for Additional Precautio . Statements.

EPA REG. NO. 34704-149 EPA EST. NO.

NET WEIGHT _

CLEAN CROP is a Registered T.M. of United

FORMULATED FOR ATTE CHEMICAL COMPANY, INC. 150 SO, MAIN STREET

PRECAUTIONARY: STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER

Causes Irreversible eye Gamage. Hombut II evallowed or inhaled. Mareactions. Do not get in eyes. Avoid contact with skin and clothing. -wallowed or inhaled. May cause allergic skin

ENVIRONMENTAL HAZARDS

This posticide is toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Do not store under conditions which might adversely affect the container or its ability to function properly. Such conditions include, but are not limited to, positioning of the container in storage, storage temperature, potential for crushing or damage due to stacking, and penetration of moisture.

STORAGE: Store in sale manner. Store in original container only. Store in cool, dry place. Reduce stacking height where local conditions, such as humidity or pallet overhang, can affect package strength. Personnel should use clothing and equipment consistent with good pesticide handling.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous, improper disposal of excess pesilcide, spray mixture, or rinsate is a violation of Federal Law. If these cannot be disposed of by use according to label instructions, contact your State P or Environmental Control Agency, or the Hazardous Waste representative at the negrest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then

dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning, if burned, stay out of smoke.

Wear goggles or face shield when handling. Wash thoroughly with soap and water after

Wear gogglea or face shield when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and separately launder clothing before reuse. Mixers/loaders when mixing and loading this product must wear a long alseved shirt and long pants or a coverall that covers all pants of the body except the head, hands and feet. Wear chemical resistant glowes, goggles or a lace shield and a chemically resistant apron. A dust mask must be worn when mixing and loading this product. During application only, from a tractor with a completely enclosed cab or from an aircraft with an enclosed cookpit a long sleeved shirt and long legged pants must be worn. Chemically resistant glowes must be available in the cab or cockpit and worn while exiting. AFTER WORK: Take off all clothes and shoes. Shower using soap and water. Do not wear contaminated clothing. Wash protective clothing and equipment with acap and water after each use. Personal clothing worn during use must be laundered separately from household articles. Clothing and protective equipment heavily contaminated or drenched with captan must be destroyed according to state and local regulations. For best results apply when air is caim. A good hand or power dusting machine should be used to secure complete with a light film of dust. Begin application prior to or at first sign of the cab. In the cab, in the cab. In the cab of cooking oil sprays or solvent formulations of paratnion.

ORNAMENTAL CROPS

GRASSES (Omaments in-pastured areas only)—Leaf spots, Damping-off, Brown patch, Copper spot, Meth., Just, Seedling blights and Brown spot on St. Augustine grass: Apply 1.33 to 2.66 pounds/1000 square leet. Begin when growth starts in spring. Repeat at 7 to 14 day intervisis throughout speed. Do not see the part of th at 7 to 14 day intervals throughout season. Do not graze treated areas. Do not feed dipp-

at 7 to 14 day intervals intrody.

Ings to livestock,

HOLLYHOCK, LILAC, SNAPDRAGON, SPIREA—Anthracnose: Apply 28 pounds per scrs.

Apply before disease appears. Repeat at weekly intervals during warm, wet weather.

ROSES—Black spot, Botrytis blossom blight: Apply 30 to 40 pounds/acre. Begin at first growth or first sign of disease. Repeat at 7 to 14 day intervals, and more frequently during

frequent rains and heavy dews.

STOCKS—Botrytis rot: Apply 54 to 66 pounds/acre. Apply when disease appears. Repeat at 7 day Intervals or as needed.

EXP-10

Platte warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for the purposes stated on such label only when used in accordance with the directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of the product. Crop injury, ineflectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Platte. In no case shall Platte be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the buyer, Platte makes no warranties of Merchantability or fitness for a particular purpose nor any other express or implied warranty except as stated above.

