

300
17
162009
4

JAN 8 1986

Platte Chemical Company
P.O. Box 667
Greeley, CO 80632

Attention: William M. Mahlburg

Gentlemen:

Subject: E-7-50 Cyprex 4 Dust
EPA Registration No. 34704-153
Your letter Dated September 23, 1985

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted.

1. Under apples, our records indicate the dosage rate should be 15 to 40 lbs per acre.
2. Under apples, add the statement "Do not graze cover crops in treated orchards."
3. Under sour cherry, change "leaf spot" to "cherry leaf spot."

Sincerely yours,

Henry M. Jacoby
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (TS-767)

88849; Fields; RD-85/21; KENCO; 12/26/85; 1/7/86; DKD; JH

CONCURRENCES

SYMBOL	DATE	INITIALS	DATE	INITIALS	DATE	INITIALS	DATE	INITIALS

CAUTION

Causes eye irritation. In case of contact with eyes, flush them with plenty of water for at least 15 minutes. Get medical attention. Avoid contamination of feed and foodstuffs. Do not graze crops in treated orchards. Avoid drift of dust to adjacent crops.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

RE-ENTRY STATEMENT

Do not enter treated areas without protective clothing until dusts have settled. Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information. Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. When oral warnings are given, warnings shall be given in a language customarily understood by workers.

Written or oral warnings must include the following information:

CAUTION

(Insert area or field description) treated with Dodine on (insert date of application.) Do not enter treated areas without protective clothing until dusts have settled. In case of accidental exposure: Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to Dodine and describe his condition.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container. Do not store under conditions which might adversely affect the container or its ability to function properly. Such conditions include, but are not limited to, positioning of the container in storage, storage temperature, potential for crushing or damage due to stacking, and penetration of moisture.

STORAGE: Store in safe manner. Store in original container only. Store in cool, dry place. Keep container tightly closed when not in use. Reduce stacking height where local conditions, such as humidity or pallet overhang, can affect package strength. Personnel should use clothing and equipment consistent with good pesticide handling.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS

CLEAN CROP DODINE 4 DUST is a fungicide dust for control of certain diseases of apples, sour cherry and strawberry. It can be applied by conventional ground equipment or by aerial equipment. Consult your State Agricultural Experiment Station for additional information consistent with this label, as rate and timing of applications may vary with local conditions.

APPLES: For the control of scab, apply 40 lbs. of dust per acre at 5 to 7 day intervals or as needed to maintain scab control from the prebloom period through first cover. Repeat application in subsequent cover sprays as needed. Do not apply within 5 days of harvest. Do not use treated apples in the manufacture of apple pomace for use in livestock feeds.


CAUTION: Fruit color and finish on most apple varieties dusted with Dodine at recommended dosages have frequently been outstanding. However, russetting of Golden Delicious, Grimes Golden and Rhode Island Greening may occur in some areas. No russetting of Golden Delicious or other yellow varieties has been experienced in the Northwest.

SOUR CHERRY: For the control of leaf spot, apply 20 to 40 lbs. of dust per acre at first fall or when first leaves unfold. Repeat at 7 to 10 day intervals. If leaf spot conditions persist, continue applications through harvest and after harvest.

STRAWBERRIES: For the control of leaf scorch, leaf spot, and leaf blight, apply 25 to 32 lbs. per acre. Make first application as soon as new growth starts and repeat sprays at weekly intervals. Do not apply within 14 days of harvest.

NOTICE

Platte warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for the purposes stated on such label only when used in accordance with the directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of the product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Platte. In no case shall Platte be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the buyer. Platte makes no warranties of Merchantability or fitness for a particular purpose nor any other express or implied warranty except as stated above.



DODINE 4 DUST

ACTIVE INGREDIENT:

Dodine (n-Dodecylguanidine acetate)	4.0%
INERT INGREDIENTS:	96.0%
TOTAL	100.0%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Side Panel for Additional Precautionary Statements

EPA REG. NO. 34704-153 **ACCEPTED**
with COMMENTS
EPA Letter Dated:

EPA EST. NO. _____ **JAN 8 1986**

NET CONTENTS _____ **Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.**

34704-153

v
v
v