

DANGER

Causes irreversible eye damage. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Wear goggles or face shield when handling. Avoid contact with skin and clothing. Remove and separately launder clothing before reuse.

STATEMENT OF PRACTICAL TREATMENT

If swallowed—Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled—Remove victim to fresh air. Apply artificial respiration if indicated.

If on skin—Remove contaminated clothing and wash affected area with soap and water.

If in eyes—Immediately flush eyes with plenty of water for at least 15 minutes. Call a physician.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil. NOTE TO USER: Federal Government and most states have seed laws and regulations requiring an appropriate caution statement be affixed to bags containing treated seed such as: "Treated Seed—Do Not use for food or feed."

ENDANGERED SPECIES RESTRICTIONS

The use of this product in a manner which may harm endangered species or adversely modify their habitat is prohibited by Federal law. The following endangered species and the general location of their habitats have been identified by county:

Stackwater Darter	Alabama (Lauderdale, Limestone and Madison)
	Tennessee (Lawrence and Wayne)
Pecos gambusia	New Mexico (Chaves and Eddy)
	Texas (Reeves, Jeff Davis and Pecos)
Freshwater Mussels	Tennessee (Hancock, Claiborne, Hawkins and Sullivan)
	Virginia (Smyth, Scott, Lee, Washington and Grayson)
Commanche Springs Pupfish	Texas (Reeves and Jeff Davis)

Prior to use of this product in the above counties you must determine that these species are not located in, or immediately adjacent to, the areas to be treated with captan. Consult your regional U.S. Fish and Wildlife Service office (Endangered Species Specialist) or State Wildlife Agency if there is any doubt as to the areas where the outdoor use of captan is prohibited.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty containers. Do not store under conditions which might adversely affect the container's ability to function properly. STORAGE: Store in safe manner. Store in original container, only. Store in cool, dry place. Protect from excessive heat. Keep container tightly closed when not in use. Reduce stacking height where local conditions, such as humidity or palm overhang, can affect package strength. Personnel should use clothing and equipment consistent with good pesticide handling.

ed by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Mixers, loaders, and applicators, when mixing, loading, and applying, must wear mid-forearm to elbow-length natural or synthetic rubber, vinyl, or plastic gloves impermeable to captan; boots or overshoes; one-piece overalls which have long sleeves and long pants; face shield or goggles; and a hat or other appropriate head covering. A dust mask must be worn when mixing and loading this product.

Clothing worn while loading, mixing, and applying this product must be laundered separately from other clothing before reuse. Clothing that may have been drenched or heavily contaminated must be disposed of in accordance with State and local regulations.

This material is especially formulated for potato seed piece treatment.

POTATO (Seed Piece Treatment): For use as an aid in the control of Tuber Soft Rot, Black Leg and surface borne *Verticillium Wilt*. Dust at 10 ounces per bushel cut seed pieces (16 ounces or 1 pound to 100 pounds cut seed pieces). Apply in convenient container or by duster attachment over belt. Cut pieces should be treated within 8 hours of cutting. If planting is to be delayed more than 1 to 2 days, the treated pieces should be stored for 2 or 3 days in open crates before bagging. Do not use treated seed for food or feed purposes.

Platte warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for the purposes stated on such label only when used in accordance with the directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of the product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Platte. In no case shall Platte be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the buyer. Platte makes no warranties of Merchantability or fitness for a particular purpose no: any other express or implied warranty except as stated above.

Not licensed for use or export outside of the United States, its Territories and Possessions, Canada or Mexico

U.S. Pat. Nos. 2,533,770—2,553,771.

FORMULATED FOR
PLATTE CHEMICAL COMPANY, INC.
150 SO. MAIN STREET
FREMONT, NEBRASKA 68025

CAPTAN-STREPTOMYCIN 7.5-.01 POTATO SEED PIECE PROTECTANT

ACTIVE INGREDIENTS:	BY WEIGHT
Captan (N-trichloromethylthio-4-cyclohexene-1, 2-dicarboximide)	7.10%
Related Derivatives40%
*Streptomycin01%
INERT INGREDIENTS:	92.49%
TOTAL	
100.00%	
*Streptomycin from streptomycin sulfate (Agricultural grade)	

KEEP OUT OF REACH OF CHILDREN
DANGER

See Side Panel for Additional Precautionary Statements

EPA REG. NO. 34704-156

EPA EST. NO. SEP 18 1986

NET WEIGHT

14350 34704-156 Pmal 1 OF 1

ACCEPTED

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 34704-156

* CLEAN CROP is a Registered Trade Name of Platte Chemical Company, Inc.