

ALFALFA WEEVIL LARVAE SPRAY


(Contains 2 Lbs. Malathion and 2 Lbs. Methoxychlor Per Gal.)

Net Contents 1 Gallon

CAUTION:
KEEP OUT OF REACH OF CHILDREN
See Side Panel for additional Cautions

| | |
|---------------------------|--------|
| ACTIVE INGREDIENTS: | |
| Malathion* | 23.9% |
| Methoxychlor**, technical | 23.4% |
| Xylene | 45.3% |
| INERT INGREDIENTS: | 7.5% |
| | 100.0% |

The manufacturer makes no warranties, express or implied, concerning this product or its use, which extend beyond the description on the label. All statements made concerning this product apply only when used as directed.



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For Use on Alfalfa- For the control of alfalfa weevil larvae, grasshopper, aphids, including spotted alfalfa aphid, lygus bugs, leafhoppers, spider mites, spittlebugs, vetch bruchids on alfalfa, apply 2 quarts of Alfalfa Weevil Larvae Spray per acre in sufficient water for good coverage as a diluted spray.

For the control of Armyworms, apply 5 pints per acre.

Repeat applications as necessary. Apply this product to alfalfa in bloom only in the evening or early morning when bees are not working in the field or are not hanging on the outside of the hives.

Do not cut or graze within 7 days of application.

*0,0-dimethyl dithiophosphate of diethyl mercaptosuccinate.

**Equivalent to 20.59% 2,2-bis (p-methoxyphenyl)-1,1,1-trichloroethane and 2.81% other isomers and related compounds.

Avoid contact with the skin. Do not breathe spray. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11. Wash thoroughly with soap and water after use. Avoid contamination of feed and food-stuffs. Keep away from children and domestic animals.

NOTE TO PHYSICIAN: Give atropine preferably by injection, grains 1/30 to 1/15 (2 to 4 mg.) at once and every hour or oftener as needed to achieve and maintain full atropinization.

USE PRECAUTIONS

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Highly toxic to fish. Do not contaminate any body of water. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or spool of wastes. Apply this product only as specified on this label.

Do not use, pour, spill or store near heat or open flame.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container. **PESTICIDE DISPOSAL:** Pesticide, spray, mixture, or rinse that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. **CONTAINER DISPOSAL:** Triple Rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved landfill or bury in a safe place. **GENERAL:** Consult federal, state or local disposal authorities for approved alternative procedures.



COMPANY
NUMBER 34704.

PRODUCT
SERIAL NO. 180

LABEL
APPROVAL 6-22-81
DATE _____