

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

# WARNING

MAY BE FATAL IF SWALLOWED.

Do not breathe spray mist. Avoid contact with skin or eyes. In case of contact, wash with soap and water. For eyes, flush with water and get medical attention. Wash hands thoroughly after oral eating or smoking. Avoid contamination of feed and foodstuffs. Do not use on cats or other household poultry or humans.

If should not be applied under conditions which might result in a toxic residue or residual odor or taste on foodstuffs or edible portions of treated crops or forage at harvest time. Do not use on forage crops for livestock or animals being finished for slaughter. Do not use in poultry houses or dairy barns. Do not use on crops which are to be sold commercially or shipped interstate. Do not use at higher concentrations than recommended on label.

Must wear the following protective clothing during the application process: a light weight protective suit, water-resistant hat, unlined waterproof gloves and unlined lightweight boots. Mixers and loaders must wear goggles or a face shield, waterproof gloves and a waterproof apron. Applicators working in enclosed areas, if special, must wear a pesticide respirator properly approved by MSHA (Mine Safety and Health Administration) (National Institute for Occupational Safety and Health) under the provisions of 30 CFR Part II for action. Aerial application of Lindane is prohibited.

## ENVIRONMENTAL HAZARDS

is toxic to fish, birds and other wildlife. Do not contaminate any body of water. Do not apply when weather is likely to result in drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by equipment or disposal of wastes. Information may be obtained from your Cooperative Agriculture Extension Service. This is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply if bees are actively visiting the crop, cover crop, or weeds blooming in the treatment area. Applications should provide the maximum possible interval between treatment and the next period of bee activity.

## DIRECTIONS FOR USE

Read label carefully. Do not use this product in a manner inconsistent with its labeling.

## RE-ENTRY STATEMENT

Do not re-enter treated areas without protective clothing until sprays have dried. Because certain states may require more frequent intervals for various crops treated with this product, consult your State Department of Agriculture for information. Do not apply this product in such a manner as to directly or through drift expose workers or the public. The area being treated must be vacated by unprotected persons. Oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Oral warnings must be given if there is reason to believe that written warnings cannot be read by workers. When oral warnings are given, warnings shall be given in a language customarily understood by the workers.

Oral warnings must include the following information:

### WARNING

(or full description) treated with Lindane on (insert date of application). Do not enter treated areas without protective clothing until sprays have dried. In case of accidental exposure, call a doctor (physician) clinic or hospital immediately. Explain that the victim has been exposed to Lindane and describe his condition. For further information, see the STATEMENT OF PRACTICAL TREATMENT portion of the pesticide label.

## STORAGE AND DISPOSAL

**CONTAINER:** Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Empty container. Do not store under conditions which might adversely affect the container or its function (primary). Such conditions include, but are not limited to: positioning of the container in storage, temperature, potential for crushing or damage due to stacking, and penetration of moisture.

**USE:** Store in safe manner. Store in original container only. Store in cool, dry place. Keep container tightly closed when not in use. Reduce standing height where local conditions, such as humidity or panel over-hang, can reduce strength. Personnel should use clothing and equipment listed under PRECAUTIONARY STATEMENT when handling open containers.

**WASTE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or empty container is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environment Control Agency or the Hazardous Waste representative at the nearest Federal Office for guidance.

**AIRBORNE DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a way that will not be a hazard to humans or the environment, or if allowed by State and local authorities by burning, if burner stay out of the way.

7/24/84


RECEIVED

PR Notice 88-57, Expiration Date 4/24/84



UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USES AUTHORIZED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

Reg no: 34704-174  
PM-15



# LINDANE 25W

## ACTIVE INGREDIENT:

Gamma isomer of benzene hexachloride

(from lindane).....25.0%

INERT INGREDIENTS:.....75.0%

TOTAL 100.0%

## KEEP OUT OF REACH OF CHILDREN WARNING AVISO

### PRECAUCION AL USARIO: Si usted no lee ingles, no use este producto hasta que le etiqueta haya sido explicado ampliamente.

### SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS

## STATEMENT OF PRACTICAL TREATMENT

**If swallowed**—Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

**If inhaled**—Remove victim to fresh air. Apply artificial respiration if indicated.

**If on skin**—Remove contaminated clothing and wash affected area with soap and water.

**If in eyes**—Flush eyes with plenty of water. Call a physician if irritation persists.

EPA REG. NO. 34704-174

EPA EST. NO. \_\_\_\_\_

NET WEIGHT \_\_\_\_\_

\* CLEAN CROP® is a Registered TM of United Agri Products, Inc.

9877

05Y84 A

FORMULATED FOR  
**PLATTE CHEMICAL COMPANY, INC.**  
180 SO. MAIN STREET FREMONT, NEBRASKA 68025

water before applying spray, remove livestock and cover feed, utensils, and feed and water troughs. Do not milk cows, milking equipment, feed or drinking water. Do not use in poultry houses or dairy barns. FOR FLIES and MOSQUITOES: Apply as a coarse spray at rate of 1 gal. per 500 sq. ft. or wet all surfaces. Also spray manure piles and other breeding places. Repeat as necessary.

**FOR ROACH, ANT, BEDBUG and TICK CONTROL:** Make thorough application to corners, stiffs, sleeping quarters and rooms frequented by pests. Repeat as necessary.

**\*FARM ANIMALS\*** Except Dairy Animals: **CAUTION:** Do not use on lactating dairy animals. Note: Spray must be delivered at 200 psi in order to penetrate the animal's hair to the skin.

**SARCOPTIC MANGE MITES, LICE, TICKS:** Do not spray on animals within 30 days of slaughter. Do not dip 60 days of slaughter. Do not use sprays containing more than 0.004% gamma. Do not use on young animals over 3 months of age. Other immature animals may be injured by treatment. Spray or dip applied to animals (over 3 months of age) should be limited to 0.003% concentration of Lindane.

**SARCOPTIC MANGE MITES ON BEEF CATTLE:** 1 to 1 1/2 lbs. per 100 gals. water (0.003%-0.004% gamma) 7-10 day intervals as needed. Use lower dosage on animals under 6 months. Make thorough application.

**LICE and TICKS ON BEEF CATTLE, SHEEP, HORSES and GOATS:** 1 lb. per 100 gals. water (0.003% gamma) or dip thoroughly wetting animals. Repeat treatments at 7 to 10-day intervals may be necessary to prevent reinfestation.

**SARCOPTIC MANGE MITES and LICE ON HORSES:** 2 lbs. per 100 gals. water (0.006% gamma). Complete coverage inside of ears is necessary. Apply two treatments, one week apart.

**CAUTION:** Do not treat cows with this product during or for at least three weeks thereafter. Avoid use in cold, stormy weather. Avoid treating pregnant or nursing animals.

## INSECT CONTROL ON FLOWERS AND VEGETABLES

**CUCUMBERS, CANTALOUPES, SQUASH and PUMPKINS:** For control of cucumber beetles, thrips—use 1 lb. per acre. Aphids, mealybugs, leaf miners—use 1.6 to 2 lbs. per acre. Do not use more than 2 lbs. per acre. Residues from cucumbers and squash. Do not use more than 2 lbs. LINDANE 25W per acre. Do not apply to cucumbers and squash within one day of harvest.

**SPINACH:** Aphids, leafminers—use 1.6 to 3.0 lbs. per acre. Apply only in seedling stage.

**CELERY:** Thrips, tarnished plant bugs—use 1.2 to 1.6 lbs. per acre. Do not apply after the celery has begun to bunch.

**CABBAGE and BROCCOLI:** Aphids, thrips—use 0.8 to 1.2 lbs. per acre. Do not apply after the edible part has begun to form. Do not use more than 3 lbs. CLEAN CROP LINDANE 25W per acre.

**GLADIOLUS:** Thrips—1 lb. per 100 gals. of water.

## INSECT CONTROL ON TREES AND SHRUBS

**FLOWERING FRUITS, ELM, BEECH, MAPLE, SYCAMORE, BIRCH:** Aphids—1 lb. per 100 gals. water. Apply when infestation is about 2 inches long.

**AZALEA, RHODODENDRON, OAK AND SYCAMORE:** Lace bugs—1 lb. per 100 gals. water. Apply just after small nymphs can be seen. Second spray 10 days later.

**PINES:** Pine bark aphid—1 lb. per 100 gals. water. Apply when immature aphids are present.

## NOTICE

**DISCLAIMER**—It is impossible to eliminate all risks inherently associated with use of this product. Crop loss or other unintended consequences may result because of such factors as weather conditions, soil conditions, or the manner of use or application all of which are beyond the control of Platte Chemical Company. Platte Chemical Company warrants only that the material contained herein conforms to the chemical description and is reasonably fit for the use therein described when used in accordance with the directions for use and risks referred to above. Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential damages.

**Lindane Mixture  
RQ NA2761**



**BEST AVAILABLE COPY**