



**COMPANY
NUMBER** 34704-


**PRODUCT
SERIAL NO.** 185

**LABEL
APPROVAL
DATE** 10-10-78

1061
PM 12
5/11/78

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.



MANEB, PARATHION 7-2 DUST

WARNING:
KEEP OUT OF REACH OF CHILDREN
(See Side Panel for Additional Warnings and Antidote Statements)

ACCEPTED
ONTARIO 1978
USDA
FEDERAL
REGISTERED

ACTIVE INGREDIENT:	
Parathion (O,O-Diethyl O-p-Nitrophenyl Phosphosphate)	2.0%
Maneb (Manganese Ethylenebisdithiocarbamate)	7.0%
INERT INGREDIENTS:	
	91.0%
	100.0%

The manufacturer makes no warranties, express or implied, concerning this product or its uses, which extend beyond the description on the label. All statements made concerning this product apply only when used as directed.

JUNE 1978 EPA Est. No. 635-OH-1 E.P.A. Reg. No. 635-543

Net Contents 50 Pounds

SOLD BY
Grower Service Corporation Lansing, Michigan 48901

DIRECTIONS FOR USE

TOMATOES: Early blight, late blight, Septoria leaf spot, gray leaf spot (Stemphylium) anthracnose, leafhopper, serpentine leaf miner, whitefly and aphids. Apply when fruit of first clusters is well formed or when insects first appear, at the rate of 20 pounds per acre. Repeat at 7 to 10 day intervals. (Do not use on young seedlings in greenhouses as injury may occur.) When weather conditions favor disease, more frequent applications may be necessary, starting when plants are set in fields. Do not apply within 10 days of harvest.

BEST AVAILABLE COPY

WARNING

May be fatal if swallowed, inhaled or absorbed through skin. Do not get in eyes, do not breathe dust. Wear a mask or respirator of Department of Agriculture for Parathion protective clothing, natural rubber gloves, hat, boots, and shoes. Wash hands, face and arms from feed and food products. Keep away from hands, arms and face with soap and water before eating or smoking. Wash contaminated clothing with soap before re-using. Keep all unprotected people out of operating areas or vicinity where there may be drift. Drifted areas should not be re-entered until drifting dust has dissipated.

POISON

FIRST AID TREATMENT: Call a doctor (note that atropine tablets are effective as an antidote. 2-P.A.T. should be administered in conjunction with atropine).

INTERNAL: If swallowed, make patient vomit with 1 cup of water or soapy water. Administer milk or water freely and keep warm. Never give anything by mouth.

SKIN: Immediately remove all contaminated clothing and wash for at least fifteen minutes.

EYES: Immediately flush with water for at least 15 minutes. Seek medical attention.

INHALATION: Give two atropine tablets at once if symptoms of blurred vision or pin-point pupils.

Toxic to fish and wildlife. Do not contaminate waterways. Do not apply when conditions favor drift from the crop area. Drifted areas may be killed.

This product is highly toxic to bees exposed to it on crops. Protective information may be obtained from your local Agricultural Extension Service.

IMPORTANT

Never allow dust to become wet during storage. Do not use if effectiveness of the dust and it will create flammable vapors. Container closed when not in use.

Use only as directed. Consult your State Agricultural Extension Service for more specific recommendations. Do not use during flowering and/or pollination periods.

Not for use or storage in or around the home.

Destroy Container When Empty. Never Reuse.