

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

DANGER: Corrosive, irreversible eye damage. Do not get into eyes, on skin or on clothing. Wear goggles or face shield, and rubber gloves when handling. May be fatal, if swallowed. Avoid breathing vapors.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not apply when weather conditions favor drift from target area. Do not contaminate water by cleaning of equipment or disposal of wastes.

STATEMENT OF PRACTICAL TREATMENT

If in eyes flush with plenty of water and get medical attention. If on skin flush with plenty of water for at least 15 minutes and get medical attention if irritation persists. Wash contaminated clothing before reuse. Discard contaminated shoes. If swallowed, induce vomiting by sticking finger down throat. Never give anything by mouth to an unconscious person. Get medical attention.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

RE-ENTRY STATEMENT

Do not enter treated areas without protective clothing until sprays have dried. Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information. Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container. Do not store under conditions which might adversely affect the container or its ability to function properly.


STORAGE: KEEP FROM FREEZING. Store in safe manner. Store in original container only. Keep container tightly closed when not in use. Reduce stacking height where local conditions can effect package strength. Personnel should use clothing and equipment consistent with good pesticide handling.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

USE PRECAUTIONS

Do not allow spray to get on vegetable or ornamental plants since injury may result. Some injury can be expected to turf when used on Centipede or St Augustine grass lawns. "Spot Spray" weeds only. Clover present will be damaged if sprayed. Do not spray on carpetgrass, dichondra nor lawns or turf where desirable clovers are present. Use only lawn sprayers for this use. Coarse sprays



MEC-AMINE PLUS

ACTIVE INGREDIENTS:

| | |
|--|-----------------|
| Dimethylamine salt of 2,4-Dichlorophenoxyacetic acid | 6.590% |
| Dimethylamine salt of 2-(2-Methyl-4-chlorophenoxy)propionic acid | 9.870% |
| Dimethylamine salt of Dicamba (3,6-Dichloro-benzic acid) | 2.635% |
| INERT INGREDIENTS: | 70.904% |
| TOTAL | 100.000% |

2,4-Dichlorophenoxyacetic acid equivalent to 5 pounds per gallon or 5.4%

2-(2-Methyl-4-chlorophenoxy)propionic acid equivalent to 5 pounds per gallon or 6.4%

3,6-Dichloro-benzic acid equivalent to 2 pounds per gallon or 2.1%

RECEIVED
 1984
 34704-218

Only for Sale To, Use and Storage by Lawncare and Landscaping Personnel or Commercial Applicators
 Contains: 2,4-D MCPP and Dicamba
ONE GALLON COVERS UP TO 2.9 ACRES
KEEP FROM FREEZING

BENTGRASS HERBICIDE
 Selective Broadleaf Weed Control
 on Dandelion, Knotweed, Henbit, Oxalis, Chickweed and Many Other Broadleaf Weeds.

DANGER
KEEP OUT OF REACH OF CHILDREN

See Side Panel for Additional Precautionary Statements and Statement of Practical Treatment
NET CONTENTS

EPA REG. NO. 34704-
 CLEAN CROP is a Registered T.M. of United Agri Products, Inc.



FORMULATED BY

PLATTE CHEMICAL COMPANY, INC.
 150 SO. MAIN STREET
 FREMONT, NEBRASKA

are less likely to drift. Do not apply to areas underlaid by roots of desirable trees and shrubs. This product may be injurious to St. Augustine grass



WEEDS CONTROLLED

| | | | |
|------------|-----------|--------------|---------------|
| Bedstraw | Henbit | Pepperweed | Spurge |
| Buckhorn | Knotweed | Pigweed | Wild Carrot |
| Burdock | Lambs- | Plantains | Wild Garlic |
| Chickweed | quarters | Purslane | Wild Lettuce |
| Clover | Lespedeza | Ragweed | Wild Onion |
| Dandelion | Mallow | Sheep Sorrel | Yarrow |
| Dock | Morning | Shepherds | and many |
| Ground Ivy | Glory | Purse | other similar |
| Heal-All | Oxalis | Speedwell | broadleaf |
| | | | weeds |

ORNAMENTAL LAWNS & TURF (other than bentgrass): Apply MEC-AMINE Plus at the rate of 3 to 4 pints per acre in sufficient water for uniform coverage. If hardy weeds persist, make a second application after three weeks. Maximum kill of weeds will be obtained from spring or early fall application when weeds are actively growing. Avoid applying during long excessively dry or hot periods unless adequate irrigation is available. If application is made when soil is quite warm, use reduced rates to reduce potential injury. Do not irrigate within 24 hours of application. Do not apply to newly seeded turf until after the second or third mowing. Seed can be safely sown 3 to 4 weeks after application at recommended rate. Do not use on dichondra. If dandelions persist as a special problem, individual spot treatment with a single nozzle hand sprayer is recommended.

Bentgrass Turf: In closely mowed Bentgrass (putting and bowling greens) apply MEC-AMINE Plus at a maximum rate of 1 fluid ounce per 1,500 square feet preferably in May, or through September. Any yellowing will disappear after about one week.

NOTE: Care should be taken to avoid overdosing Bentgrass or injury may result. Large volumes of spray water will aid in obtaining uniform coverage. If hand type sprayers are used, it is preferable to use a single nozzle sprayer rather than a multiple nozzle boom as sideways application with a boom where the spray from more than one nozzle is allowed to fall on the same area will result in heavy local over-application and subsequent turf discoloration or injury.

NOTICE OF WARRANTY

Platte warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for the purposes stated on such label only when used in accordance with the directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Platte. In no case shall Platte be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the buyer. Platte makes no warranties or merchantability or fitness for a particular purpose nor any other express or implied warranty except as stated above.

08P83

34704-218

8284

A

