PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)

WARNING

ay be fatal if swallowed. May be absorbed through skin. Do of breathe dust. Do not get in eyes, on skin, or on clothing auses eye and skin irritation. During exposure in seed treatient and loading operations, wear goggles, clean synthetic jober gloves, protective clothing. Wash hands, arms, and ice thoroughly with soap after handling and before eating r smoking. Routinely shower or bathe after work and wash ork clothes with soap and hot water before reusing

ENVIRONMENTAL HAZARDS

his product is toxic to fish birds, and wildlife. Keep out of akes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only is specified on this label. Exposed treated seeds may be lazardous to hirds and other wildlife. Dispose of all excess reated seeds by burial away from bodies of water

DIRECTIONS FOR USE

t is a violation of federal law to use this product in a manner in onsistent with its labeling. Read all directions before us-, and use only as specified on this label

STORAGE AND DISPOSAL

Do not contaminate water food or feed by storage or disposal


- STORAGE: Store in a cool, dry place
- PESTICIDE DISPOSAL: Pesticide, spray mixture. or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act
- CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill or by incineration if permitted by State and local authorities

GENERAL: Thoroughly mix the recommended amount of this product into the required amount of water for the sturry treater. equipment and dilution rate to be used. Clean equipment thoroughly between treating operations. Store all treated seed in a coof dry place

IMPORTANT: Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Treat only those seeds needed for immediate use. Ininimizing the interval between treatment and planting. Do not store excess treated seeds beyond planting time. Seed commercially treated with this product must be labeled in accord with all applicable regu rements of the Federal Seed Act

SPECIAL USE PRECAUTIONS

INPORTANT. Treated seed must not be used for human con-



KEEP OUT OF THE REACH OF CHILDREN WARNING

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED -- Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED-Remove victim to fresh air. Apply respiration if indicated IN ON SKIN-Remove contaminated clothing and wash affected areas with soap and water

IF IN EYES—Flush eyes with plenty of water. Call a physician if irritation persists

See side panel for additional precautionary statements

STIR CONTENTS THOROUGHLY INTO WATER BEFORE USING.

NET CONTENTS

EPA REG. NO. 34704-219 EPA EST. NO. 34704 -

CLEAN CROP is a Registered T.M. of United Agric Province Inc.

RQ Lindane Mixture NA2761

ORM-A

(Directions for use continued) sumption nor as animal feed. Bags containing treated should be labeled

TREATED SEED DO NOT USE FOR FEED, FOOD, OR OIL PURPOSES

Exposed treated seed may be hazardous to birds and wildlife. Dispose of all excess treated seed and seed packat by burial away from bodies of water

PRODUCT INFORMATION

LINDANE 25 WP is a microfine wettable powder agricult insecticide designed especially for the treatment of sc against wireworms, seed corn maggots, and certain other borne insects. It contains an effective binding agent to hold the Lindane on the seeds during sacking, storing planting. It is designed for wet application through s

SEED TREATMENT DOSAGE RATES

TYPE OF SEED

OUNCES PER 100 POU

Allaria Court

Beans

Bush Shap and all others except to mas

Baby Bush Limas Standard and Forenook Large Limas

Cantaloupe Cucumber Watermeion Squash Pumpkin Carrots Onions

רסזים

Acid Delinied

Machine Detinted

Fuzzy Undelinted Grass (Sattiower Ryel Sudan)

Mic Sprchum O∗ra Lettuce

Oa:s

Peas

So,cear Spinach Sunfaver

Sugar Beets

Tomatoes V-near

ONLY SEED OF HIGH GERMINATION with good vigor at a treated with Lindane Poor seed may suffer greater injury in gested that seed be treated not over six weeks before plantin: effect protonged storage has on germination has not been diestablished. Treated seed should be stored in a dry place until so that excess mo sture may evaporate. If seed is stacked in wet heat may develop which impairs germination

IF SOIL TEMPERATURE IS EXTREMELY HIGH due to hot a midsummer planting, or other reasons, reduce recommended: by one-haif. Where seed decay occurs due to soil organisms : with a protective fungicide

WARRANTY

Pince instraints a product conforms to the chemical description of product reasonably fit for the purposes stated on such label on each allocat fance with the directions under normal conditions. If a neith misself incises innerently associated with the use of this product netrect seness or other unintended consequences may result be a ance with the directions under normal conditions it is in these necessary associated with the use of this product ission other in the second the product ission of the uniterced consequences may result be a rainer conditions presence of other materials without an a continuous product consequent a special or indirect diamages researching if this product. A issuant session as as of an attention of the product of the session o

ONARY STATEMENTS ARDS TO HUMANS OMESTIC ANIMALS) VARNING

wed. May be absorbed through skin. Do i not get in eyes, on skin, or on clothing protation. During exposure in seed treaterations, wear goggles, clean synthetic ective clothing. Wash hands, arms, and soap after handling and before eating ly shower or bathe after work and wash eap and hot water before reusing

ONMENTAL HAZARDS

to fish, birds, and wildlife. Keep out of inds. Do not contaminate water by cleanpsposal of wastes. Apply this product only 3 label. Exposed treated seeds may be and other wildlife. Dispose of all excess irial away from bodies of water.

ECTIONS FOR USE

deral law to use this product in a manner labeling. Read all directions before usspecified on this label

IGE AND DISPOSAL

ate water, food or feed by storage or

Store in a cool, dry place

DISPOSAL: Pesticide, spray mixture rithat cannot be used according to label must be disposed of according to poroved state procedures under Sub-Resource Conservation and Recovery


R DISPOSAL: Triple rinse (or and offer for recycling or reconditionse of in a sanitary landfill or by incineraitted by State and local authorities.

ignly mix the recommended amount of this juried amount of water for the slurry treater I, non rate to be used. Clean equipment. hitreating operations. Store all treated seed.

ed seed must not be used for or mixed 🚓 🛪 eed, or processed for oil. Treat only those in mediate use iminimizing the interval betr i planting. Do not store excess treated ting time. Seed commercially treated with bi- labeled in accord with all applicable re-Federal Seed Act

AL USE PRECAUTIONS

3 Ad seed must not be used for human con-



KEEP OUT OF THE REACH OF CHILDREN WARNING

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED—Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person

IF INHALED—Remove victim to fresh air. Apply respiration if indicated IN ON SKIN—Remove contaminated clothing and wash affected areas with soap and water

IF IN EYES—Flush eyes with plenty of water. Call a physician if irritation persists

See side panel for additional precautionary statements

STIR CONTENTS THOROUGHLY INTO WATER BEFORE USING.

NET CONTENTS_

EPA REG. NO. 34704-219 EPA EST. NO. 34704 -

CLEAN CROP is a Registered T M of United Agriculture inc. RQ Lindane Mixture NA2761

ORM-A

(Directions for use continued) sumption nor as animal feed. Bags containing treated seed should be labeled

TREATED SEED DO NOT USE FOR FEED, FOOD, OR OIL PURPOSES

Exposed treated seed may be hazardous to birds and other wildlife. Dispose of all excess treated seed and seed packaging. by burial away from bodies of water '

PRODUCT INFORMATION

LINDANE 25 WP is a microfine wettable powder agricultural insecticide designed especially for the treatment of seeds against wireworms, seed corn maggots, and certain other soilborne insects. It contains an effective binding agent to help hold the Lindane on the seeds during sacking storing and planting. It is designed for wet application through slurry

SEED TREATMENT DOSAGE RATES **OUNCES PER 100 POUNDS** TYPE OF SEED

THE ST SEED	0311020 ; 2:1	100 . 001103
Afafa Clover		2.42
Bartes		4 07
Beans		
Bush Shap and all others excapt Lin	nas	2 02
Baby Bush Limas		7 27
Standard and Fordhook Large Limar	,	1
Cantaloupe Cucumber Watermelon 5	Squash Pumpan	4 12
Carrots Onlins		4 z
Carr		\$ uz
Catton		
Acid Deilnted		8 cz
Mathine Derinted		3 : 2
Fuzzy Unde nted		9::
Grass (Safficiaer Rye Sudar)		2 '
Mio Sorghum Okra		4 63
Lettuce		4:7
Oats		2 ~1
Peas		4 02
Sc,cean		2.2
Spinalin Sunficker		4 :2
Sugar Beets		*€ 72
Tomatoes		6 27
Whear		2 c2
ONLY SEED OF HIGH GERMIN	ATION with good	vigor should be

treated with Lindane. Poor seed may suffer greater injury. It is suggested that seed be treated not over six weeks before planting. What effect prolonged storage has on germination has not been definitely established. Treated seed should be stored in a dry place until planted. so that excess mo sture may evaporate. If seed is stacked on when wet heat may develop which impairs germination

IF SOIL TEMPERATURE IS EXTREMELY HIGH due to hot weather miasummer planting, or other reasons, reduce recommended dosage by one-half. Where seed decay occurs due to so torganisms combine with a protective fungicide

WARRANTY

WARRANTY

The consequence of the 7545

