

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
(AND DOMESTIC ANIMALS)**

WARNING

May be fatal if swallowed. May be absorbed through skin. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Causes eye and skin irritation. Applicators who apply this product manually or without the use of a closed system treatment procedure must wear the following protective clothing during the application process: long-sleeved shirt, long pants, gloves, and a disposable, paper dust mask which covers at least one-third of the face. This product should be applied in a well-ventilated area. Wash hands, arms, and face thoroughly with soap after handling and before eating or smoking. Routinely shower or bathe after work and wash work clothes with soap and hot water before reusing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and wildlife. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. Exposed treated seeds may be hazardous to birds and other wildlife. Dispose of all excess treated seeds by burial away from bodies of water.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read all directions before using and use only as specified on this label.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry place.

PESTICIDE DISPOSAL: Pesticide sprays, mixtures, or other water that cannot be used according to label instructions must be disposed of according to Federal, state, and local procedures under Subtitle C of the Resource Conservation and Recovery Act.


CONTAINER DISPOSAL: Triple rinse (or equivalent) and allow to dry for recycling or, if not permitted, for disposal in a sanitary landfill or by incineration, if permitted by State and local authorities.

GENERAL: Thoroughly mix the required amount of this product into the required amount of water for the spray treatment equipment and adjust rate to be used. Clean equipment thoroughly between treatments. Store in a cool, dry place.

IMPORTANT: Treated seed must not be used for or mixed with food or animal feed, or processed food. Treat only those seeds needed for immediate use in planting. Do not store treated seeds beyond planting time. Seeds commonly treated with this product must be labeled in accordance with the requirements of the Federal Seed Act.

SPECIAL USE PRECAUTIONS

IMPORTANT: Treat seed only with treated seed equipment.



FOR AGRICULTURAL USE ONLY

ACTIVE INGREDIENT:	BY WT.
LINDANE (Gamma Isomer of Benzene Hexachloride)	25.0%
INERT INGREDIENTS:	75.0%
TOTAL	100.0%

**KEEP OUT OF THE REACH OF CHILDREN
WARNING**

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED—Call physician or Poison Control Center immediately. Do not induce vomiting. Wash mouth with water. Do not swallow. If on skin, wash with soap and water. Do not use contaminated clothing or bedding.

IF INHALED—Remove victim to fresh air. Apply respiration if indicated.

IF ON SKIN—Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES—Flush eyes with plenty of water. Call physician for treatment.

See side panel for additional precautionary statements.

STIR CONTENTS THOROUGHLY INTO WATER BEFORE USING.

NET CONTENTS

EPA REG. NO. 34704-219
EPA EST. NO. 34704 -

RO Lindane Mixture NA2761

ORM-A

ACCEPTED with COMMENTS
EPA Leave Label

MAR 19 1984

Under the Federal Insecticide, Fungicide, and Rodenticide Act, this pesticide is registered under FIFRA No. 34704-219.

(Directions for use continued)
Do not use as an animal feed. Bags containing treated seed should be labeled.

**TREATED SEED
DO NOT USE FOR FEED, FODDER OR OIL PURPOSES**

Exposed treated seed may be hazardous to wildlife. Dispose of all excess treated seed and by burial away from bodies of water.

PRODUCT INFORMATION

LINDANE 25 WP is a microfine wettable powder insecticide designed especially for the treatment of seeds against wireworms, seed corn maggots, and other insects. It contains an effective binding agent to hold the Lindane on the seeds during sacking and planting. It is designed for wet application treatments.

SEED TREATMENT DOSAGE

TYPE OF SEED	OUNCES PER
Alfalfa Clover	
Barley	
Buckwheat	
Common Bean	
Common Soybean	
Field Pea	
Flax	
Grain Sorghum	
Guar	
Hay	
Maize	
Medicago	
Oat	
Onion	
Pea	
Peanut	
Perennial Ryegrass	
Proso Millet	
Rice	
Soybean	
Squash	
Timothy	
Wheat	
Yam	

ONLY SEEDS OF HIGH GERMINATION with good treated seed may suffer greater germination. Poor seed may suffer greater germination. Treated seed should be stored in a dry place. Excess moisture may evaporate. If seed is stored in a moist place, it may reduce germination.

IF AMBIENT TEMPERATURE IS EXTREMELY HIGH due to heat, drying, or other reasons, reduce seed rate by 50%. Where seed break occurs due to soil, use with a protective fungicide.

WARRANTY

This product is warranted to perform as stated on the label when used in accordance with the directions on the label. It is not warranted to perform under conditions other than those stated on the label. The user assumes all responsibility for the results of the use of this product. The user should read the label carefully before using this product.



FORMULATED BY

PLATTE CHEMICAL COMPANY, INC.
150 SO. MAIN STREET
FREMONT, NEBRASKA 68025

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

17/17

17 MAY 1975

300/118153
17/4

The following information was obtained from a review of the records of the Agency concerning the above-captioned matter. It is being furnished to you for your information and use. The information is being furnished to you in confidence and is not to be disseminated outside your agency.

1. Add "or consulting" between "irregular" and "person" in the "Irregular" section.

2. Change "person" to "person or person" in the "Irregular" section.

3. Change "person" to "person or person" in the "Irregular" section.

The following information was obtained from a review of the records of the Agency concerning the above-captioned matter. It is being furnished to you for your information and use. The information is being furnished to you in confidence and is not to be disseminated outside your agency.

BEST DOCUMENT AVAILABLE

SYMBOL ▶
SURNAME ▶
DATE ▶

EPA Form 100-482

CONCURRENCES

[Empty box for CONCURRENCES]

OFFICIAL FILE COPY

-2-

If you hold a Special registration, a Special Local registration, or a Special Local Needs registration, you may continue to produce new stocks of such products, using current labeling, until April 1, 1984. After that date, all remaining inventories of affected products will fall under the Existing Stocks provisions stated in our letter of October 28, 1983.

Sincerely yours,

George T. Lakocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (IS-767)

Enclosure

P.S. Since this product is applied wet add the following precautions to the precautionary text: "wear clean synthetic rubber gloves and goggles".

BEST DOCUMENT AVAILABLE