

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
(AND DOMESTIC ANIMALS)
WARNING**

May be fatal if swallowed. May be absorbed through skin. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Causes eye and skin irritation. During exposure in seed treatment and loading operations, wear goggles, a clean synthetic rubber glove, protective clothing. Wash hands and forearms thoroughly with soap and water after eating or smoking. Routinely shower or bathe after work and wash work clothes with soap and hot water before reusing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and wildlife. Do not apply directly to lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as directed. Excess application of this product may be hazardous to fish, birds, and wildlife. Do not apply in excess beyond what is necessary for seed treatment.


DIRECTIONS FOR USE:

For a complete list of crops and weeds controlled, see the label on the container. Read and follow all directions carefully.

STORAGE AND DISPOSAL

1. PESTICIDES should be stored in their original containers, tightly closed, in a cool, dry place, away from children and animals.
2. Pesticides should be stored in a place that cannot be used for food storage. Instruct household members not to use pesticides for food storage.
3. CONTAMINATED containers should be triple-rinsed and disposed of in accordance with local, state, or federal regulations.
4. GENERAL INFORMATION: Federal, State, or Local Authorities should be notified of any spills, leaks, or other releases.
5. STORAGE: Store in a cool, dry place.

BEST MANAGEMENT AVAILABLE



**CLEAN
CROP**

**LINDAINE
75 WP**

DYED SEED TREATER

ACTIVE INGREDIENT:
DIPROPYL DITHIOPHOSPHATE (50% a.i.)

INERT INGREDIENTS:
50%

NET CONTENTS:
EPA REG. NO. 247-101
EPA REG. NO. 247-101

FOR AGRICULTURAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

WARNING

IF SWALLOWED: Drink or pour two glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting orally anything by mouth to induce vomiting.

IF IRRITATED: Remove victim to fresh air. Apply first aid as directed.

IF CONTACTED WITH EYES: Flush eyes with water for 15 minutes. Call a physician immediately.

IF IN CONTACT WITH SKIN: Wash with soap and water for 15 minutes. Call a physician immediately.

**STORE IN A COOL, DRY PLACE.
STIR CONTENTS THOROUGHLY INTO
WATER BEFORE USE.**

NET CONTENTS

EPA REG. NO. 247-101
EPA REG. NO. 247-101

34704-220

DIRECTIONS: Thoroughly mix the required amount of water with the product into the required amount of water. Treat the equipment and the seed in a room to which the equipment is brought. Between treating operations, the seed should be kept dry.

IMPORTANT: Treated seed must not be used with food or animal feed, or processed for oil seeds needed for immediate use, minimize the time between treatment and planting. Do not store seeds beyond planting time. Seed containers for this product must be labeled in accordance with requirements of the Federal Insecticide, Fungicide, and Rodenticide Act.

SPECIAL USE PRECAUTIONS

IMMEDIATE: Treated seed must not be used for food or animal feed, or processed for oil seeds.

**TREATED SEED
DO NOT USE FOR FEED,
OR OIL PURPOSES**

"Exposure to treated seed may be hazardous to wildlife. Dispose of all excess treated seed properly and away from wildlife."

PRODUCT INFORMATION

This product is a wettable powder. It is intended for use as a seed treatment. It is not intended for use as a soil drench or as a foliar spray. It is not intended for use as a soil drench or as a foliar spray. It is not intended for use as a soil drench or as a foliar spray.

STATEMENT OF WORKING CONDITIONS

Type of work: ...
A: ...
B: ...
C: ...
D: ...
E: ...
F: ...
G: ...
H: ...
I: ...
J: ...

CLEAN CROP® LINDAINE 75 WP DYED SEED TREATER

NET WEIGHT 1.0 LBS (454 g)
 NET CONTENTS 7.5 FL OZ (212 ml)
 DIRECTIONS: Thoroughly mix the contents of the product into the required amount of water for the dry treatment equipment and of the amount of seed to be treated. Apply evenly between treating operations. Store treated seed in a cool, dry place.

DIRECTIONS: Thoroughly mix the contents of the product into the required amount of water for the dry treatment equipment and of the amount of seed to be treated. Apply evenly between treating operations. Store treated seed in a cool, dry place.

IMPORTANT: Treated seed must not be used for or mixed with feed or animal feed, or processed for oil. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated seeds beyond planting time. Seed commercially treated with this product must be labeled in accord with all applicable regulations. © 1975, E. I. du Pont de Nemours and Company.

SPECIAL USE PRECAUTIONS:

IMPORTANT: Treated seed must not be used for human consumption or animal feed. Do not use treated seed for oil purposes.

TREATED SEED DO NOT USE FOR FEED, FOOD, OR OIL PURPOSES

*Exposure to this spray may be hazardous to health if it is inhaled. Do not use if you are pregnant, nursing, or have a respiratory condition.

PRODOTION INFORMATION

LD50 (oral, rat) 1.5 g/kg
 LD50 (dermal, rat) 1.5 g/kg
 LD50 (inhalation, rat) 1.5 g/kg
 LD50 (oral, mouse) 1.5 g/kg
 LD50 (dermal, mouse) 1.5 g/kg
 LD50 (inhalation, mouse) 1.5 g/kg

Species	Sex	Route	Dose (g/kg)
Mouse	Male	Oral	1.5
Mouse	Female	Oral	1.5
Rat	Male	Oral	1.5
Rat	Female	Oral	1.5
Guinea Pig	Male	Oral	1.5
Guinea Pig	Female	Oral	1.5
Monkey	Male	Oral	1.5
Monkey	Female	Oral	1.5
Human	Male	Oral	1.5
Human	Female	Oral	1.5

Maize	1-1/2 oz
Oats	1-1/2 oz
Corn	1-1/2 oz
Crackling	1 oz
Rye	1-1/2 oz
Safflower	2 oz
Sorghum	1-1/2 oz
Soybeans	1-1/2 oz
Spinach	1 oz
Sudan Grass	1-1/2 oz
Sugar Beets	4 oz
Sunflower	1-1/2 oz
Tomatoes	2-1/2 oz
Wheat	1-1/2 oz

Only seed of high germination with good vigor should be treated with Lindaime. Poor seed may suffer greater injury. It is suggested that seed be treated not over six weeks before planting. Weevil infestation during storage has no effect on germination but may reduce vigor. Treated seed should be stored in a dry, well-ventilated place. If the seed is stored in a humid environment, it may develop mold and mildew.

If the seed is stored in a humid environment, it may develop mold and mildew. If the seed is stored in a humid environment, it may develop mold and mildew.

NOTICE

DISCLAIMER: The manufacturer is not responsible for the use of this product in the treatment of seeds. The manufacturer is not responsible for the use of this product in the treatment of seeds. The manufacturer is not responsible for the use of this product in the treatment of seeds.

FOR AGRICULTURAL USE ONLY
KEEP OUT OF REACH OF CHILDREN
WARNING

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit is clear. Call a physician immediately. Do not induce vomiting if anything by mouth to an unconscious person.
IF INHALED: Remove victim to fresh air. Apply respiration if needed.
IF ON SKIN: Wash the affected area with soap and water.
IF IN EYES: Flush eyes with water for 15 minutes. Call a physician.

STORE IN A COOL, DRY PLACE. STIR CONTENTS THOROUGHLY INTO WATER BEFORE USE.

NET CONTENTS
 EPA REG. NO. 317/03
 EPA REG. NO. 317/03

34704-330

SEEK INFORMATION AVAILABLE

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH 567) WASHINGTON, D.C. 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT	
NOTICE OF PESTICIDE REGISTRATION <i>Under the Federal Insecticide, Fungicide, and Rodenticide Act</i>		
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)		
<p>160/90479</p> <hr/> <p>184 1</p> <p style="text-align: right;">D.M. 3/14/52</p>		
<p>NOTE Changes in labeling, formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p>		
<input type="checkbox"/> ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL		DATE

r. Identify, in writing, the component which is a diluent in this product.

g. Confirm, in writing, the accuracy of the information on the formula statement.

h. The proposed disclaimer section is not acceptable. Please refer to the memo entitled "Warranties, Disclaimers, and Limitations" for guidance. Note that many registrants chose the following in place of the "All such risks" sentence, "Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith."

i. Revise the Pesticide Disposal section to read:

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Enclosure

George T. Iakocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (15-767)