

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION

Dipel 10G is a granular formulation of *Bacillus thuringiensis*, variety *Kurstaki*, designed specifically as a selective insecticide for control of European Corn Borer infesting seed corn, field corn, popcorn and sweet corn. For practical determinations of active ingredient, Dipel 10G can be expressed as a 10% formula of Dipel WP. The active ingredient in Dipel 10G is a stomach poison and therefore must be eaten by larvae to be effective. Climatic extremes such as heavy rain or strong wind shortly after treatment may act to remove Dipel 10G from the feeding zone making re-treatment necessary.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry place.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

APPLICATION (Ground or Aerial Equipment)

Crop	Pest	Rate
Seed Corn, Field Corn, Popcorn, and Sweet Corn	European Corn Borer (<i>Ostrinia nubilalis</i>), First and Second Generation	10 lbs/acre

First Generation: Apply Dipel 10G directly to corn whorls. Treat seed corn when 25 percent of plants show shot hole feeding in the whorls and field corn when 35 percent of whorls show feeding. Larvae should be small and present at this time. Satisfactory control cannot be expected if treatment is delayed to higher injury levels or after larvae have begun stalk boring.

Second Generation: Apply Dipel 10G when a field count shows 100 egg masses per 100 plants and the first hatch is occurring. Under conditions of intensive population pressure, a second application may be necessary.

NOTICE

Local conditions may affect the use of DIPEL 10G. Consult State Agricultural Extension or Experiment Station Specialists for specific recommendations related to local crop protection problems. Platte makes no warranty, express or implied, including the warranties of commercially acceptable quality and/or fitness for any particular purpose concerning this material, other than those which are contained on this label.

FORMULATED FOR
PLATTE CHEMICAL COMPANY, INC.
150 SO. MAIN STREET FREMONT, NEBRASKA 68025

DIPEL®

10G

BIOLOGICAL INSECTICIDE

For Control of European Corn Borer
Larvae on Seed Corn, Field Corn,
Popcorn, and Sweetcorn

ACTIVE INGREDIENT:

Bacillus thuringiensis, var. *kurstaki*,

1600 International Units of Potency

per mg. 0.32%

INERT INGREDIENTS 99.68%

TOTAL 100.00%

*This product contains 0.726 Billion IU/lb.

KEEP OUT OF REACH OF CHILDREN CAUTION

EPA REG. NO. 34704-254

EPA EST. NO. _____

LOT NO. _____

NET WEIGHT _____

* CLEAN CROP is a Registered T.M. of United Agri Products, Inc.
Dipel is the registered trademark of Abbott Laboratories, North Chicago, Illinois 60064
10985 12Y84 A