

Reg # 34704-267

PM-15

196

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-787) WASHINGTON, DC 20460	EPA REGISTRATION NO. 34704-267	DATE OF ISSUANCE MAR 2 1987
	TERM OF ISSUANCE Until Reregistered	
	NAME OF PESTICIDE PRODUCT Clean Crop Co-Ral Animal Insecticide-1% Bulk Dust	

NOTICE OF PESTICIDE: ☐ REGISTRATION
☒ REREGISTRATION
(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Platte Chemical Company
419 8th Street
P.O. Box 667
Greeley, CO 80632

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Reregistration Standard Guidance Package, EPA has reregistered the product listed above. Enclosed is a copy of your label stamped "Accepted." This registration is granted under the authority of FIFRA section 3(g).

1. This application has been approved based on the provisions of PR Notice 85-3 pertaining to data compensation. A final rule on data compensation is effective as of April 25, 1985, and future applications must be submitted under these new procedures.


2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling.

a. Change "Keep out of lakes, streams, and ponds" to "Do not apply directly to water."

b. Add "Do not hang bags over feed, animals, or water troughs" to restriction paragraph.

c. In the table showing recommended uses, revise the heading "Parasites" to "Pests," "Insects," or "Insect Pests."

☐ ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL 

DATE 3/2/87

EPA Form 8570-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

86401:Newkirk:LR-14;KENCO:2/26/87:3/9/87:LIZ:LF:TAR

3. The product name has been changed from Dale Alley Co-Ral Animal Insecticide 1% Bulk Dust to Clean Crop Co-Ral Animal Insecticide 1% Bulk Dust.

4. Submit five copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosure

STATEMENT OF PRACTICAL TREATMENT

If swallowed - Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated. Get medical attention if victim displays signs of poisoning.

If on skin - Remove contaminated clothing and wash affected areas with soap and water.

If in eyes - Flush eyes with plenty of water. Call a physician immediately.

To Physician: Prolonged exposure will result in cholinesterase depression. Atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

PROHIBITIONS Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container. Do not store under conditions which might adversely affect the container or its ability to function properly. Such conditions include, but are not limited to, positioning of the container in storage, storage temperature, potential for crushing or damage due to stacking, and penetration of moisture.

STORAGE: Store in safe manner. Store in original container only. Store in cool, dry place. Keep container tightly closed when not in use. Reduce stacking height where local conditions, such as humidity or pallet overhang, can affect package strength. Personnel should use clothing and equipment consistent with good pesticide handling.

authorities, by burning. If burned, stay out of smoke.

RECOMMENDED APPLICATIONS USE ONLY AS DIRECTED

This dust may be used to fill cattle dust bags or it may be applied directly to cattle, horses, swine, or swine bedding by use of a shaker can or a suitable mechanical dust applicator. When used as recommended, it controls horn flies and lice on beef and dairy cattle, horn flies on horses and lice on swine. This product will also reduce face fly populations on cattle, however, as face flies are able to travel over an area of several miles, best reduction of face fly population is achieved when animal insecticide is used on an area-wide basis.

ANIMAL	PARASITES	REMARKS
Beef and Dairy Cattle	Horn Flies Lice Face Flies	DUST BAG: Place contents of this package in any commercially available dust bag. Suspend bags in areas frequented by cattle or in gateways or lanes through which the animals pass daily for water, feed, or minerals. Bags may also be suspended in loafing sheds or in front of protected mineral feeders. For lactating dairy cows, bags may be suspended in the exit through which cows leave the milking barn. In all cases, the bags should be adjusted so that the bottom of the bag will hang four to six inches below the topline of the cattle. For reduction of face flies, the bags must be located so the animals will be forced to use them daily and hung at a height to insure that the faces of the cattle will be dusted.

ACCEPTED
with COMMENTS
in EPA Letter Docket

MAR - 2 1987

24704-267

(continued on other side panel)

CO-RAL ANIMAL INSECTICIDE BULK D

CONTROL OF HORN FLIES & LICE ON
CATTLE—REDUCTION OF FACE FLIES
DAIRY CATTLE—CONTROL OF LICE
CONTROL OF HORN FLIES ON

ACTIVE INGREDIENTS:

O,O-Diethyl O-(3-chloro-4-methyl-2-oxo-(2H)-1-benzopyran-7-yl) phosphorothioate

INERT INGREDIENTS:

USE IN DUST BAG, SHAKER
MECHANICAL DUST APPL

KEEP OUT OF REACH OF
CAUTION

See Side Panel For Additional Precautions

EPA REG. NO. 34704

EPA EST. NO. 10543-M

NET WEIGHT

* CLEAN CROP is a Registered T.M. of United
* CO-RAL is a Registered T.M. of the Parent Company of Farben

14701

CO-RAL[®]

ANIMAL INSECTICIDE 1%

BULK DUST

CONTROL OF HORN FLIES & LICE ON BEEF & DAIRY CATTLE—REDUCTION OF FACE FLIES ON BEEF & DAIRY CATTLE—CONTROL OF LICE ON SWINE—CONTROL OF HORN FLIES ON HORSES

ACTIVE INGREDIENTS:

O,O-Diethyl O-(3-chloro-4-methyl-2-oxo-(2H)-1-benzopyran-7-yl)

phosphorothioate 1.0%

INERT INGREDIENTS: 99.0%

TOTAL 100.0%

USE IN DUST BAG, SHAKER CAN, OR MECHANICAL DUST APPLICATOR

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Side Panel For Additional Precautionary Statements

EPA REG. NO. 34704-267

EPA EST. NO. 10543-MO-1

NET WEIGHT _____ POUNDS

* CLEAN CROP is a Registered T.M. of United Agri Products, Inc.

* CO-RAL is a Registered T.M. of the Parent Company of Farben Fabriken Bayer GmbH, Leverkusen.

14701

EXP-1Y

		Animals should be thoroughly dusted using not more than 2 oz. * (6 level tablespoonsful) of dust per animal per treatment. Repeat as necessary.
Swine	Lice	DIRECT APPLICATION: Apply not more than 1 oz. * (3 level tablespoonsful) per head as a uniform coat to the head, shoulders, and back by use of a shaker can or suitable mechanical dust applicator. Repeat as necessary but not more often than once every ten days. BEDDING TREATMENT: Apply 2 oz. * (6 level tablespoonsful) uniformly over each 30 square feet of fresh, dry bedding by use of a shaker can or a suitable mechanical dust applicator. Repeat as necessary but not more often than once every ten days.
Swine	Lice	DIRECT APPLICATION and BEDDING TREATMENT: In severe infestations both individual animals and the bedding may be treated as directed above.
Horses	Horn Flies	DIRECT APPLICATION: Apply not more than 2 oz. * per animal. Dust evenly into the hair over the head, neck, shoulders, back, and tail-head. Repeat as necessary.

No interval is required between treatment and slaughter or between treatment and use of milk as food.

*NOTE 1 oz. of this material equals approximately three level tablespoonsful.

RESTRICTIONS

For external, insecticidal use on above specified animals only.

animals.

IMPORTANT: Read these entire Directions and Conditions of Sale, including the Warranty and Limitations of Damages provision, before using this product.

CONDITIONS OF SALE: These Directions for Use reflect the opinion of experts based on tests of effectiveness, of toxicity to laboratory animals and of residues on or in food and feed under normal conditions of use. However, because of the wide range of conditions under which this product may be used, it is impossible to eliminate all risks associated with its use because of abnormal conditions beyond the control of the Seller. The Manufacturer and the Seller offer, and the Buyer uses, this product subject to the understanding that the Buyer assumes all such risks.

WARRANTY AND LIMITATIONS OF DAMAGES: Manufacturer and Seller warrant that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Conditions of Sale; subject to the risks referred to therein. Manufacturer and Seller make no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY, and no agent of Manufacturer or Seller is authorized to do so except in writing, with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profit or values, etc.

**FORMULATED FOR
PLATTE CHEMICAL COMPANY, INC
150 SO. MAIN STREET
FREMONT, NEBRASKA 68025**

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS **CAUTION**

Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing dusts. Avoid contact with eyes, skin and clothing. Wash thoroughly with soap and warm water after handling.

STATEMENT OF PRACTICAL TREATMENT

If swallowed - Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated. Get medical attention if victim displays signs of poisoning.

If on skin - Remove contaminated clothing and wash affected areas with soap and water.

If in eyes - Flush eyes with plenty of water. Call a physician immediately.

To Physician: Prolonged exposure will result in cholinesterase depression. Atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

PROHIBITIONS Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container. Do not store under conditions which might adversely affect the container or its ability to function properly. Such conditions include, but are not limited to, positioning of the container in storage, storage temperature, potential for crushing or damage due to stacking, and penetration of moisture.

STORAGE: Store in safe manner. Store in original container only. Store in cool, dry place. Keep container tightly closed when not in use. Reduce stacking height where local conditions, such as humidity or pallet overhang, can affect package strength. Personnel should use clothing and equipment consistent with good pesticide handling.

Storage and Disposal cont.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty container into application equipment. Then dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

RECOMMENDED APPLICATIONS USE ONLY AS DIRECTED

This dust may be used to fill cattle dust bags or it may be applied directly to cattle, horses, swine, or swine bedding by use of a shaker can or a suitable mechanical dust applicator. When used as recommended, it controls horn flies and lice on beef and dairy cattle, horn flies on horses and lice on swine. This product will also reduce face fly populations on cattle, however, as face flies are able to travel over an area of several miles, best reduction of face fly population is achieved when animal insecticide is used on an area-wide basis.

ANIMAL	INSECTS	REMARKS
Beef and Dairy Cattle	Horn Flies Lice Face Flies	DUST BAG: Place contents of this package in any commercially available dust bag. Suspend bags in areas frequented by cattle or in gateways or lanes through which the animals pass daily for water, feed, or minerals. Bags may also be suspended in loafing sheds or in front of protected mineral feeders. For lactating dairy cows, bags may be suspended in the exit through which cows leave the milking barn. In all cases, the bags should be adjusted so that the bottom of the bag will hang four to six inches below the topline of the cattle. For reduction of face flies, the bags must be located so the animals will be forced to use them daily and hung at a height to insure that the faces of the cattle will be dusted.

(continued on other side panel)



58
NOT REVIEWED
In Accordance with FD Notice 88-9
Based on Draft Labeling Dated

CO-RAL

ANIMAL INSECTICIDE 1%

BULK DUST

CONTROL OF HORN FLIES & LICE ON BEEF & DAIRY CATTLE—REDUCTION OF FACE FLIES ON BEEF & DAIRY CATTLE—CONTROL OF LICE ON SWINE—CONTROL OF HORN FLIES ON HORSES

ACTIVE INGREDIENTS:

Coumaphos [O,O-Diethyl O-(2-chloro-4-methyl-2-oxo-2H-1-benzopyran-7-yl) phosphorothioate]

INERT INGREDIENTS:

1.0%

99.0%

TOTAL

100.0%

**USE IN DUST BAG, SHAKER CAN, OR
MECHANICAL DUST APPLICATOR**

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Side Panel For Additional Precautionary Statements

EPA REG. NO. 34704-267

EPA EST. NO. 10543-MO-1

NET WEIGHT _____ POUNDS

* CLEAN CROP is a Registered TM of United Agri. Products, Inc.
* CO-RAL is a Registered TM of the Parent Company of Farben-Fabriken Bayer GmbH, Leverkusen

16203

03Y87 AA



NOT REVIEWED
 In Accordance with FD No. 100-20-2
 Based on Draft Labeling Dated MAR 2

CO-RAL

ANIMAL INSECTICIDE 1%

BULK DUST

CONTROL OF HORN FLIES & LICE ON BEEF & DAIRY CATTLE—REDUCTION OF FACE FLIES ON BEEF & DAIRY CATTLE—CONTROL OF LICE ON SWINE—CONTROL OF HORN FLIES ON HORSES

ACTIVE INGREDIENTS:
 Coumaphos (O,O-Diethyl O-(2-chloro-4-methyl-2-oxo-2H-1-benzopyran-7-yl) phosphorothioate) 1.0%
INERT INGREDIENTS: 99.0%
TOTAL: 100.0%

USE IN DUST BAG, SHAKER CAN, OR MECHANICAL DUST APPLICATOR

KEEP OUT OF REACH OF CHILDREN
CAUTION

See Side Panel For Additional Precautionary Statements
EPA REG. NO. 34704-267
EPA EST. NO. 10543-MO-1

NET WEIGHT _____ POUNDS

* CLEAN CROP is a Registered T.M. of United Agri Products, Inc.
 * CO-RAL is a Registered T.M. of the Parent Company of Farben Fabrik Bayer GmbH, Leverkusen

(continued from side panel)

ANIMAL	INSECTS	REMARKS
Beef and Dairy Cattle Cont. 1987	Horn Flies Lice	DIRECT APPLICATION: This insecticide may be applied by use of a shaker can or by using a suitable mechanical dust applicator. Animals should be thoroughly dusted using not more than 2 oz. (6 level tablespoonsful) of dust per animal per treatment. Repeat as necessary.
Swine	Lice	DIRECT APPLICATION: Apply not more than 1 oz. (3 level tablespoonsful) per head as a uniform coat to the head, shoulders, and back by use of a shaker can or suitable mechanical dust applicator. Repeat as necessary but not more often than once every ten days. BEDDING TREATMENT: Apply 2 oz. (6 level tablespoonsful) uniformly over each 30 square feet of fresh, dry bedding by use of a shaker can or a suitable mechanical dust applicator. Repeat as necessary but not more often than once every ten days.
Swine	Lice	DIRECT APPLICATION AND BEDDING TREATMENT: In severe infestations both individual animals and the bedding may be treated as directed above.
Horses	Horn Flies	DIRECT APPLICATION: Apply not more than 2 oz. per animal. Dust evenly into the hair over the head, neck, shoulders, back, and tail-head. Repeat as necessary.

No interval is required between treatment and slaughter or between treatment and use of milk as food.

*NOTE: 1 oz. of this material equals approximately three level tablespoonsful.

RESTRICTIONS

For external, insecticidal use on above specified

Do not hang bags over feed, mineral, or water troughs. Avoid contamination of feed, troughs, water and water utensils. Provide thorough ventilation while dusting. Persons treating animals should avoid repeated direct contact with skin or inhalation of dust.

Do not apply to sick, stressed, or convalescent animals.

IMPORTANT: Read these entire Directions and Conditions of Sale, including the Warranty and Limitations of Damages provision, before using this product.

CONDITIONS OF SALE: These Directions for Use reflect the opinion of experts based on tests of effectiveness, of toxicity to laboratory animals and of residues on or in food and feed under normal conditions of use. However, because of the wide range of conditions under which this product may be used, it is impossible to eliminate all risks associated with its use because of abnormal conditions beyond the control of the Seller. The Manufacturer and the Seller offer, and the Buyer uses, this product subject to the understanding that the Buyer assumes all such risks.

WARRANTY AND LIMITATIONS OF DAMAGES: Manufacturer and Seller warrant that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Conditions of Sale; subject to the risks referred to therein. Manufacturer and Seller make no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY, and no agent of Manufacturer or Seller is authorized to do so except in writing, with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or values, etc.

FORMULATED FOR
PLATTE CHEMICAL COMPANY, INC.
150 SO. MAIN STREET