

656 188 009  
17 7

FFR - 5 1987

Ms. Diana G. Williams  
Platte Chemical Company  
419 8th Street  
P.O. Box 667  
Greeley, CO 80632

Dear Ms. Williams:

Subject: Amendment - Label Update and Change in Product Name  
Clean Crop Co-Ral Animal Insecticide 1 $\frac{1}{2}$  Shaker Can  
EPA Registration No. 34704-268  
Your Letter Dated July 22, 1986

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

1. Present the active ingredient as:

Coumaphos [O,O-Diethyl O-(3-chloro-4-methyl-2-oxo-2H-1-benzopyran-7-yl) phosphorothioate]

Coumaphos is now an acceptable common name.

2. A Statement of Practical Treatment must be added to the labeling. We suggest the following statement; however, if your toxicological data suggest otherwise, please submit a draft Statement of Practical Treatment for prior approval:

If Swallowed - Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with a finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

91945:Newkirk:LR-15:KENCO:1/27/87:1/31/87:sj:vo

CONCURRENCES

SYMBOL ▶								
SURNAME ▶	Newkirk							
DATE ▶	1-30-87							

- If Inhaled - Remove victim to fresh air.  
Apply artificial respiration  
if indicated.
- If On Skin - Remove contaminated clothing and  
wash affected areas with soap  
and water.
- If In Eyes - Flush eyes with plenty of water.  
Call a physician if irritation  
persists.

3. Revise "Note to Physician" to read:

If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 2-Paw is also antidotal and may be administered in conjunction with atropine.

4. Add the following headings above the signal word on the back panel:

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS

5. Delete the paragraph beginning "If poisoning occurs, etc." See number 2, above.
6. Add heading ENVIRONMENTAL HAZARDS at paragraph beginning "This product is toxic to fish, etc."
7. Change "Keep out of lakes, streams, or ponds" to "Do not apply directly to water."
8. Add the statement "It is a violation of Federal law to use this product in a manner inconsistent with its labeling" to the beginning of the use directions.

The product name has been changed from Coral 1% Shaker Can to Clean Crop Co-Ral Animal Insecticide 1% Shaker Can.

Submit five (5) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

George T. LaRocca  
Product Manager (15)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767C)

Enclosure

P.S. In the table showing recommended uses, revise the heading "Parasites" to "Pests", or "Insects", or "Insect Pests".

Depression.

To Physician—Atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes and apply this product only as specified on this label.

### DIRECTIONS FOR USE

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

ORAGE: Store in cool, dry place.

ESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty container into application equipment. Then dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

#### RECOMMENDED APPLICATIONS

Hold container at a distance from the area to be treated that will permit even distribution of the dust.

ANIMAL	PARASITES	REMARKS
Cattle (Dairy & Beef)	Horn Flies Lice	DIRECT APPLICATION: Apply not more than 2 oz./animal. Dust on the hair over the shoulders, back and neck. Repeat as necessary. Interval is required between treatment and use of milk as food.
Swine	Lice	DIRECT APPLICATION: Apply not more than 1 oz./animal as a uniform coat to the shoulder and back. Repeat as necessary, but not more than once every 10 days. No interval is required between treatment and use of meat as food.

\*NOTE: 1 oz. of this material equals approximately three level tablespoonfuls.

#### RESTRICTIONS

For external insecticidal use on above specified animals only. Avoid contamination of feed, troughs, water, and water utensils. Provide thorough ventilation while dusting.

IMPORTANT: Read these entire Directions and Conditions of Sale, including the Warranty and Limitation of Damages provision, before using this product.

CONDITIONS OF SALE: These Directions for Use reflect the opinion of experts based on tests of effectiveness, of toxicity to laboratory animals and of residues on or in food and feed under normal conditions of use. However, because of the wide range of conditions under which this product may be used, it is impossible to eliminate all risks associated with its use because of abnormal conditions beyond the control of the Seller. The Manufacturer and the Seller offer, and the Buyer uses, this product subject to the understanding that the Buyer assumes all such risks.

WARRANTY AND LIMITATIONS OF DAMAGES: Manufacturer and Seller warrant that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Conditions of Sale; subject to the risks referred to therein. Manufacturer and Seller make no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY, and no agent of Manufacturer or Seller is authorized to do so except in writing, with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or values, etc.

FORMULATED FOR  
PLATTE CHEMICAL COMPANY, INC.  
150 SO. MAIN STREET  
FREMONT, NEBRASKA 68025

# CO-I ANIMAL INS SHAKE

FOR CONTROL OF HORN  
AND DAIRY CATTLE

ACTIVE INGREDIENT:  
O,O-Diethyl O-(3-chloro-4-methyl-2-oxo-(2H)-1-benzopyran-7-yl) phosphorothioate .....

INERT INGREDIENTS: .....

USE ONLY

KEEP OUT OF RE  
CAU

See Side Panel For Addition

EPA REG. N  
EPA EST. N  
NET WEIGH

\* CLEAN CROP is a Registered  
\* CO-RAL is a Reg. T.M. of the Parent Company

14465

can if irritation persists

Note To Physician—If symptoms of cholinesterase inhibition are present atropine sulfate is antiodal. 2 PAM is also antiodal and may be administered in conjunction with atropine

### ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes and apply this product only as specified on this label

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal

**STORAGE:** Store in cool, dry place

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility

**CONTAINER DISPOSAL:** Completely empty container into application equipment. Then dispose of empty container in a sanitary landfill or by incineration or if allowed by State and local authorities, by burning. If burned, stay out of smoke

### RECOMMENDED APPLICATIONS

Hold container at a distance from the area to be treated that will permit even distribution of the dust

ANIMAL	INSECTS	REMARKS
Cattle (Dairy & Beef)	Horn Flies Lice	DIRECT APPLICATION Apply not more than 2 oz/animal. Dust evenly into the hair over the head, neck, shoulders, back and tailhead. Repeat as necessary. No interval is required between treatment and use of meat or milk as food

both individual animals and the bedding may be treated as directed above

\*NOTE: 1 oz of this material equals approximately three level tablespoons

### RESTRICTIONS

For external insecticidal use on above specified animals only. Avoid contamination of feed, troughs, water and water utensils. Provide thorough ventilation while dusting

**IMPORTANT:** Read these entire Directions and Conditions of Sale, including the Warranty and Limitation of Damages provision, before using this product

**CONDITIONS OF SALE:** These Directions for Use reflect the opinion of experts based on tests of effect, veracity of toxicity to laboratory animals and of residues on or in food and feed under normal conditions of use. However, because of the wide range of conditions under which this product may be used, it is impossible to eliminate all risks associated with its use because of abnormal conditions beyond the control of the Seller. The Manufacturer and the Seller offer and the Buyer uses this product subject to the understanding that the Buyer assumes all such risks

**WARRANTY AND LIMITATIONS OF DAMAGES:** Manufacturer and Seller warrant that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Conditions of Sale, subject to the risks referred to therein. Manufacturer and Seller make no other express or implied warranty, including any other express or implied warranty of FITNESS FOR MERCHANTABILITY, and no agent of Manufacturer or Seller is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential or commercial damages such as loss of profits or values, etc.

FORMULATED FOR  
**PLATTE CHEMICAL COMPANY, INC.**  
150 SO. MAIN STREET  
FREMONT, NEBRASKA 68025

# SHAKER CAN

FOR CONTROL OF HORN FLIES AND LICE ON BEEF AND DAIRY CATTLE AND LICE ON SWINE.

### ACTIVE INGREDIENT:

Coumaphos (O,O-Diethyl O-(3-chloro-4-methyl-2-oxo-2H-1-benzopyran-7-yl) phosphorothioate)

1%

### INERT INGREDIENTS:

99%

TOTAL

100%

USE ONLY AS DIRECTED.

KEEP OUT OF REACH OF CHILDREN  
CAUTION

See Side Panel For Additional Precautionary Statements

EPA REG. NO. 34704-268  
EPA EST. NO. 10543-MO-1  
NET WEIGHT 2 POUNDS

\* CLEAN CORP. is a Registered TM of United Agr. Products, Inc.  
\* CORAL is a Reg. TM of the Parson Company of Parson, Faber, Bayer GmbH, Leverkusen

1005

TYPE AA

8.29.90

Use this side