# 10% SEVINACCE RED DEC 20 194

Under the Federal Insecticide.
Fungicide. and Redenticide Act.
an amended, for the perticide
registered under
SY70489

100%

## N-Methyl Carbamate Insecticide FOR THE CONTROL OF EUROPEAN CORN BORER AND FOR THE CONTROL OF TURF INSECTS

ACTIVE INGREDIENT Carbaryl (1-naphthyl methylcarbemate) ...... 1094 INERT INGREDIENTS: . 90% TOTAL

# KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS CAUTION

**EPA REG. NO. 34704-289** EPA EST. NO. 34704-CO-01

NET WEIGHT \_\_\_ LBS. (\_\_\_ KG)

\* SEVIN is the registered T.M. of Rhone-Poulenc for carbaryl insecticide

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

# CAUTION

May be harmful if swallowed. Avoid breathing dust. Avoid contact with eyes, skin or clothing. Change to clean clothing daily. Avoid contamination of food and feed.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

# STATEMENT OF PRACTICAL TREATMENT

If on Skin; Wash thoroughly with soap and water.

If in Eyes: Flush with water for at least 15 minutes and get medical

If Swallowed: Induce vomiting by drinking 1 or 2 glasses of water and touching back of throat with finger or blunt object. Call a physician or Poison Control Center immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal. Do not use 2-PAM, opiates, or cholinesterase inhibiting drugs.

### Personal Protective Equipment:

Applicators and other handlers must wear: long-sleeved shirt and iong pants, waterproof gloves and styles plus socks.

Follow manufacturer's instructions for cleaning and maintaining PPE, If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

#### Engineering controls stat aments:

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets with requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170 240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS

### **USER SAFETY RECOMMENDATIONS**

Users should.

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet

Remove clothing immediately if pesticide gets inside. Then wash thor-

oughly and put on clean clothing.

Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is extremely toxic to aquatic and estuarine invertebrates. nor terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is highly toxic to bees exposed to direct treatment or residues on crops or turf. Protective information may be obtained from your Cooperative Agricultural/Extension Service.

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

#### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on larms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance, it also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, waterproof gloves and shoes plus sucks

#### NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on tarms, forests, nurseries, or

Keep children and pets out of the treated area until duzts have settled

# STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal." Storage: Store in cool, dry place in original container. Presed from excessive heat. Once opened, do not store bag to prolonged period. In case of puncture, use overstip bag and 'securely/close. Do not reuse Container

Pesticide Disposal: Wastes resulting from the usp of this product may be disposed of on site or at an approved waste disposal facility

Container Disposal: Completely empty big into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke

# 10% SEVIN® GRANULES **EPA REG. NO. 34704-289**

Subsequent plantings of food and feed crops in treated soil must be made with crops on this or other carbaryl label(s).

#### **EUROPEAN CORN BORER**

For the control of European Corn Borer on Corn, use 10% SEVIN GRAN-ULES at the rate of 15 to 20 pounds per acre (or 3 to 4 pounds per 1/s acre). Make first application when insects or their damage appear. Repeat as necessary. DO NOT apply within seven days of harvest. Consult your state agricultural experiment station for proper timing of treatments.

TURF INSECTS: Treat the turl evenly and thoroughly at the rate of two pounds of this product for each 1,000 square feet to control ants, bluegrass billbug, chinch bugs, cutworms, earwigs, fall crimyworms, leaf hoppers, millipedes, mosquitoes, sod webworms (lawn moths), white grubs (such as Japanese beetle, chater beetle, Phyllophaga spp., and green June beetle grubs).

For white grubs, application should be made when grubs are feeding near the soil surface, usually during late March through May or July to early September, or as recommended by local agricultural extension 206nts.

SPECIAL INSTRUCTIONS: For best results cut lawn close, remove clippings, and water thoroughly before treatment. Apply with a spreader for uniform coverage. Work granules in with a coarse water spray after treatment. Repeat two to three weeks later if necessary.

Use two pounds of this product per 1,000 square feet of recreational area, lawn, roadway or path borders infested with ticks. Work granules into vegetative cover with a coarse spray. Repeat two to three weeks later if necessary.

# SPREADER SETTING NO. (per 1,000 Sq. Ft.)

Spreader (Make and Model)	Spreader Setting No.
Central Imperial Mark No. 1662-G	61/2
Central Suburbia Lawn Spreader - No. 1622-O	61/2
Cyclone Model B1 Rotary	41/2
Scott Model 35	4
Seare Craftsman Model 671,19198	6

Note: The spreader settings listed above are approximate. Accurately weigh a few pounds into your spreader and apply to a measured area. Then adjust spreader setting if necessary, in order to assure correct rate of application.

#### NOTICE

PLATTE WARRANTS THAT THIS PRODUCT CONFORMS TO THE CHEMICAL DESCRIPTION ON THE LABEL THEREOF AND IS REASONABLY FIT FOR THE PURPOSES STATED ON SUCH LABEL ONLY WHEN USED IN ACCORDANCE WITH THE DIRECTIONS UNDER NORMAL USE CONDITIONS. IT IS IMPOSSIBLE TO ELIMINATE ALL RISKS INHERENTLY ASSOCIATED WITH THE USE OF THIS PROD-UCT. CROP INJURY, INEFFECTIVENESS, OR OTHER UNINTENDED CONSEQUENCES MAY RESULT BECAUSE OF SUCH FACTORS AS WEATHER CONDITIONS, PRESENCE OF OTHER MATERIALS, OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BE-YOND THE CONTROL OF PLATTE. IN NO CASE SHALL PLATTE BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER. EXCEPT AS EXPRESSLY PROVIDED HEREIN, PLATTE MAKES NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EITHER EXPRESSED OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY LA OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO, MERCHANTABILITY, FIT-NESS FOR A PARTICULAR PURPOSE, USE OR ELIGIBILITY OF THE PROCJET FOR ANY PARTICULAR TRADE USAGE. BUYER'S OR USES'S SYCLUSIVE REMEDY, AND PLATTE'S TOTAL LIABILITY, SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE

PRODUCT

FORMULATED FOR PLATTE CHEMICAL CO. FREMONT, NEBRASKA 68025-5697 150 SO, YAIN STREET