

PM14

34704-302

1/3

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 11-30-93

<p>(A)</p> <h1>EPA</h1>	United States Environmental Protection Agency Office of Pesticide Programs (H7505C) Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number
	Application for Pesticide:		

Section I

1. Company/Product Number 34704-302	2. EPA Product Manager Whitby	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Malaspray 50 EC	PM# 14	
5. Name and Address of Applicant (Include ZIP Code) Platte Chemical Company Send Correspondence To: 150 South Main Street P. O. Box 667 Fremont, NE 68025 Greeley, CO 80632		6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____
<input type="checkbox"/> Check if this is a new address		

Section II

<input type="checkbox"/> Amendment - Explain Below	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application
<input checked="" type="checkbox"/> Notification - Explain below	<input type="checkbox"/> Other - explain below

Explanation: Use additional page(s) if necessary. (For Section I and Section II).

Notification of two (2) alternate formats

NOTIFICATION

Section III

1. Material This Product Will Be Packaged In:

Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
*Certification must be submitted.		If "Yes," Unit Package Wt. No. Per Container	If "Yes," Package Wt. No. Per Container

3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container	4. Size(s) of Retail Container	5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product
6. Manner In Which Label Is Affixed To Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other (_____) <input type="checkbox"/> Paper Glued <input type="checkbox"/> Stenciled		

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Glenda Haage	Title Registration Manager	Telephone No. (Include Area Code) (970) 356-4400
----------------------	-------------------------------	---

Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received. (Stamped)
2. Signature <i>Glenda Haage</i>	3. Title Registration Manager	
4. Typed Name Glenda Haage	5. Date <i>September 4, 1996</i>	



MALASPRAY[®] 50 EC

For outdoor use on the home lawn and in the home garden only.

For Control Of
BEANS BEETLES • BAGWORMS • RED SPIDERS
APHIDS (Plant Lice) • CABBAGE WORMS
also Mosquitoes • Flies

ACTIVE INGREDIENT:

Malathion: O,O-dimethyl phosphorodithioate
of diethyl mercaptosuccinate 50%

INERT INGREDIENTS: 50%
TOTAL 100%

Contains aromatic petroleum distillate.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Below For Additional Precautionary Statements

EPA REG. NO. 34704-302

EPA EST. NO. 61282-WI-1

5720

NET CONTENTS 55 GALLONS

09Y96

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed, inhaled, or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling and before eating or smoking. Keep children and pets off treated areas until spray has dried completely. Food utensils such as teaspoons and measuring cups should not be used for food purposes after use with pesticides. Do not contaminate food or feed-stuffs.

STATEMENT OF PRACTICAL TREATMENT

If **Swallowed**—Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Never induce vomiting or give anything by mouth to an unconscious person.

If **Inhaled**—Remove victim to fresh air. Apply artificial respiration if indicated.

If **on Skin**—Wash contaminated clothing and wash affected areas with plenty of soap and water.

If **in Eyes**—Flush eyes with plenty of water. Call a physician if irritation persists.

Note to Physician: This product may cause cholinesterase inhibition. Atropine is antidotal. 2-PAM may be effective as an adjunct to atropine.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. Do not apply directly to water. Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

STOP. READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Store in a cool place away from heat, direct sunlight, or open flame. Keep in original container and preferably in a locked storage area.

DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

VEGETABLES: Tomatoes—To control red spiders and aphids add one tablespoon per gallon of water and thoroughly spray plants as needed for insect control. Make no application on tomatoes later than one day before harvest.

BEANS: (Dry & Succulent) To control Mexican bean beetles, aphids, leafhoppers, and red spiders, mix 1 tablespoon per gallon of water and spray plant thoroughly when insects first appear. Make two or more applications as needed for control. Make no application on beans later than one day before harvest.

POTATOES: For aphid, leafhoppers and mealy bugs, mix 1 tablespoon per gallon of water and spray foliage thoroughly as insects appear. Repeat as needed for control.

CABBAGE, BROCCOLI, KALE, MUSTARD, AND TURNIPS: For the control of aphids, imported cabbageworms, and cabbage loopers, mix 1 tablespoon per gallon of water making full coverage to plants, repeating as necessary. Make no application to cabbage, kale and mustard within 7 days of harvest, or to broccoli and turnips within 3 days of harvest.

ORNAMENTALS—Roses, Evergreens, Flowering Shrubs and Flowers. To control aphids, red spidermites, mealy bugs, woolly aphids, bagworms, rose leafhoppers, use 1 tablespoon per gallon of water, spray thoroughly covering both upper and lower leaf surfaces, and other infected plant parts. Repeat as necessary.

HOUSEFLIES AND MOSQUITOES: Apply a spray containing 5 tablespoons per gallon of water to patios, garbage containers, outside walls and porches.

NOTICE

PLATTE WARRANTS THAT THIS PRODUCT CONFORMS TO THE CHEMICAL DESCRIPTION ON THE LABEL THEREOF AND IS REASONABLY FIT FOR THE PURPOSES STATED ON SUCH LABEL ONLY WHEN USED IN ACCORDANCE WITH THE DIRECTIONS UNDER NORMAL USE CONDITIONS. IT IS IMPOSSIBLE TO ELIMINATE ALL RISKS INHERENTLY ASSOCIATED WITH THE USE OF THIS PRODUCT. CROP INJURY, INEFFECTIVENESS, OR OTHER UNINTENDED CONSEQUENCES MAY RESULT BECAUSE OF SUCH FACTORS AS WEATHER CONDITIONS, PRESENCE OF OTHER MATERIALS, OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF PLATTE. IN NO CASE SHALL PLATTE BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER.

EXCEPT AS EXPRESSLY PROVIDED HEREIN, PLATTE MAKES NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EITHER EXPRESSED OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND PLATTE'S TOTAL LIABILITY, SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

FORMULATED FOR
PLATTE CHEMICAL CO.

150 SO. MAIN STREET

FREMONT, NEBRASKA 68025-3007

OPTIONAL PARAGRAPH FORMAT #1

VEGETABLES

BEANS (Dry & Succulents): To control Mexican bean beetles, aphids, leafhoppers, and red spiders, mix 1 tablespoon per gallon of water and spray plant thoroughly when insects first appear. Make two or more applications as needed for control. Make no application on beans later than one day before harvest.

CABBAGE, BROCCOLI, KALE, MUSTARD, AND TURNIPS: For control of aphids, imported cabbage-worms, and cabbage loopers, mix 1 tablespoon per gallon of water making full coverage to plants, repeating as necessary. Make no applications to cabbage, kale and mustard within 7 days of harvest, or to broccoli and turnips within 3 days of harvest.

POTATOES: For aphids, leafhoppers and mealy bugs, mix 1 tablespoon per gallon of water and spray foliage thoroughly as insects appear. Repeat as needed for control.

TOMATOES: To control red spiders and aphids add one tablespoon per gallon of water and thoroughly spray plants as needed for insect control. Make no application on tomatoes later than one day before harvest.

ORNAMENTALS

ROSES, EVERGREENS FLOWERING SHRUBS AND FLOWERS: To control aphids, red spider mites, mealy bugs, wooly aphids, bagworms, rose leafhoppers, use 1 tablespoon per gallon of water, spray thoroughly covering both upper and lower leaf surfaces, and other infected plants parts. Repeat as necessary.

HOUSEFLIES AND MOSQUITOES

Apply a spray containing 5 tablespoons per gallon of water to patios, garbage containers, walls and porches.

OPTIONAL PARAGRAPH FORMAT #2

VEGETABLES AND ORNAMENTALS

Mix 1 tablespoon in a gallon of water and thoroughly spray plants as needed when insects first appear. See specific vegetables and ornamental for application limits and insects controlled.

BEANS (Dry & Succulent): To control Mexican bean beetles, aphids, leafhoppers and red spiders. Make two or more applications as needed for control. Make no application on beans later than one day before harvest.

CABBAGE, BROCCOLI, KALE, MUSTARD, TURNIPS: For the control of aphids, imported cabbageworms, and cabbage loopers. Make no application to cabbage, kale and mustard within 7 days of harvest, or to broccoli and turnips within 3 days of harvest.

POTATOES: For aphids, leafhoppers, and mealy bugs. Repeat as needed for control.

TOMATOES: To control red spiders and aphids. Make no applications on tomatoes later than one day before harvest.

ROSES, EVERGREENS, FLOWERING SHRUBS AND FLOWERS: To control aphids, red spider mites, mealy bugs, wooly aphids, bagworms, rose leafhoppers. Repeat as necessary.

HOUSEFLIES AND MOSQUITOES

Apply a spray containing 5 tablespoon per gallon of water to patios, garbages containers, walls and porches.

9-16-96

