

1/3

34704-314 PM 12

CLEAN
CROP®

SEVIN® BAIT NO. 10
brand Carbaryl Insecticide

ACTIVE INGREDIENTS: BY WT.

Carbaryl (1-naphthyl
methylcarbamate 10%

INERT INGREDIENTS. . . . 90%

DEC 3 1986
Unidad de Agro
Insecticida

KEEP OUT OF REACH OF CHILDREN

CAUTION

HARMFUL IF SWALLOWED. DO NOT SWALLOW OR INHALE

See Additional precautions on side panel

PRACTICAL TREATMENT: (First Aid)

IF SWALLOWED: Induce vomiting and seek medical attention immediately.

IF IN EYES OR ON SKIN: Flush eyes thoroughly with water. Wash skin thoroughly with soap and water.

NOTE FOR PHYSICIAN: Carbaryl is a moderate, reversible cholinesterase inhibitor. Acetone is antidotal. DO NOT USE 2-PAM, atropine, or cholinesterase inhibiting drugs.

PRECAUCIÓN

AL USUARIO: Si usted no lee inglés, no use este producto hasta que lo atiqueen la haya sido explicado completamente.

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

EPA REG. NO. 34704-

EPA EST. NO. _____

NET WEIGHT _____

④SEVIN is the Registered T.M. of Union Carbide Corporation
for Carbaryl Insecticide.

④CLEAN CROP is a Registered T.M. of United Agri Products, Inc.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

May be harmful if swallowed or inhaled. Avoid breathing dust. Do not take internally. Avoid contact with eyes, skin, or clothing. Wear regular long-sleeved work clothes, change to clean clothes daily. Wash hands and face before eating or smoking. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from treated areas. Do not apply when there is likely to occur. Do not apply in any manner not specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

RE-ENTRY STATEMENT

Do not enter treated areas without protective clothing until dusts have settled. Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. When oral warnings are given, warnings shall be given in a language customarily understood by workers.

Written or oral warnings must include the following information:

CAUTION

(Insert area or field description) treated with Carbaryl on (insert date of application). Do not enter treated areas without protective clothing until dusts have settled. In case of accidental exposure: Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to Carbaryl and describe his condition."

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container. Do not store under conditions which might adversely affect the container or its ability to function properly. Such conditions include, but are not limited to, positioning of the container in storage, storage temperature, potential for crushing or damage due to stacking, and penetration of moisture.

STORAGE: Store in safe manner. Store in original container only. Store in cool, dry place. Keep container tightly closed when not in use. Reduce stacking height where local conditions, such as humidity or pallet overhang, can affect package strength. Personnel should use clothing and equipment consistent with good pesticide handling.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl labels.

3/5

This product is an insecticide dust formulation for use only by experienced personnel using approved protective equipment. Apply when air is calm by ground duster or by aircraft. Apply at first sign of infestation, making thorough coverage of plants with a uniform deposit of dust.

CROP	PEST	RATE MAX. LBS. PER ACRE	RATE MAX. OZS. PER 1000 SQ.FT.	DAYS TO REVEST
Affalfa	Cut Worm Army Worm Aflalfa Hailill	15	5 1/2	3
Potato	Army Worm Leaf Hopper	20	7 1/3	14
Beans	Pod Borer Lygus Bug	20	7 1/3	8
Asparagus	Asparagus Beetle	20	7 1/3	1*
Corn	Corn Earworm	20	7 1/3	8
Cabbage	Army Worm	20	7 1/3	1
Carrots	Flea Beetle Leaf Hopper	20	7 1/3	8
Cauliflower	Army Worm	20	7 1/3	3
Lettuce (Gall)	Army Worm Leaf Hopper	20	7 1/3	14
Lettuce (Head)	Army Worm Leaf Hopper	20	7 1/3	3
Peppers	Army Worm	20	7 1/3	8
Persimmons	Army Worm	20	7 1/3	1
Radicash	Army Worm	20	7 1/3	1
Zucchini	Army Worm	20	7 1/3	3
Tomatoes	Tomato Fruit Worm	40	14 2/3	8
Turnips	Army Worm	20	7 1/3	3

* Do not repeat application within 2 days apart or apply within 1 day of harvest.

NOTICE

Platte warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for the purposes stated on such label only when used in accordance with the directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of the product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Platte. In no case shall Platte be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the buyer. Platte makes no warranties of Merchantability or fitness for a particular purpose nor any other express or implied warranty except as stated above.

FORMULATED FOR
PLATTE CHEMICAL COMPANY, INC.
150 SO. MAIN STREET FREMONT, NEBRASKA 68025