. 13 34704-315 PM 12 (CLEAN CROP SEVIN[®] BAIT NO. 5 brand Carbaryl Insecticide . ACTIVE INGREDIENTS: Carbaryl (1-naphthyl-methyl carbamate)....5.0% INERT INGREDIENTS:.....95.0% Total 100.0% FOR THE CONTROL OF CUTWORMS, ARMYWORMS, SOWBUGS, EARWIGS, AND CRICKETS KEEP OUT OF REACH OF CHILDREN (12pt.) CAUTION (18pt.) See Below For Additional Precautionary Statements EPA Reg. No. 34704 EPA EST. NO. NET WEIGHT SEVIN is the Registered T. M. of Union Carbide Corporation For Carbaryl Insecticide. ® CLEAN CROP is a Registered T. M. of United Agri Products, Incre



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

May be harmful if swallowed. Avoid breathing dust. Avoid contact with eyes, skin Chonge or clothing. Wash thoroughly after handling. contaminated clothing daily. To avoid contamination, do not ship or store with leved or loodstulls.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to water or wellands.

Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

RE-ENTRY STATEMENT

Do not enter treated areas without protective clothing until dusts have settled. Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information. Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons. Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Written or oral warnings must include the following information: CAUTION

(Insert area or field description) treated with carbaryl on (insert date of application.) In case of accidental exposure: Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to curbaryl and describe his condition. For further Information see the "STATEMENTS OF PRACTICAL TREATMENT" portion of the pesticide label.

Do not enter treated areas without protective clothing until dusts have settled.

1


STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage of disposal. Open dumping is prohibited. Do not reuse empty container. Do not store under conditions which might adversely affect the container or its ability to function properly. Such conditions include, but are not limited to, positioning of the container in storage, storage temperature, potential for crushing or damage due to stacking, and penetration of molsture.

STORAGE: Store in safe manner. Store in original container only. Store in cool, dry place. Keep container tightly closed when not in use. Reduce stacking height where local conditions, such as humidity or pallet overhang, can affect package strength. Personnel should use clothing and equipment consistent with good pesticide handling.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Plastic: Triple rinse (or equivalent) Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landiril, or incineration, or, il allowed by state and local authorities, by burning. If burnso, stay out of smoke. Paper Bag: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landidi or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.



Subsequent planting of food and feed crops in freated soll must be made with crops on this or other carbaryl label(s).

APPLICATION INSTRUCTIONS

For cuntrol of Cutworms, Armyworms, Sowbugs, Earwigs and Crickets.

CROF	Dosage	e Da	ys_befo	re harvest
Alialia	 15-3016	Jucie		3 days
Sorghum	15-30 lbi	Jacie	For use	on forage
Asporagus - Apply	cutting t			not apply

up to 40 lbs.-ocre within 1 day of harvest. Do not repeat opplication within 3 days.

Broccoli, Carrots Cobbage, Caulill	3 days	
Tomotoes	20-40 lbs./ocre	
Strawberries, Bec	1 day	
Melons, Squash, (No Limitation	
Gropes Cotton	20-50 16s./ocre 20-50 16s./acre	No Limitation 7 days
Sugar Beets and	Do not apply	
	20-40 lbs./acre	within 14 days of

horvest.

NOTICE

Plate warrans that this product conforms to the chemical description on the label thereof and is reasonably in for the purposes stated on such label only when used in accordance with the directions under normal use conditions. It is impossible to eliminate all risks inherenity associated with the use of the product. Grop injury, inelfectiveness, or other unitended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Plate. All such risks shall be table for consequential, special or induct damages resulting from the use or handling of this product. All such risks shall be assumed by the buyer Plate makes no warranties of Merchaniability or litness for a particular purpose nor any other express or implied warranty except as stated above.

FORMULATED FOR PLATTE CHEMICAL COMPANY, INC. 150 SO. MAIN STREET FREMONT, NEBRASKA 68025

.

