

CAPTAN SULFUR 10-25 DUST

Fungicide

For Agricultural or Commercial Use Only.

ACTIVE INGREDIENTS:	By Wt.
*Captan	9.77%
*Related De. valides	0.23%
Sulfur	85.00%
INERT INGREDIENTS:	15.00%
TOTAL	100.00%

*N-Trichloromethyl-1-hydro-4-cyclohexeno-1,2-dicarboximide

*CLEAN CROP is a Registered TM of United Agri. Products, Inc.

KEEP OUT OF REACH OF CHILDREN

DANGER PELIGRO

PRECAUCION AL USUARIO: Si usted no lee Ing'les, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

EPA REG. NO. 34704-344 EPA EST. NO. _____

NET WEIGHT 50 POUNDS

1140 EXP 26

PRECAUTIONARY STATEMENTS

HAZARDOUS TO HUMANS & DOMESTIC ANIMALS

DANGER

Causes severe eye damage. Harmful if swallowed or inhaled. May cause allergic reactions. Do not get in eyes. Avoid contact with skin and clothing.

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Flush with plenty of water. Call a physician.
If swallowed: Call physician or Poison Control Center immediately. Drink promptly a large quantity of milk, egg whites, plain solutions, or if these are not available, drink large quantities of water. Avoid alcohol. Do not get anything by mouth to an unconscious person.
If inhaled: Remove victim to fresh air and breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention.
If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

The pesticide is toxic to fish. Do not apply directly to water or waterways, bays, marshes, and ponds. On- and off-stream from treated areas may be hazardous to aquatic organisms in the receiving mass. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in such a manner as to directly or through drift expose humans or other persons. The area being treated must be vacated by unprotected persons.

Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and separately launder clothing before reuse. Mix and containers when mixing and loading this product must wear a long-sleeved shirt and long pants or a coverall that covers all parts of the body except the head, hands and feet. Wear chemical resistant gloves, goggles or a face shield and a chemically resistant apron. A dust mask must be worn when mixing and loading this product. Fishermen and fishermen must wear chemical resistant gloves. Tarpaulin or heavy gloves are not acceptable.

AFTERWORK: Take off all clothes and shoes. Shower using soap and water. Do not wear contaminated clothing. Wash protective clothing and equipment with soap and water after each use. Personal clothing worn during use must be laundered separately from household articles. Clothing and protective equipment heavily contaminated or damaged with captan must be destroyed according to state and local regulations.

RE-ENTRY STATEMENT

Do not allow persons to enter treated areas within 4 days following application unless a long-sleeved shirt and long pants or a coverall that covers all parts of the body except the head, hands and feet and chemically resistant gloves are worn. Conspicuously post reentry information at site of application.

Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

When or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Inform workers of areas or fields that may not be entered without specific protective clothing period of time field must be vacated and appropriate actions to take in case of accidental exposure. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that oral warnings cannot be understood by workers. When or oral warnings must include the following information:

DANGER

Area treated with Captan on (cover) side. Do not allow persons to enter treated area within 4 days following application unless a long-sleeved shirt and long pants or a coverall that covers all parts of the body except the head, hands and feet and chemically resistant gloves are worn (see State Department of Agriculture's reentry manual, if more restrictive).

In case of accidental exposure to pesticide spray or dust, wash the skin thoroughly with soap and water. Remove contaminated clothing and wash before reuse. If swallowed, with plenty of water. Call a physician. If inhaled, remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Keep out of reach of children and animals. Store in original container only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use, food and all other bags, drums and close tightly. Do not put contents in or out of container into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

In case of spill, avoid contact, isolate area and expel animals and unprotected persons. Confine spill. To confine spill, if liquid, dam surrounding area or absorb with sand, cat litter or commercial clay. If dry material, cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or empty container is a violation of the Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bags into application equipment. Then dispose of empty bag as a secondary hazard or by incineration, or as allowed by State and local authorities by burning. Buried, stay out of a fire.

May be spotted with ground or air application equipment.

Cereals: Brown Rot, Gray Leaf Spot—Use 40-60 pounds per acre. Apply at first sign of disease. Repeat at regular intervals as necessary to maintain control.

Corn: Powdery Mildew, Northern Root (S. Blight or Gray Mold)—Use 20-30 pounds per acre. Treat first for control of Powdery Mildew and S. Blight started after growth starts in the spring and re-treated as necessary. Ground application equipment preferred. In control of Northern Root starting July 1 to July 15 apply 4 cuts at 3-4 week intervals. Apply to every row and check toward the chaffers. The first application should be made while the chaffers are still loose. To be effective, dusts must be applied before rain. When rain or moisture apply an additional dust. Applications made following rain may have been of very little benefit in controlling S. Blight.

Nectarines, Peaches: Brown Rot, Powdery Mildew, Peach Scab—Use 40-50 pounds per acre. Apply at first sign of disease. Repeat at regular intervals as necessary to maintain control.

Ornamentals: Rose—Black Spot, Powdery Mildew and Rust, Carnations—Powdery Mildew, Rust and Leaf Spot, Chrysanthemums—Powdery Mildew, Rust, Powdery Mildew and Rust—Dust for complete coverage. Apply at first sign of disease and repeat as necessary.

Plums, Prunes: Brown Rot, Prune Rust—Use 40-50 pounds per acre. Apply at first sign of disease. Repeat at regular intervals as necessary to maintain control.

Strawberries: Gray Mold (Botrytis), Powdery Mildew—Use 20-40 pounds per acre. Apply at first sign of disease. Repeat at regular intervals as necessary to maintain control.

Tomatoes: Early Blight, Late Blight, Anthracnose, Septoria Leaf Spot, Rust, Mosaic—Young Plants—Use 25-40 pounds per acre. Mature Plants—Use 35-50 pounds per acre. Begin applications when disease or insect first appear and repeat as necessary.

Dealers Should Sell in Original Packages Only.

Terms of Sale of Use: On purchase of this product buyer and user agree to the following conditions:

Warranty: Platte makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller and are assumed by the buyer at his own risk.

Use of Product: Platte's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product beyond the control of the manufacturer, no guarantee, expressed or implied, is made to the effects of such use and the results to be obtained if or used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

FORMULATED FOR
PLATTE CHEMICAL COMPANY, INC.
150 SO. MAIN STREET
FREMONT, NEBRASKA 68025