

CAPTAN 5% DUST

Fungicide

For Agricultural or Commercial Use Only.

ACTIVE INGREDIENT:	By Wt.
Captan.....	4.88%
Related Derivatives	0.12%
INERT INGREDIENTS:9500%
TOTAL	100.00%

*N-Trichloromethylthio-4-cyclohexene-1,2-dicarboximide

* CLEAN CROP is a Registered TM of United Agri Products, Inc.

In case of accidental exposure to pesticide spray or dust, wash the skin thoroughly with soap and water. Remove contaminated clothing and wash before reuse. If in eyes: Flush with plenty of water. Get a physician if irritated; remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Keep out of reach of children and pets. Store in original container only. Store in a cool, dry place and avoid excess heat. Carefully open container. After partial use, lid and roll back tape, clamp and close tightly. Do not mix concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

In case of spill: Avoid contact, isolate area and keep out animals and unprotected persons. Contain spill. To confine spill: If liquid, dig surrounding area or absorb with sand, cat litter or common clay. If dry material, cover to prevent dispersal. Place damaged package in a holding container identify contents.

PESTICIDE DISPOSAL: Pesticide wastes are actually hazardous. Improper disposal of excess pesticide, spray mixture, or residue is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning if burned, stay out of smoke.

Apply as a dust to give thorough coverage to upper and lower leaf surfaces. May be applied with airplane or ground application equipment.

Apple: Apple Scab, Black Rot, Spot, Flyspecking, Bitter Rot, Black Rot, Balsampear, Black Rot—30 to 60 lbs per acre. Make first application at delayed bloom period. Repeat application for each infection period or at weekly intervals as long as necessary.

Cantaloupe, Cucumbers: Downy Mildew, Angular Leaf Spot, Anthracnose—Apply 25 to 30 lbs per acre on young plants, increasing to 40 to 50 lbs per acre on mature plants. Apply at first sign of disease. Repeat at 5 to 10 day intervals until danger of infection is past.

Grape, Raisin: Root Canker on Drifted Trunks; Phylloxera; Arthropods spp., Botrytis cinerea, Rhizopus spp.—20 lbs per acre. Apply as dust on trunks for protection of fruit and prevention of above insects. Apply to give even coverage. Repeat as necessary. Apply by hand, ground duster or airplane if applied by plane increase to 12-30 lbs per acre.

Ornamentals: Roses—Black Spot, Camellias—Rust and Leaf Spot, Chrysanthemums—Flower Blight—Apply at first sign of disease to give even coverage of upper and lower leaf surfaces. Repeat at 7 to 10 day intervals as necessary.

Pear: Pear Scab (except Pacific Northwest)—30 to 50 lbs per acre. Make first applications during early flower and petal fall stages. Repeat applications for each infection period or at weekly intervals as long as necessary. Rustiness may be reduced on Bosc Pears. Do not use on D'Argo Pears.

Peaches: Brown Rot, Peach Scab—Use 50 to 60 lbs per acre. Make 2 to 3 pre-bloom applications. Repeat at petal fall and 3 to 4 weeks as necessary. Make pre-harvest application where necessary.

Potato Bed Fleas: Seed Rot, Damping Off, Verticillium Wilts, Brown Eye Disease—Dust at 10 to 15 pounds per bushel cut tuber pieces (1 to 1½ lbs. cut seed pieces). Apply in convenient container or by duster attachment over bed. Cut pieces should be treated within 8 hours of cutting. If planting is to be delayed more than 1 to 2 days, the treated pieces should be stored in a dry place in open crates before bagging.

Bolt and Greenhouse Branch Treatment: Preplanting for Damp-Off and Root Rot Diseases on Seedlings or Transplants of Roses (and other shrubs and trees), Many Flowers and Lawn Seedbeds—2½ to 4 pounds per 100 sq. ft. (100 to 120 lbs per acre). Work into upper 3 to 4 inches of soil before planting.

Only the applicator is permitted to be in the greenhouse during application of captan. Opens vents to greenhouse during application and for at least 1 hour after application.

Workers placing in captan-treated soil must wear chemical resistant gloves.

Blueberries: Botrytis Rot—40 to 60 pounds per acre. Make first application when new growth starts in spring before it starts to form. Repeat applications weekly. Severe Infection Conditions—Continue applications through harvest period, treating individual stems after each picking.

Tomatoes: Early Blight, Late Blight, Anthracnose, Septoria Leaf Spot—On young plants apply 25 to 35 pounds per acre, increasing to 40-60 pounds per acre on mature plants. Use 2 applications at first sign of disease. Repeat at 7 to 10 day intervals.

Dealers Should Sell in Original Packages Only.

Terms of Sale or Use: On purchase of this product buyer and user agree to the following conditions.

Warranty: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing and method of application, crop and condition, maturity with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller and are assumed by the buyer at his own risk.

Use of Product: Seller's recommendations for the use of this product are based upon facts believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, express or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

FORMULATED FOR

PLATTE CHEMICAL COMPANY, INC.
150 SO. MAIN STREET FREMONT, NEBRASKA 68025

BEST AVAILABLE COPY

Area treated with Captan 5% Dust on (insert date). Do not allow persons to enter treated areas within 4 days following application unless a long-sleeved shirt and long pants or a coverall that covers all parts of the body except the head, hands and feet and chemically resistant gloves are worn (from State Department of Agriculture's re-entry interval, if more restrictive).

DANGER

Causes irreversible eye damage. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Avoid contact with skin and clothing.

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Flush with plenty of water. Call a physician. If swallowed: Call physician or Poison Control Center immediately. Drive promptly to a large quantity of milk, egg whites, peanut solutions, or if these are not available, drink large quantities of water. Avoid alcohol. Do not give anything by mouth to an unconscious person. If inhaled: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention. If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water or wetlands (streams, bogs, marshes, and ponds). Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate wells by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply the product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be protected by unoccupied persons.

Wear goggles or face shield w/ an handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and separately launder clothing before reuse.

Mask/cap when mixing and loading the product must wear a long-sleeved shirt and long pants or a coverall that covers all parts of the body except the head, hands and feet. Wear chemical resistant gloves, goggles or a face shield and a chemically resistant apron. A dust mask must be worn when mixing and loading the product.

Feldcarriers and handlers must wear chemical resistant gloves. Leather or fabric gloves are not acceptable.

During application only from a tractor with a completely enclosed cab or from an aircraft with an enclosed cockpit a long-sleeved shirt and long legged pants must be worn. Chemically resistant gloves must be available in the cab or cockpit and worn while mixing.

AFTER WORK: Throw off all clothes and shoes. Shower using soap and water. Do not wear contaminated clothing. Wash protective clothing and equipment with soap and water after each use. Personal clothing worn during use must be laundered separately from household linens. Clothing and protective equipment heavily contaminated with captan must be destroyed according to state and local regulations.

RE-ENTRY STATEMENT

Do not allow persons to enter treated areas within 4 days following application unless a long-sleeved shirt and long pants or a coverall that covers all parts of the body except the head, hands and feet and chemically resistant gloves are worn.

Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in treated areas or in an area about to be treated with this product. Inform workers of areas or fields that may not be entered without specific protective clothing. During the period of time field must be vacated and appropriate actions to take in case of accidental exposure. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written or oral warnings must include the following information:

DANGER