195 File



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

14AR 2 4 1001

J. Allen Dunlap, !II

Agent for: PLATTE CHEMICAL CO., INC.

P.O. Box 667

Greeley, CO 80632

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Subject:

Label Amendment Submission of 01/07/94 in Response to PR Notice 93-7

EPA Reg. No. 34704-367

SUMMER FLOWABLE EMULSION LIGHT-MEDIUM

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted subject to the comments reflected on the enclosed sheet. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the Worker Protection Standard (WPS) labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have not been reviewed or accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.


WHAT YOU NEED TO DO NEXT:

BEST AVAILABLE COPY

By the next label printing make all the specified changes to your labeling. Send to EPA one (1) copy of the final printed labeling:

- BEFORE selling or distributing any product bearing the final printed labeling AND
- WITHIN one year from date of this acceptance.





Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs (7505C)
U.S. Environmental Protection Agency
401 M Street, SW
Washington, D.C. 20460-0001

Hand or courier deliveries of final printed labeling may be made to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Sincerely.

Jim Tompkins, Deputy Chief Registration Support Branch Registration Division (7505W)

Attachment

BEST AVAILABLE COPY

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division

J Allen Dunlap III
WILLIAM M. MAHLBURG
AGENT FOR: PLATTE CHEMICAL CO., INC.
- BOX 667
GREELEY CO 80632

Comment for: EPA Reg Nr.34704-367 SUMMER FLOWABLE EMULSION LIGHT-MEDIUM INSECTICIDE-

The following specific comments pertain to your WPS labeling submission concerning the product cited above:

User Safety Recommendations must either be placed in a box or printed on the label in a contrasting color from surrounding text.

BEST AVAILABLE COPY



SUMMER SU

ENVIRONMENTAL HAZARDS

Fish and other beneficial aquatic life may be killed by this product. Do not apply when weather conditions favor drift from the areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do find apply this product in a way that will contact workers or with a parisons leither directly or through drift. Only protected handlers may be forthe area of contact of

For any requirements specificity your State or 17 beliconsult the a pincy resconsible for east operand and n

AGRICULTURAL USE REQUIREMENTS

Use this production, in continuous afficial and another the Michael Protection is sufficient to Continuous and American training agreements of the continuous and the another specification of the continuous and the model of agreements for the final decontaining the continuous and the continuous and the contains specification and emergency assistance in a locontains specific in structions and exceptions perfaining to the statements on this lace about personal or while cturpment. PPET and districted entry interest for requirements in this box only apply to sense of this product the

Do not enter or a cw worker entry into treated areas during the re

strated entry interest RE ich 12 hours

PPErequired for seri, entry to the serid areas that is permitted under the Morker Projection Standard and that involves contact with any find that has been treated is uch as plants, so for waver is lockered significant and the first exception as barrier aminater in the rubber

neoprene or viron and shoes plus socks.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers, After partial use, replace lids and close tightly. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills.

To confine spill: If liquid, dike surrounding area or absorb with sand, cal litter or commercial clay. Place damaged package in a holding container, Identify contents.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. CONTAINER DISPOSAL: Metal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Do not cut or weld metal containers. Plestic: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state

CAUTION: Use only in equipment with mechanical or paddle agitation. Use efficient equipment. Avoid application of oil sprays just prior to or during hot weather, rainy weather or drying winds. Apply when temperature is above 40°F. Do not apply just prior to freezing weather. Use only when trees are in healthy condition, and when moisture conditions are

and local authorities, by burning. If burned, stay out of smoke.

Insecticide-Miticide

Classification—Light Medium
Unsulfonated Residue—92% Minimum

KEEP OUT OF REACH OF CHILDREN CAUTION

See Side Panel For Additional Precautionary Statements. EPA REG. NO. 34704-367

EPA EST. NO. _____ GAL. (_____ L

* KOLOFOG is a Registered T.M. of FMC Corp.

3867

WPSEXP11Y93

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid inhalation of spray mist.

Personal Protective Equipment:

Some materials that are chemical resistant to this product are listed below if you want more options follow the instructions for category (E) on the EPA chemical trusistance category selection chart.

Applicators and other handlers must wear: ong sleeved shirt and ong can's chemical resistant gloves such as barrier aminate in the rubber necessing on a bin and shoes blus socks.

Follow manufacture is instructions for cleaning and maintain ning PPE 11 no such instructions — washables juse delergent and hot water. Keep and wash PPE runary july from ciner laundry.

Engineering controls statements

When himseria is the solid systems, lendinged babs, or larger than manner that me. I have been entabled by the Worker Projection Standard WPS for a routural period of \$40 DFR 100700 or \$60 the handler PPE is no rements may be reduced or modified as specified manner WPS.

USER SAFETY RECOMMENDATIONS

Users should

Wash hands before diving drinking chawing gum lusing tobaccolor

Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean claiming.

BEST AVAILABLE CO

3

SUMMER FLOWABLE EMULSION LIGHT-MEDIUM

EPA REG. NO. 34704-367

sufficient. Avoid overspraying.

Do not make an oil application within 2 weeks prior to or after an application of sulphur. On Citrus do not make an oil application within 60 days prior to or after an application of sulphur.

Do not use in a manner or at a time other than in accordance with label directions because animal, plant or crop injury, illegal residues or other undesirable results may occur.

DIRECTIONS FOR MIXING: Before using this product, be sure the spray tank is clean and contains just enough water to cover the agitator shaft. With the agitator in motion (120 RPM or more), add the amount of spray oil required for a full tank. Pump this mixture through the overflow and back into the tank for a minute or two. The mixture should turn white, indicating good emulsification; then fill the tank with water. Keep agitator running at all times.

If an injector is used, first add 25 to 50 gallons of water to tank with engine running to provide good pressure, then put injector suction tube into the measured amount of spray oil, opening injector valve to allow the oil to be sucked into the tank. Fill the tank with water.

Do not use if material does not emulsity. Do not use in undiluted form.

DIRECTIONS FOR USE: Apply when pests first appear and repeat as necessary. Apply the following recommended rates in sufficient water to thoroughly cover one acre.

Do not apply this product through any type of irrigation system.

APPLES, PEARS, PEACHES, PLUMS, PRUNES, CHERRIES, AL-MONDS: Spider Mites—Use 1 to 11/2 gallons per 100 gallons of water in delayed dormant or summer periods. Certain varieties of plums and prunes may be injured by oil sprays, check tolerance to oil prior to treatment.

PEARS: After harvest for the control of Blister Mita, Bud Mite, Red Spider Mites—Use 11/2 to 2 gallons in combination with 4 to 6 pounds of KOLOFOG® per 100 gallons of dilute spray.

ORANGES, LEMONS, GRAPEFRUIT: Yellow Scale, Citricola Scale, Red Scale, Brown Soft Scale—Use 11/2 to 2 gallons of this material per 100 gallons of water.

OLIVES: Olive Scale, Black Scale, Oleander Scale—Use 11/z to 2 gallons of this material per 100 gallons of water. Apply in the post bloom through post harvest periods.

NOTICE

PLATTE WARRANTS THAT THIS PRODUCT CONFORMS TO THE CHEMICAL DESCRIPTION ON THE LABEL THEREOF AND IS REASONABLY FIT FOR THE PURPOSES STATED ON SUCH LABEL ONLY WHEN USED IN ACCORDANCE WITH THE DIRECTIONS UNDER NORMAL USE CONDITIONS. IT IS IMPOSSIBLE TO ELIMINATE ALL RISKS INHERENTLY ASSOCIATED WITH THE USE OF THIS PRODUCT. CROP INJURY, INEFFECTIVENESS, OR OTHER UNINTENDED CONSEQUENCES MAY RESULT BECAUSE OF SUCH FACTORS AS WEATHER CONDITIONS, PRESENCE OF OTHER MATERIALS, OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF PLATTE. IN NO CASE SHALL PLATTE BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. ALL SUCH RISKS SHALL BE ASSUMED BY THE EUYER.

EXCEPT AS EXPRESSLY PROVIDED HEREIN, PLATTE MAKES NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EITHER EXPRESSED OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE.

BEST AVAILABLE COPY

FORMULATED FOR
PLATTE CHEMICAL CO.
150 SO. MAIN STREET FREMONT, NEBRASKA 68025-5697

4 4.