

CODE
20292

NET WEIGHT
50 LBS.

COPPER 4 SEVIN* 5 SULFUR 80 PEANUT DUST

FUNGICIDE - INSECTICIDE

DIRECTIONS FOR USE

PEANUTS: Armyworms, Corn Earworm, Potato Leafhopper, Thrips, Velvet-bean Caterpillar, Cercospora Leaf Spot - Apply undiluted as a dust at the rate of 20 to 30 pounds per acre when disease or insects first appear. If a heavy rain occurs within twenty-four hours of the first application repeat the application within three days. Repeat applications at ten to twelve day intervals. Application should be made with a dusting machine capable of depositing a thin uniform coating of dust on all above ground plant surfaces.

This material may be applied up to the day of harvest. Peanut tops treated with this material may be used for forage or hay to be fed to livestock.

Applications of spraying and dusting material containing sulfur should not be made just prior to, or during periods of excessively high temperatures.

ACCEPTED
June 13, 1972
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROENTGENIC ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. SUBJECT
TO ATTACHED COMMENTS

U.S.D.A. Reg. No. 279-1978

ACTIVE INGREDIENTS:

Copper, expressed as metallic	4.00%
*Carbaryl (1-naphthyl N-methyl-carbamate)	5.00%
**Sulfur	80.00%
INERT INGREDIENTS:	11.00%
	100.00%

The Copper is in the form of cuprous and cupric oxides.

*Sevin, U.S. Pat. Nos. 2,903,478; 3,009,855
**Sulfur Fineness: 93 through 325 mesh

CAUTION
KEEP OUT OF REACH OF CHILDREN.

Harmful if inhaled or swallowed. Avoid breathing dust. Do not take internally. Avoid contact with skin. Wash hands and face before eating. Take shower or bath after work. Wear regular long sleeved work clothing. Change to clean clothing daily.

NOTE TO PHYSICIAN: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.

AVOID CONTAMINATION OF FOOD, FEED, FEEDING TROUGHS AND WATERING RECEPTACLES.

USAGE CAUTIONS

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Dispose of wastes by burying in non-crop lands away from water supplies. Bags should be disposed of by burying wastes or by burning. Keep out of smoke.

MA 18 54704-3-11
Lef



Dealers Should Sell in Original Packages Only.

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROPS OR NON-CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

TERMS OF SALE OR USE - On purchase or use of this product buyer and user agree to the following conditions:

WARRANTY - Niagara warrants that this product, as of the time of sale by Niagara, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. NIAGARA MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

DAMAGES - Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to Niagara within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

EXCUSE FROM NON-CONTROLLABLE CONDITIONS - Because of certain critical conditions created or incurred by buyer or user or user which Niagara has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release Niagara from liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.

MANUFACTURED IN U.S.A. BY



NIAGARA CHEMICAL DIVISION
FMC CORPORATION
MIDDLEPORT, NEW YORK



13

3

ACCEPTED
JUN 13 1972
U.S. AIR FORCE
271-1478