

34764-373

11/22/1988

SEVIN[®] 5 GRANULAR

Brand Carbaryl Insecticide

Insecticide

ACTIVE INGREDIENT:

Carbaryl; 1-naphthyl N-methylcarbamate 5%

INERT INGREDIENTS: 95%

TOTAL 100%

KEEP OUT OF REACH OF CHILDREN CAUTION

EPA REG. NO. 34704-373

EPA EST. NO. 279-CA-1

NET WEIGHT 50 POUNDS

¹ CLEAN CROP is a Registered TM of United Agri Products, Inc.
² SEVIN is a Registered T.M. of Rhone-Poulenc Nederland BV.

19751

04Y88 AA

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

May be harmful if swallowed. Avoid breathing dust. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling.

On ornamental turf, keep children and pets off treated areas until material is washed into the soil and surfaces are dry.

Note to Physician: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to water, or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

RE-ENTRY STATEMENT FOR USE ON CORN

Do not enter treated areas without protective clothing until dusts have settled.

Protective clothing means, at least, a hat or other suitable head covering, a long sleeved shirt and long-legged trousers or a coverall type garment (all of closely woven fabric covering the body, including the arms and legs), shoes and socks.

Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. When oral warnings are given, warnings shall be given in a language customarily understood by workers.

Written or oral warnings must include the following information:

CAUTION

(Insert area or field description) treated with carbaryl on (insert date of application.)

In case of accidental exposure to pesticide dust, wash the skin thoroughly with soap and water. Remove contaminated clothing and wash before reuse. If in eyes, flush with plenty of water. If inhaled, go to area where the pesticide has not been applied. Get medical attention if needed. Do not enter treated areas without protective clothing until dusts have settled.

Oral warnings must include the same information that is in the written warnings.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use, fold and roll back bags, clamp and close tightly. Do not put material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills.

To confine spill: If dry material, cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Some phytotoxicity may occur on tender foliage in presence of rain or high humidity of several days duration following application.

CORN: European Corn Borer—Use 30 to 40 pounds per acre, for first generation European Corn Borer larvae in whorls. Use suitable ground or air equipment to insure good coverage. Apply when pests appear in damaging numbers and repeat 7 to 14 days later if necessary. No time limitations.

ORNAMENTAL TURF: Ants, Armyworm, Centipedes, Chiggers, Chinch bugs, Cutworms, Earwigs, Essex skippers, European chafer, Fall armyworm, Fleas, Flery skippers, Grasshoppers, June beetles, Leafhoppers, Lucerne moth, Millipedes, Adult mosquitoes, Sod webworms or Lawn moths, Sowbugs, Spittlebugs, Springtails, Ticks, Yellowstriped armyworm, White grub* (such as Japanese beetle, Chafer beetle, Phyllophaga spp., and Green June beetle grubs) -

Use 4 pounds per 1000 sq. ft., treating the

lawn evenly. For best results cut the lawn, remove clippings and water before making a treatment. Work material in with a coarse water spray after treatment. Do not apply on Boston Ivy, as injury may occur.

Application of this material should be made at the first signs of insect activity, and repeat applications should be made as necessary to maintain effective control.

White grub control applications should be made when grubs are feeding near the soil surface, usually during late March through May or July to early September, or as recommended by local agricultural extension agents.

*Not for use in California.

For Use by Pest Control Operators Only: Use on out-of-doors areas around foundations and ornamental plantings and on lawns to control Darkling Ground Beetle, Earwigs and Brown Dog Ticks. Use this material at the rate of 1 pound per 250 sq. ft. Spread this material in the infested areas at the first sign of the pests.

Approximate fertilizer spreader settings to distribute 4 pounds of granules per 1000 sq. ft.

Spreader	Setting
Scott	#4
Lawn Beauty	#5
Cyclone	#4

Dealers Should Sell in Original Packages Only.

Terms of Sale or Use: On purchase of this product buyer and user agree to the following conditions:

Warranty: Platte makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller and are assumed by buyer at his own risk.

Use of Product: Platte's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, express or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

FORMULATED FOR
PLATTE CHEMICAL COMPANY, INC.
 150 SO. MAIN STREET FREMONT, NEBRASKA 68025

