

CAPTAN SULFUR 10-50 DUST

Fungicide

For Agricultural or Commercial Use Only.

ACTIVE INGREDIENT:

*Captan	9.77%
Related Derivatives	0.23%
Sulfur	50.00%

INERT INGREDIENTS: 40.00%

TOTAL 100.00%

*N-Trichloromethylthio-4-cyclohexene-1,2-dicarboximide

* CLEAN CROP is a Registered T.M. of United Agri Products, Inc.

KEEP OUT OF REACH OF CHILDREN

DANGER PELIGRO

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que le entregue la haya sido explicada amplemente.

EPA REG. NO. 34704-384

EPA EST. NO. _____

NET WEIGHT 50 POUNDS

WET

EXR-20

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER

Causes irreversible eye damage. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Avoid contact with skin and clothing.

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Flush with plenty of water. Call a physician.
If swallowed: Call physician or Poison Control Center immediately. Drink promptly a large quantity of milk, egg whites, gelatin solutions, or if these are not available, drink large quantities of water. Avoid alcohol. Do not give anything by mouth to an unconscious person.
If inhaled: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention.
If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

Read label of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and separately launder clothing before reuse.

Mixers/loader when mixing and loading this product must wear a long-sleeved shirt and long pants or a coverall that covers all parts of the body except the head, hands and feet. Wear chemical resistant gloves, goggles or a face shield and a chemically resistant apron. A dust mask must be worn when mixing and loading this product.

Fieldworkers and harvesters must wear chemical resistant gloves. Leather or fabric gloves are not acceptable.

During application only, from a tractor with a completely enclosed cab or from an aircraft with an enclosed cockpit a long-sleeved shirt and long legged pants must be worn. Chemically resistant gloves must be available in the cab or cockpit and worn while exiting.

AFTER WORK: Take off all clothes and shoes. Shower using soap and water. Do not wear contaminated clothing. Wash protective clothing and equipment with soap and water after each use. Personal clothing worn during use must be laundered separately from household articles. Clothing and protective equipment heavily contaminated or drenched with captan must be destroyed according to state and local regulations.

RE-ENTRY STATEMENT

Do not allow persons to enter treated areas within 4 days following application unless a long-sleeved shirt and long pants or a coverall that covers all parts of the body except the head, hands and feet and chemically resistant gloves are worn. Conspicuously post-reentry information at site of application.

Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Inform workers of areas or fields that may not be entered without specific protective clothing, period of time field must be vacated and appropriate actions to take in case of accidental exposure. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written or oral warnings must include the following information:

DANGER

Area treated with Captan Sulfur 10-50 Dust on (insert date). Do not allow persons to enter treated areas within 4 days following application unless a long-sleeved shirt and long pants or a coverall that covers all parts of the body except the head, hands and feet and chemically resistant gloves are worn (insert State Department of Agriculture's re-entry interval, if more restrictive).

In case of accidental exposure to pesticide spray or dust, wash the skin thoroughly with soap and water. Remove contaminated clothing and wash before reuse. If in eyes, flush with plenty of water. Call a physician. If inhaled, remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use, fold and roll back bags, clamp and close tightly. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

In case of spill, avoid contact. Isolate area and keep out animals and unprotected persons. Contain spill.

To contain spill: If liquid, dike surrounding area or absorb with sand, cat litter or commercial clay. If dry material, cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or residue is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

May be applied with airplane or ground application equipment.

Cherries: Brown Rot, Cherry Leaf Spot—Use 40-60 pounds per acre. Apply at first sign of disease. Repeat at regular intervals as necessary to maintain control.

Peaches, Nectarines: Brown Rot, Powdery Mildew, Peach Scab—Use 40-50 pounds per acre. Apply at first sign of disease. Repeat at regular intervals to maintain control.

Plums, Prunes: Brown Rot, Prune Rust—Use 40-50 pounds per acre. Apply at first sign of disease. Repeat at regular intervals as necessary to maintain control.

Strawberries: Gray Mold, Powdery Mildew—Use 20-40 pounds per acre. Apply at first sign of disease. Repeat at regular intervals as necessary to maintain control.

Grapes: Powdery Mildew, Botrytis Rot (Slip Skin or Gray Mold)—Use 20-30 pounds per acre. Treatment for control of Powdery Mildew should be started after growth starts in the spring and be repeated as necessary. Ground application equipment preferred. To control Botrytis Rot starting July 1 to July 15, apply 4 dusts at 3-4 week intervals. Apply to every row and direct toward the clusters. The first application should be made while the clusters are still loose. To be effective, dusts must be applied before rains. Whenever rain threatens apply an additional dust. Applications following rainfall have been of very little benefit in controlling slip skin.

Tomatoes: Early Blight, Late Blight, Anthracnose, Septoria Leaf Spot, Rust—On young plants use 25-30 pounds per acre. On mature plants use 35-40 pounds per acre. Begin applications when disease or mites first appear and repeat as necessary.

Ornamentals: Roses—Black Spot, Powdery Mildew, Rust. Carnations—Powdery Mildew, Rust, Leaf Spot. Chrysanthemums—Flower Blight, Powdery Mildew, Rust. Apply at first sign of disease and repeat as necessary. Dust for complete coverage.

Dealers Should Sell in Original Packages Only.

Terms of Sale or Use: On purchase of this product buyer and user agree to the following conditions.

Warranty: Platte makes no warranty, expressed or implied, concerning the use of this product other than that indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller and are assumed by the buyer at his own risk.

Use of Product: Platte's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made to the effects on such or the results to be obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

FORMULATED FOR

PLATTE CHEMICAL COMPANY, INC.

150 SO. MAIN STREET FREMONT, NEBRASKA 68025