

RESTRICTED USE PESTICIDE

Due to very high acute toxicity to
Humans and Birds

For retail sale to and use only by certified applicator or persons under their direct supervision and only for those uses covered by the certified applicator's certification. Direct supervision for this product is defined as the certified applicator being physically present during application, mixing, loading, repair and cleaning of application equipment. Commercial certified applicators must also ensure that all persons involved in these activities are informed of the precautionary statements.




Captan 25 Parathion 7.5 WP

Fungicide-Insecticide-Miticide

Active Ingredients

*Captan	24.44%
Related Derivatives	0.56%
**Parathion	7.50%
Inert Ingredients	67.50%
	100.00%


- * N-Trichloromethylthio-4-cyclohexene-1,2-dicarboximide
- **0,0-Diethyl O-p-nitrophenyl-phosphorothioate



STOP! READ THE LABEL



CAN KILL YOU



DANGER

Keep out of reach
of children

POISON

See side panels
for antidote
and precautions

PELIGRO

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

DANGER—POISON— PRECAUTIONS



POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed.



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes.)



POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS

DANGER

Causes irreversible eye damage.

THIS PRODUCT MAY BE FATAL IF SWALLOWED, INHALED, OR IF ALLOWED TO CONTACT SKIN. FAILURE TO PROPERLY FOLLOW ALL INSTRUCTIONS FOR PROTECTIVE CLOTHING AND EQUIPMENT WILL INCREASE YOUR RISK

Keep all unprotected persons and children away from treated area or where there is danger of drift.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT DURING MIXING/LOADING, APPLICATION, REPAIR AND CLEANING OF APPLICATION EQUIPMENT, DISPOSAL OF PESTICIDE, AND EARLY REENTRY INTO TREATED FIELDS:

Waterproof pants and coat; heavy-duty chemical-resistant gloves; rubber boots or rubber overshoes; hood or wide-brimmed hat; safety goggles or face shield; NIOSH approved respirator. In addition, mixer/loaders must wear a chemical resistant apron when using the concentrated product. During aerial application in nonenclosed cockpits, a helmet with a visor may be substituted for the hood or wide-brimmed hat and safety goggles or face shield requirements.

IF MIXING/LOADING IS PERFORMED USING A CLOSED SYSTEM, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE:

Heavy-duty chemical resistant gloves; chemical resistant apron, long-sleeved shirt (or gauntlets and short sleeve shirt) and long-legged pants; shoes and socks.

Safety goggles or a faceshield must be worn when the system is under pressure. All other protective clothing and equipment required for use with open systems must be available nearby.

IF APPLICATION IS PERFORMED USING AN ENCLOSED CAB OR COCKPIT, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE:

Clean long-sleeved shirt and long-legged pants. All other protective clothing and equipment required for use during application must be available in the cab and must be worn when exiting the cab into treated areas. If used for this purpose, contaminated clothing may not be brought back into the cab unless in an enclosure such as a plastic bag.

REMEMBER- THIS CLOTHING IS NOT INTENDED TO PROTECT YOU DURING REPAIR AND CLEANING OF APPLICATION EQUIPMENT OR DURING EARLY REENTRY! REFER TO THE INSTRUCTIONS ABOVE.

HUMAN FLAGGERS ARE STRICTLY PROHIBITED DURING AERIAL APPLICATION.

IMPORTANT! If pesticide comes in contact with skin, wash off with soap and water, and contact a physician immediately. Always wash hands, face, and arms with soap and water before smoking, eating, drinking, or toileting.

AFTER WORK: Wash gloves with soap and water before removing. Take off all work clothes and shoes. Store protective clothing separately from personal clothing. Launder protective clothing after each use. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Personal clothing worn during mixing/loading, application, repair and cleaning of application equipment, disposal of pesticide, and early reentry into treated fields must be stored and laundered separately from household articles. Clothing and equipment heavily contaminated or drenched with parathion must be destroyed according to state and local regulations.

HEAVILY CONTAMINATED OR DRENCHED CLOTHING CANNOT BE ADEQUATELY DECONTAMINATED.

Respirators should be cleaned and cartridges replaced according to instructions included with respirators. Replace gloves frequently.

POISON SIGNS (Symptoms)

PARATHION is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

✚ FIRST AID TREATMENT ✚

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed, call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger, or, if available, by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote — administer atropine sulfate in large doses, TWO to FOUR mg. Intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

347-1-25

6-1-17


4

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

This pesticide is highly toxic to fish and wildlife. Birds in treated areas may be killed. Do not apply directly to water or wetlands (swamps, marshes, bogs, and potholes). Run-off and drift from target areas may be hazardous to aquatic organisms in adjacent aquatic sites. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is extremely toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow to drift to blooming crops or weeds if bees are visiting the treatment area.



ENDANGERED SPECIES RESTRICTIONS

The use of any pesticide in a manner that may kill or otherwise harm an endangered or threatened species or adversely modify their habitat is a violation of federal laws. The use of this product is controlled to prevent death or harm to endangered or threatened species that occur in the following counties or elsewhere in their range.

Before using this pesticide in the following counties you must obtain the EPA Cropland Endangered Species Bulletin. The use of this pesticide is prohibited in these counties unless specified otherwise in the Bulletin. The EPA Bulletin is available from either your County Agricultural Extension Agent, the Endangered Species Specialist in your State Wildlife Agency Headquarters or the appropriate Regional Office of either the U.S. Fish and Wildlife Service (FWS) or the U.S. Environmental Protection Agency. THIS BULLETIN MUST BE REVIEWED PRIOR TO PESTICIDE USE.

STATE (Regional office FWS) Species	COUNTY	
ALABAMA (Atlanta, GA.) <u>Slackwater darter</u>	LAUDERDALE	MADISON
<u>Alabama cavefish</u>	LIMESTONE	
<u>Freshwater mussels</u>	LAUDERDALE	
	COLBERT	MARSHALL
	JACKSON	MORGAN
ARIZONA (Albuquerque, N.M.) <u>Woundfin</u>	MOHAVE	
<u>Bonytail chub</u>	MOHAVE	
<u>Gila topminnow</u>	GRAHAM	SANTA CRUZ
ARKANSAS (Atlanta, GA.) <u>Freshwater mussels</u>	CLAY	RANDOLPH
	CLARK	SHARP
	CROSS	ST. FRANCIS
	LAWRENCE	
<u>Ozark cavefish</u>	BENTON	
<u>Leopard darter</u>	SEVIER	

CALIFORNIA (Portland, OR.)		
Delta green ground beetle	SOLANO	
Valley elderberry longhorn beetle	MERCED SACRAMENTO	
Aleutian Canada goose	COLUSA	SUTTER
	MERCED	STANISLAUS
Kern primrose sphinx moth	KERN	
Blunt-nosed leopard lizard	FRESNO	MONTEREY
	KERN	SAN LUIS OBISPO
	KINGS	SANTA BARBARA
	MADERA	STANISLAUS
	MERCED	TULARE
Santa Cruz long-toed salamander	MONTEREY	SANTA CRUZ
Unarmored three-spine stickelback	LOS ANGELES	SANTA BARBARA
	
COLORADO (Denver, CO.)	BLANCO	MOFFAT ..
Colorado squawfish	DELTA	RIO... ..
	GARFIELD	ROUTE ..
	MESA
Humpback chub	MESA
FLORIDA (Atlanta, GA.)	BROWARD	GLADES ..
Everglade Kite	DADE	PALM BEACH ..
Species	
KENTUCKY (Atlanta, GA.)	BALLARD	MCCRACKEN
Freshwater mussels	EDMUNDSON	PULASKI
	JACKSON	ROCKCASTLE
	LAUREL	WARREN
	MARSHALL	WAYNE
MARYLAND (Newton Corners, MA.)		
Maryland darter	HARFORD	
MISSISSIPPI (Atlanta, GA.)		
Bayou darter	COPIAH	
MISSOURI (Twin Cities, MN.)	CHRISTIAN	NEWTON
Ozark cavefish	GREENE	BARRY
	JASPER	STONE
	LAWRENCE	

STATE (Regional office FWS) Species	COUNTY	
NEVADA (Portland, OR.) Woundfin	CLARK	
Pahrnagat bonytail	LINCOLN	
Cui-ui	WASHOE	
Pahrump killifish	CLARK	WHITE PINE
NEW MEXICO (Albuquerque, N.M.) Pecos gambusia	CHAVES EDDY	
NORTH CAROLINA (Atlanta, GA.) Spotfin chub	MACON	SWAIN
OHIO (Twin Cities, MN.) Scioto madtom	CHAMPAGNE FRANKLIN LOGAN	MADISON PICKAWAY UNION
OKLAHOMA (Albuquerque, N.M.) Leopard darter Ozark cavefish	LEFLORE MCCURTAIN DELAWARE	
TENNESSEE (Atlanta, GA.) Slackwater darter Slender chub Spotfin chub Freshwater mussels	LAWRENCE WAYNE CLAIBORNE CUMBERLAND FENTRESS BLOUNT CLAIBORNE DECATUR FRANKLIN HANCOCK HARDIN LINCOLN LOUDON	HANCOCK MORGAN MARSHALL MAURY RHEA ROANE SCOTT SEQUATCHIE SMITH SULLIVAN
TEXAS (Albuquerque, N.M.) Attwater's greater prairie chicken Commanche Springs pupfish	ARANSAS AUSTIN COLORADO FORT BEND JEFF DAVIS	GOLIAD REFUGIO VICTORIA

Texas (con't)		
Pecos gambusia	JEFF DAVIS PECOS	REEVES
Texas blind salamander	HAYS	
San Marcos salamander	HAYS	
San Marcos gambusia	HAYS	
Houston toad	BASTROP	BURLESON
Fountain darter	HAYS	
UTAH (Denver, CO.)		
Woundfin	WASHINGTON	
Humpback chub	GRAND	
Bonytail chub	GRAND	UINTAH
Colorado squawfish	CARBON DUCHESNE EMERY GARFIELD GRAND	KANE SAN JUAN UINTAH WAYNE
VIRGINIA (Newton Corners, MA.)		
Spotfin chub	SCOTT	WASHINGTON
Freshwater mussels	LEE RUSSELL SCOTT SMYTH	TAZEWELL WASHINGTON WISE

3114-311

44 65 16

STORAGE AND DISPOSAL

Pesticide Storage

Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use, fold and roll back bags, clamp and close tightly. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call FMC collect: (716) 735-3765.

To confine spill: If liquid, dike surrounding area or absorb with sand, cat litter or commercial clay. If dry material, cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

Pesticide Disposal

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Not for use or storage in or around the home.

DO NOT USE IN UNDILUTED FORM

Do not rotate a foliar treated crop with crops other than those with registered captan uses.

(Areas Other Than California)

Peaches

Captan 25 Parathion 7.5 Wettable Powder is designed for use in the control of Brown Rot, Peach Scab, Green Peach Aphid, Red-banded Leaf Roller, Plum Curculio, Catfacing Insects, Oriental Fruit Moth and Mites. Uses 4 pounds of wettable powder per 100 gallons of water. Apply when insects or disease threaten and repeat at 7 to 10 a day intervals as required to maintain control. Spray trees thoroughly.

Do not apply within 14 days of harvest. Do not apply more than 600 gallons of finished spray per acre. Do not apply more than 5 pounds actual parathion per acre per year.

Dealers Should Sell In Original Packages Only.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

RE-ENTRY STATEMENT

Reentry into peach fields in the states of Arizona, Nevada, New Mexico, Oklahoma, Texas, and Utah is prohibited for seven days after the end of application, unless all protective clothing and equipment required for early reentry as described elsewhere on the label is worn. Reentry into all other treated areas is prohibited for 48 hours after end of application, unless all required protective clothing and equipment is worn

and for 48 to 96 hours (4 days) after end of application unless a long sleeved shirt and long pants or a coverall that covers all parts of the body except the head, hands and feet and chemically resistant gloves are worn.

Conspicuously post reentry information at site of application.

Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Inform workers of areas or fields that may not be entered without specific protective clothing, period of time field must be vacated and appropriate actions to take in case of accidental exposure. An example of such information is given under written warnings. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information:

DANGER

Area treated with Captan 25 Parathion 7.5 WP on (insert date).

Reentry into peach fields in the States of Arizona, Nevada, New Mexico, Oklahoma, Texas, and Utah is prohibited for seven days after the end of application, unless all protective clothing and equipment required for early reentry are worn. Reentry into all other treated areas is prohibited for four days, unless all protective clothing and equipment required for early reentry are worn.

In case of accidental exposure: Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion /captan and describe his condition. For further information see the "FIRST AID TREATMENT" portion of the pesticide label.

Terms of Sale or Use: On purchase of this product, buyer and user agree to the following conditions.

Warranty: Platte makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller and are assumed by the buyer at his own risk.

Use of Product: Platte's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made to the effects of such or the results to be obtained if or used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

FORMULATED FOR
PLATTE CHEMICAL COMPANY, INC.

EPA REG. NO. 34704-385

150 SO. MAIN STREET

FREMONT, NEBRASKA 68025

EPA EST. NO. _____