

Reg # 34704-388

PM-13

191

Code: 30014

Net Weight  
50 Pounds

# BX 2 COATED GRANULES

Contains 2% <sup>®</sup>BAYTEX

### DIRECTIONS FOR USE

May be applied by ground or air.

BX 2 Coated Granules are especially prepared coated granules containing 2% Baytex for use as a mosquito larvicide only by MOSQUITO ABATEMENT DISTRICTS AND OTHER OFFICIAL AGENCIES. These granules are formulated to release their coating upon contact with water.

For the control of Mosquito Larvae — Use 5 to 10 pounds per acre. Repeat as necessary. For treatment of small areas: Use 2 to 3 1/2 ounces per 1000 square feet (20x50 feet).

### RESTRICTIONS

Do not use inside homes, in dairy barns, poultry houses, or buildings where food is processed.

Do not use on crops used for food or forage.

Do not use in a manner or at a time other than in accordance with label directions because animal, plant, or crop injury, illegal residues or other undesirable results may occur.

### INSECTICIDE

EPA REGISTRATION NO. 279-2267 ZA

ACTIVE INGREDIENT:	BY WT.
Fenthion; O,O-Dimethyl O-[3-methyl-4-(methylthio)phenyl] phosphorodithioate†	2.00%
INERT INGREDIENTS:	98.00%
	100.00%

U.S. Patent No. 3,042,703

## CAUTION KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed, inhaled or absorbed through the skin. Avoid getting in eyes, on skin, or on clothing. Avoid breathing dust. Wash thoroughly with soap and warm water after handling. Wash clothing with soap and hot water before reuse. Avoid contamination of feed or food.

**ANTIDOTE:** Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. Liberal doses of glucose appear to enhance the antidotal properties of atropine.

For Emergency Assistance Call: 714-735-3765

<sup>®</sup>BayTex is a registered TM of the Parent Company of Farbenfabriken Bayer GmbH, Leverkusen

### ENVIRONMENTAL AND DISPOSAL CAUTIONS

This product is toxic to fish, shrimp, crab, birds and other wildlife. Keep out of lakes, streams, or ponds, tidal marshes and estuaries. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources. Do not apply where run-off is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.  
**DISPOSE OF WASTES** by burying in non-crop lands away from water supplies. Empty containers should be buried with wastes or burned. Keep out of smoke.

Dealer Should Sell in Original Packages Only.

**WARRANTY:** FMC warrants that this product, as of the time of sale by FMC, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. FMC MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

# FMC Chemicals

EPA EST. 279-CA-1 Printed in U.S.A.

**ACCEPTED**  
APR 27 1976  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, registered under Reg. No. 279-2267 ZA

016W

MANUFACTURED IN U.S.A. BY

**FMC CORPORATION**

AGRICULTURAL CHEMICALS DIVISION

MIDDLEPORT, N.Y.  
FRESNO, CA.

**BEST AVAILABLE COPY**