

Reg # 34704-388

PM-13

171

BEST AVAILABLE COPY

Code: 30014

BX 2 COATED GRANULES

Contains 2% BAYTEX

**Net Weight
50 Pounds**

DIRECTIONS FOR USE

May be applied by ground or air.

BX 2 Coated Granules are especially prepared coated granules containing 2% Baytex for use as a mosquito larvacide only by MOSQUITO ABATEMENT DISTRICTS AND OTHER OFFICIAL AGENCIES. These granules are formulated to release their coating upon contact with water.

For the control of Mosquito Larvae — Use 5 to 10 pounds per acre. Repeat as necessary. For treatment of small areas: Use 2 to 3¼ ounces per 1000 square feet (20x50 feet).

RESTRICTIONS

Do not use inside homes, in dairy barns, poultry houses, or buildings where food is processed.

Do not use on crops used for food or forage.

INSECTICIDE

EPA REG. NO. 279-2267 ZA EPA Est., 279-CA-1

ACTIVE INGREDIENT:	BY WT.
Fenthion; 0-0-Dimethyl 0-[3-methyl-4-(methylthio) Phenyl] phosphorodithioate†	2.00%
INERT INGREDIENTS:	98.00%
	100.00%

†U.S. Patent No. 3,042,703

Baytex is a registered TM of the Parent Company of Farbenfabriken Bayer GmbH, Leverkusen

ENVIRONMENTAL AND DISPOSAL CAUTIONS

This product is toxic to fish, shrimp, crab, birds and other wildlife. Keep out of lakes, streams, or ponds, tidal marshes and estuaries. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources. Do not apply where run-off is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DISPOSE OF WASTES by burying in non-crop lands away from water supplies. Empty containers should be buried with wastes or burned. Keep out of smoke.

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed, inhaled or absorbed through the skin. Avoid getting in eyes, on skin, or on clothing. Avoid breathing dust. Wash thoroughly with soap and warm water after handling. Wash clothing with soap and hot water before re-use. Avoid contamination of feed or food.

ANTIDOTE: Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. Liberal doses of glucose appear to enhance the antidotal properties of atropine.

or Emergency Assistance Call: 716-735-376.

Dealer Should Sell in Original Packages Only

Terms of Sale or Use on purchases of this product buyer and user agree to the following conditions

Warranty FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller and are assumed by buyer at his own risk.

Use of Product FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

Damages Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

Printed in U.S.A.

ACCEPTED
AUG 29 1977
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 279-2267 ZA

016W-H

FMC

**FMC Corporation
Agricultural Chemical Division**

MIDDLEPORT, N.Y.
FRESNO, CA

YAKIMA, WA
RICHMOND, CA