

ACCEPTED

1042



PAR F 60 SOLUBLE OIL

JUN 12 1996

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA No. 34704-392

INSECTICIDE

ACTIVE INGREDIENT:	BY Wt.
Petroleum Oil	99.00%
INERT INGREDIENTS:	1.00%
TOTAL	100.00%

Classification - Unclassified
Unulfonated Residue - 96% Minimum

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Below For Additional Precautionary Statements

Caution: Use efficient equipment of the proper type. Avoid spraying during or immediately prior to hot or freezing weather (over 95°F or under 32°F), hot dry winds, rain or other unsuitable conditions; avoid overspraying or double spraying. Plants should be sprayed only when in vigorous condition and when their moisture condition is suitable.

EPA REG. NO. 34704-392

EPA EST. NO. _____

NET CONTENTS _____ GAL. (_____) L

41458

WPSEX04Y95

CAUTION

Avoid inhalation of spray mist. Harmful if swallowed. Do not induce vomiting. Call a Physician immediately.

Personal Protective Equipment:

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category E on the EPA chemical resistance category selection chart.

Applicators and other handlers must wear: long-sleeved shirt and long pants, chemical-resistant gloves, such as barrier laminate, nitrile rubber, neoprene rubber or viton and shoes plus socks.

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry

Engineering controls statements:

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets with requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

STATEMENT OF PRACTICAL TREATMENT

- If swallowed:** Do not induce vomiting. Call a physician immediately.
- If in eyes:** Wash thoroughly with water and if irritation persists, consult a physician.
- IF INHALED:** Remove victim to fresh air. Apply respirator if indicated.
- IF ON SKIN:** Wash affected area with soap and water.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters. Apply this product only as specified on the label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR, part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, chemical-resistant gloves, such as barrier laminate, nitrile rubber, neoprene rubber or viton and shoes plus socks.

continued

20f2

PAR F 60 SOLUBLE OIL

EPA REG. NO. 34704-392 continued

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use, replace lids and close tightly. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills.

To confine spill: If liquid, dike surrounding area or absorb with sand, cat litter or commercial clay. Place damaged package in a holding container. Identify contents.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Metal: Triple rinse (or equivalent). Then offer for recycling or conditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. **Plastic:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

MIXING DIRECTIONS: Before using this product, be sure the spray tank is clean and contains just enough water to cover the agitator shaft.

If an injector is used, first add 25 to 50 gallons of water to tank with engine running to provide good pressure. Then put injector suction tube into the measured amount of spray oil, opening injector valve to allow the oil to be sucked into the tank. Then fill the tank with water.

Use only in equipment with mechanical or paddle agitation. Be sure spray tank is clean. With enough water in tank to cover agitator shaft add desired amount of this material to the tank with agitator in motion. Pump this mixture through the over flow and back into tank for about two minutes. If this mixture turns white, it indicates good emulsification. Fill the tank with water, adding other desired materials as tank is filling. Keep agitator running at all times.

USAGE CAUTIONS: On Deciduous trees do not mix with sulfur or apply within 10 days to 2 weeks prior to or after a sulfur treatment.

On Citrus do not mix with sulfur or apply within 60 days prior to or after a sulfur treatment.

Do not mix with pesticides incompatible with oil.

Do not use if material does not emulsify. Do not use in undiluted form.

Do not allow this material to drift onto neighboring crops or non-crop areas or use in a manner or at a time other than in accordance with label directions because animal, plant or crop injury, illegal residues or other undesirable results may occur.

DIRECTIONS FOR USE: Apply when insects first appear and repeat as necessary. Do not use in undiluted form.

Do not apply this product through any type of irrigation system.

DECIDUOUS FRUIT TREES - During the dormant or delayed-dormant period, to control scale insects and eggs of European red mite, clover mite, apple rust mite and fall cankerworm on apples, pears, cherries, peaches, and plums, use 2 gallons per 100 gallons of water and apply spray thoroughly to twigs, branches, and trunks early in the spring, on bright clear days when the temperature is above 45°F, during the time from just before growth starts until the young leaves are not more than 1/2 inch in length.

During the summer when foliage is present, use 2 gallons per 100 gallons of water and apply spray thoroughly to foliage and branches to control scale insects, two-spotted mite, red bug, and thrips. Apply when insects first appear, preferably before they cause noticeable damage, and repeat at 30-day intervals, if necessary, until not more than 3 applications have been made during the growing seasons.

ALMONDS, CHERRIES: Summer Use - Red Spider Mite - Use 2-4 quarts per 100 gallons of water. To control summer stages of Brown Apricot Scale, San Jose Scale - Use 4-6 quarts per 100 gallons of water. **Dormant or Delayed Dormant** - Apricot Scale, Black Scale, San Jose Scale, Parlatoria Scale, Mite Eggs, Aphid Eggs - Use 2 gallons per 100 gallons of water. **Delayed Dormant** - Leafroller Eggs - Use 2 1/2 gallons per 100 gallons of water.

APPLE, PEAR: Summer Use - Spider Mites - Use 1-1 1/2 gallons per 100 gallons of water.

LEMONS: Red Scale, Black Scale, Red Spider - Use 1.2-1.4 gallons per 100 gallons of water. Apply in late spring and late summer through December.

NAVEL AND VALENCIA ORANGES: Red Scale, Yellow Scale, Citricola Scale, Purple Scale, Black Scale, Red Spider - Use 1.2-1.4 gallons per 100 gallons of water. Apply in late summer through October.

OLIVES: Olive (Parlatoria) Scale, Oleander Scale, Black Scale - Use 1 1/2-2 gallons per 100 gallons of water. May be applied during the post-bloom through post-harvest periods.

PEACH, PLUM: Summer Use - Spider Mites - Use 1-1 1/2 gallons per 100 gallons of water. Certain varieties of plums may be injured by oil sprays, check tolerance prior to treatment.

PRUNES: Summer Use - Spider Mites - Use 1-1 1/2 gallons per 100 gallons of water. Certain varieties of prunes may be injured by oil spray, check tolerance prior to treatment.

WALNUTS: Summer Use - Spider Mites, Soft Scales - Use 1 gallon per 100 gallons of water. Apply 200 to 400 gallons of water per acre. Do not apply more than 4 gallons of oil per acre. **Delayed Dormant** - Scale, Overwintering Mite Eggs - Use 2 gallons per 100 gallons of water. Apply in sufficient water for thorough coverage. (Apply a minimum of 200 gallons of water per acre.) This treatment should only be used on trees that have not suffered from lack of moisture at any time during the growing season. Further, oil should not be applied to orchards where soil moisture is low.

Dealers Should Sell in Original Packages Only.

NOTICE

PLATTE WARRANTS THAT THIS PRODUCT CONFORMS TO THE CHEMICAL DESCRIPTION ON THE LABEL THEREOF AND IS REASONABLY FIT FOR THE PURPOSES STATED ON SUCH LABEL ONLY WHEN USED IN ACCORDANCE WITH THE DIRECTIONS UNDER NORMAL USE CONDITIONS. IT IS IMPOSSIBLE TO ELIMINATE ALL RISKS INHERENTLY ASSOCIATED WITH THE USE OF THIS PRODUCT. CROP INJURY, INEFFECTIVENESS, OR OTHER UNINTENDED CONSEQUENCES MAY RESULT BECAUSE OF SUCH FACTORS AS WEATHER CONDITIONS, PRESENCE OF OTHER MATERIALS, OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF PLATTE. IN NO CASE SHALL PLATTE BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER.

EXCEPT AS EXPRESSLY PROVIDED HEREIN, PLATTE MAKES NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY, OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND PLATTE'S TOTAL LIABILITY, SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

FORMULATED FOR
PLATTE CHEMICAL CO.
 150 SO. MAIN STREET
 FREMONT, NEBRASKA 68025-5697