JUN 24 1993

Mr. J. Allen Dunlap III Platte Chemical Company P.O. Box 667 Greeley, Colorado 80632

Dear Mr. Dunlap:

₹

Subject: Revision of Ingredients Statement Clean Crop Methyl Parathion 5E EPA Registration No. 34704-433 Your Application Dated April 12, 1993

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below (as indicated in our letter to you dated April 20, 1993):

1. Revise the Environmental Hazards statement to reflect PR Notice 93-3 by replacing the sentence which begins "Do not apply directly to water..." with the following:

"For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark."

- 2. Additionally, in the Environmental Hazards statement, replace the phrase "disposal of wastes" with "disposal of equipment washwaters."
- 3. In the Statement of Practical Treatment, delete the phrase "for at least 15 minutes" from the instructions for treatment of eyes and skin.

A stamped copy of the label is enclosed for your records.

This acceptance of your label does not relieve you of any obligation to comply with the Worker Protection Standard (WPS). Under the WPS labeling regulations at 40 CFR part 156, subpart K, § 156.200 (c) (3), you are prohibited from distributing or selling any product within the scope of the WPS requirements after April 21, 1994, without amended labeling accepted by the

Agency. If you have any questions concerning the WPS, you may call 1-800-777-2185.

We have also reviewed the Confidential Statement of Formula (CSF), dated December 28, 1992. The CSF is acceptable and supports the label claim for the active ingredient and its related compounds. This information has been added to our file for this product.

Sincerely,

DHE

Dennis H. Edwards, Jr. Product Manager 19 Insecticide-Rodenticide Branch Registration Division (H7505C)

Enclosure

RESTRICTED USE PESTICIDE

ACCEPTE L EPA L

ir and cleaning of application open fo proceedings of application open for proceedings of alternation

34704-433 PARATHIO

ACTIVE INGREDIENTS: BY WT. INERT INGREDIENTS: 45.3% TOTAL 100.0%

This product contains xylene range aromatics.

STOPI READ BEFORE USING.

CAN KILL YOU.

KEEP OUT OF REACH OF CHILDREN

DANGER **PELIGRO**



POISON

STOPI READ THE LABEL

PRECAUCION AL USUARIO: SI ueted no lee Ingles, no uee este producto hasta que la etiqueta le haya sido explicade ampliamente. (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

See Below For Statement of Practical Treatment, Antidotes and

Additional Preceutionary Statements.

EPA REG. NO. 34704-433 EPA EST. NO. _

NET CONTENTS,

GALLONS

EXPO4R63

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER — POISON **PRECAUTIONS**







CAN KILL YOU # SWALLOWED

This product can kill you if amounts; apray mist or dust may be lotal if avai-

CAN KELL YOU BY SKIN CONTACT

This product ean kill you if touched by hande or spilled or spilled or side, in eyes or on clothing (Hauld goes through olothes).

CANKILL YOU # BREATHED

This product can kill you if

WORK SAFETY RULES

The National Pesticide Telecommunication Network is available for recommendations regarding poleoning management, emergency treatment, and other information regarding the toxicity of methyl parathion. The toll free number for the National Pesticide Telecommunication Netrork is 1-800-858-7378.

If handled indoors provide mechanical exhaust ventilation. Keep all unprotected persons, children, livestock, and pets away from treated area or where there is danger of drift. Do not rub eyes or mouth with

hands. If you feel sick in any way, STOP work and get help right away, See First Aid (Practical Treatment) section.

HANDLE THE CONCENTRATE ONLY WHEN WEARING THE FOL-LOWING PROTECTIVE CLOTHING AND EQUIPMENT:

Wear a protective suit of one or two places that covers all parts of the body except the head, hands, and feet. Wear chemical resi ant gloves, chemical registant apron, and chemical registant shoes, shoe cover or boots. Wear goggles or a face shield, Wear a posticide respirator approved by the National Institute for Occupational Safety and Health under the provisions of 30 CFR part 11.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTH-ING AND EQUIPMENT DURING MIXINGALOADING, APPLICATION, REPAIR, AND CLEANING OF APPLICATION EQUIPMENT, DISPOSAL OF PESTICIDE AND EARLY REENTRY INTO TREATED AREAS: protective suit of one or two pieces covering all parts of the body except the head, hands, and feet; chemical resistant gloves; chemical resistant shoes (or chemical resistant shoe coverings or chemical resistant boots); goggles or face shield; hood or wide brimmed hat; NIOSH approved resolution.

IF MIXING/LOADING IS PERFORMED USING A CLOSED SYSTEM, THE FOLLOW: HIG PROTECTIVE CLOTHING AND EQUIPMENT MAY BL WORN AS AN ALTERNATIVE: a long-eleave shirt; long-legged pents; chemical revisitant gloves; chemical revisitant apron; shoes and social. Goggles or face shield must be worn when the system is under pressure. All other protective clothing and equipment required for use with open systems must be available nearby.

IF APPLICATION IS PERFORMED USING AN ENCLOSED CAB OR COCKPIT, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIP-MENT MAY BE WORN AS AN ALTERNATIVE: long-eleeve shirt and long-legged pants; shoes and social. Chemical resistant gloves must be evallable in the cab or cockpit and must be worn during entry to and exit from the application vehicle. All other protective clothing and equipment required for use during application must be available in the cab and must be worn when exiting the cab into treated area. When used for this purpose, contaminated clothing may not be brought back into the cab es in an enclosure such as a plastic bag. REMEMBER-CLOTHING IS INADEQUATE TO PROTECT YOU DURING REPAIR AND CLEANING OF APPLICATION EQUIPMENT AND EARLY REENTRY TO TREATED AREAS! REFER TO PROTECTIVE CLOTHING AND EQUIP-MENT REQUIREMENTS ABOVE.

IMPORTANT! If pesticide comes in contact with sidn, wash off with scap and water and contact a physician immediately. Always wash hands, face, and arms with scap and water before smolding, eating, drinking, or tolisting.

AFTER WORK: before removing gloves, wash them with soep and w Take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job—do not wear contaminated clothing. Personal clothing worn during work must be stored and laundered separately from protective clothing and household articles. Store protectlve clothing separately from personal clothing. Clean or launder protective clothing after each use. Respirators must be cleaned and filters replaced according to instructions included with the respirators. Protectlive clothing and protective equipment heavily contaminated or drenched with methyl parathlon must be destroyed according to state and local regulations. HEAVILY CONTAMINATED OR DRENCHED CLOTHING CANNOT BE ADEQUATELY DECONTAMINATED. DURING AERIAL AP-PLICATION, HUMAN FLAGGERS ARE PROHISITED.

POISON SIGNS (Symptoms)

Methyl parathion is a very dangerous polion. It rapidly enters the body on contact with all sidn surfaces and eyes. Clothing wat with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poleoning are: headache, neusee, vomiting, cramps, weakness, blurred vision, pin-point pupils, lightness in



METHYL PARATHION 5-E EPA REG. NO. 34704-733

cheet, labored breathing, nervoueness, sweating, watering of eyes, drooting or frothing of mouth and nose, muscle speams and come.

STATEMENT OF PRACTICAL TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to methyl parathion and describe his condition. If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

Mattain unto occur sees victim.
If swaltered and victim is swalts (conscious) make him vomit quickly.
Induce vomiting by giving water and stolding finger down throat. Repeat
until vomit fluid is clear. Never give anything by mouth to an unconscious
person. Here violim its down and leep quiet. See a doctor immediately,
in case of sentest, immediately flush eyes or sidn with plenty of water

and the state of the production and shope. for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote—administer atropine sulfate in large doses, TWO to FOUR ing. Intravenously or Intramuscularly as soon as cyanoels is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Methyl purathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first eign of pulmonery edems, the patient should be given supplemental avygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement: VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to aquatic invertebrates, fish, and wildlife. Birds and shrimp may be littled at recommended application rates. Do not apply directly to water or wetlands (swamps, marshes, bogs, and potholes). Run-off and drift from target areas may be hazardous to equatic organisms in adjacent equatic sites. Do not contaminate water by cleaning or disposal of wastes.

This product is extremely toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow It to drift to blooming crops or weeds if bees are visiting the treatment

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame. Keep container closed. NOTE TO USER: Do not heat this material above 131°F (55°C). Store at temperatures above 32°F (0°C) to avoid crystallization.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding poeting treated areas.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its lebeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRE-CAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICA-BLE STATE AND FEDERAL REGULATIONS.

REENTRY STATEMENT

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Reentry into treated fields is prohibited for 48 hours after application, unless all protective clothing and equipment required for early reentry as described elsewhere on the label are worn.

Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. When oral warnings are given, warnings shall be given in a language customerity understood by workers.

Written or oral warnings must include the following information:

DANGER

(Insert area or field description) treated with methyl parathion on (Insert date of application.) Do not enter without appropriate protectthe clothing for 48 hours. In sees of accidental exposure; Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to methyl parethlon and describe his condition. For further information see the statement of FIRST AID TREAT-MENT portion of the posticide label.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited. Do not

reuse empty container.

STORAGE: Store in a cool, dry place. COMBUSTIBLE—do not use or

STOWAGE: Store in a cool, dry place. COMBUSTIBLE—do not use or store near heat or open flame. Keep pesticide in original container. Not for use or storage in or around the home.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, apray mixture, or rinests is a violation of Federal Law. If these wastes cannot be disposed of by use according to label Instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the

mental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Metal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sentiary landfill, or by other procedures approved by state and tocal authorities. Plestic: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sentiary landfill, or inclineration, or, if allowed by state and local authorities, by burning. If burned stay out of amole. burned, stay out of smoles.

Do not apply this product through any type of irrigation system.

APPLICATIONS

This product is an inaccilcide formulation for use only by experient ad personnel using approved protective equipment. Apply in conventional ground sorayers or by aircraft sprayers. For follage applications, mix required amounts of insecticide in sufficient water to provide uniform coverage. Apply 5 to 20 gallons by air, 20 to 100 gallone by ground rig. Keep spray mixture well agitated.

Observe number of days to hervest in () following crop.

ALFALFA (16): Weevil: Apply a meximum of 1/s pt. per acre. Do not apply If the crop or weeds in the treatment area are in bloom.

BARLEY, OATS (15): Aphids: Apply a meximum of 1 pt. per scre.

BEANS (DRY) (15): Aphide: Apply a maximum of 1 pt. per acre. Do not apply if the crop or weeds in the treatment area are in bloom.

CASSAGE, CAULIFLOWER (21): Armyworms, Aphids: Apply a maximum of 1 pt. per acre.

LETTUCE (21): Aphide, Armyworms, Cabbageworms: Apply a maximum of 11/2 pts. per acre.

RICE (15): Armyworms: Apply a maximum of 1 pt. per acre. Crabs, crayfish and shrimp may be idiled. Do not apply where these are important resources. Do not apply within 14 days of Propanii application.

NOTICE

PLATTE WARRANTS THAT THIS PRODUCT CONFORMS TO THE CHEMICAL DESCRIPTION ON THE LABEL THEREOF AND IS REA-SONABLY FIT FOR THE PURPOSES STATED ON SUCH LABEL ONLY WHEN USED IN ACCORDANCE WITH THE DIRECTIONS UNDER NORMAL USE CONDITIONS. IT IS IMPOSSIBLE TO ELIMINATE ALL RISKS INHERENTLY ASSOCIATED WITH THE USE OF THIS PROD-UCT. CROP INJURY, INEFFECTIVENESS, OR OTHER UNINTENDED CONSEQUENCES MAY RESULT BECAUSE OF SUCH FACTORS AS WEATHER CONDITIONS, PRESENCE OF OTHER MATERIALS, OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BE-YOND THE CONTROL OF PLATTE. IN NO CASE SHALL PLATTE BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER.

EXCEPT AS EXPRESSLY PROVIDED HEREIN, PLATTE MAKES NO WARRANTIER, GUARANTEER, OR REPRESENTATIONS OF ANY KIND, EITHER EXPRESSED OR MPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO, MERCHANTABILITY, FIT-NESS FOR A PARTICULAR PURPOSE, USE OR ELIGIBILITY OF THE PAODUCT FOR ANY PARTICULAR TRADE USAGE.

BEST AVAILABLE COPY

PORMULATED FOR PLATTE CHEMICAL CO. FREMONT, NEBRASKA 00025-0007 150 SO, MAIN STREET