

Platte Chemical Co.



419 18th Street (80631-5852) P.O. Box 667 Greeley, CO 80632-0667 Ph. 303-356-4400 Fax 303-356-4418

June 17, 1993

Document Processing Desk (Notification)
Office of Pesticides Programs (H7504C)
US Environmental Protection Agency
401 M Street, SW
Washington, DC 20460-0001

ATTENTION:

Dennis H. Edwards, Jr.

Product Manager 19

SUBJECT:

Clean Crop Turcam[©] 2.5G Insecticide

EPA Reg. No. 34704-437

Dear Mr. Edwards:

Enclosed please find five (5) copies of revised labeling for the above referenced product. The change that you requested regarding the water hazard statement in the Environmental Hazards section has been completed. The change has been highlighted for your reference.

Please note that we also added the box around the Restricted Use Pesticide classification for this product. This was done in accordance with the requirements specified in PR Notice 93-1. The notification of this is enclosed.

If you have any questions or require any further information, please feel free to contact me at (303) 356-4400, ext. 283.

Sincerely,

J. Allen Dunlap III

Registration Manager

Insecticides & Fungicides

allen Dendapett.

Enc.

Please read Instructions on reverse before completing form.	Carm An	oround (OMB No 202	በ በለድላ	Approval expires 11-30-93
(A) United States Environmental Pr	rotection Agency		Registrat		OPP Identifier Number
Washington, DC 2	0460		Amendm	ent	181196
Application for	Pesticide:	XX	Other		
Section					
Company/Product Number 34704–437	2. EPA Product Ma Dennis Edw	_		3 Pro	posed Classification
4. Company/Product (Name)	PM#	arus			None XXX Restricted
Clean Crop Turcam 2.5G Insecticide	19				
5. Name and Address of Applicant (Include ZIP Code)					FIFRA Section 3(c)(3)
Platte Chemical Co. 150 South Main Street	to:	1 is simil	ar or loentic	a: In co	mposition and labeling
Fremont, NE 68025-6597			>><		
SEND ALL CORRESPONDENCE TO: P.O. Box 6	667 EPA Reg. No				
Check if this is a new address Greeley, CO	Product Name_				
Section					
Amendment - Explain below	Final printed Agency lette		response to		
Resubmission in response to Agency letter dated	-Me Too* Ar				
X Notification - Explain below.	Other - expl	•	·		
NOTIFIC Box added to enclose Restricted Use cla PR NOTICE 93-1.	· -	spec	ified in	ADEL N	PICATION OT REVIEWED NOTICE M-0 Z9/93
Section 1	 !II				
Material This Product Will Be Packaged In:					
	ater Soluble Packaging		? Type of Co		
Yes	Yes			Aetal Hasec	
No No	No			lass	
1		per		aper Other (Sp	pecify)
	cor	ntainer			
submitted. 3 Location of Net Contents Information 4 Size(s) of Reta	ail Container	15 LO	cation of Labe	el Direct	ons
Label Container			On Label On Labeling	accom	panying product
6 Manner In Which Laber 15 Affixed To Product Lithograph Paper glue		her (<u> </u>		
Stenciled Section	n IV			· ·	
1. Contact Point (Complete items directly below for identification of		d, if nece	ssary, to pro	cess this	application)
Name Title Res	gistration Mana	per	Ţ.	3.82000	e No (Include Area Code)
	secticides & Fu		des	(303)	355-4400
Certification I certify that the statements I have made on this form and all attact I acknowledge that any knowingly false or misleading statement both under applicable law					6 Date Application Recrived (Stamped)
2 Signature 3 Ti	rtie et		<u>.</u>	·	1 4 4 4
	Ristration Mana secticides & Fu		dae		• • • •
Typed Name 5 D		mgre 1	ueş		
J. Allen Dunlap III	06-17-93				



RESTRICTED USE PESTICIDE

For retail sale to, and use only by, Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

TURCAM° 2.5 G INSECTICIDE

FOR USE ON ORNAMENTAL TREES, SHRUBS AND TURF **ACTIVE INGREDIENT: By Welaht** Bendincarb: (2,2-dimethyl-1,3 benzodioxol-4-yl methylcarbamate*) 2.5% INERT INGREDIENTS 97.5% TOTAL 100.0%

*Protected by U.S. Patent No. 3,735,338

KEEP OUT OF REACH OF CHILDREN CAUTION

DO NOT USE ON FOOD CROPS SEE BELOW FOR ADDITIONAL PRECAUTIONARY INFORMATION

> EPA REG. NO. 34704-437 EPA EST. NO. _____

NET WEIGHT **POUNDS**

TURCAM is a Registered TM_of NOR-AM CHEMICAL COMPANY

35800

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Do not take internally. Do not breathe dust. Avoid contact with skin, eyes, or clothing. May be absorbed through the skin. Wear long sleeves. Change clothing daily. Wash hands thoroughly after handling. Keep children and pets off treated area during irrigation and until area has dried. Avoid contamination of feed and foodstuffs

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Call physician or Poison Centrol Center. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

IF INHALED: Remove victim to fresh air.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if

IF IN EYES: Flush with plenty of water. Get medical attention if irritation

NOTE TO PHYSICIAN: Bendiocarb is a moderate, reversible cholinesterase inhibitor, intravenous injection of atropine is antidotal

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Birds, especially waterlowl, feeding or drinking on treated areas may be killed. Avoid overlapping granules. Avoid applications to bare soil or thin grassy areas where product may be more readily consumed by birds feeding on areas of exposed soil. Also avoid applications in ecologically sensitive areas. (e.g., adjacent to wetlands or wildlife preserves) or to areas where birds are known to feed (i.e., near bird feeders or near ponds where waterfowl graze or feed). Subsurface application is recommended for grubs and

mote crickets. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of waste. Collect, cover or incorporate granules spilled on soil surface.

This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Cooperative Agricultural Extension Service.

IMPORTANT: Read the entire Directions for Use and Disclaimer of Warranties before using this product.

DIRECTIONS FOR USE

it is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, feed, or food by storage or disposal. Store this product in its original, closed container in a dry, locked area away from children and domestic animals. Do not reuse empty container. PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GENERAL INFORMATION: TURCAM 2.5 G is a broad spectrum residual insecticide for the control of certain insects on ornamental trees, shrubs, and lurf.

Do not apply more than 240 lbs. of TURCAM 2.5G per acre per year. Spring applications must not exceed 120 lbs. of TURCAM 2.5G per acre. Irrigation prior to application in dry conditions may improve product performance

Use on established furf; do not apply to thin turf with exposed soil.

ENDANGERED SPECIES RESTRICTIONS: The use of any pesticide in a manner that may kill or otherwise harm an endangered or threatened species or adversely modify their habitat is a violation of federal laws. The use of this product on golf courses and sod farms in San Bernardino County, California and on the Islands of Hawaii and Maul is prohibited. ORNAMENTAL TURF, ORNAMENTAL TREES AND SHRUBS RECOM-MENDATIONS: Use TURCAM 2.5 G to control specified pests of ornamental turf and of the following nonedible ornamental trees and shrubs: Abies, Acer, Arborvitae, Azalea, Barberry, Birch, Boxwood, Brassaia, Camellia, Cedar, Cephalotuxus, Cercis, Cherry, Cornus, Coloneaster, Crateagus, Crape Myrtle, Euonymus, Fatsia, Ficus, Fountain grass, Flowering almond, Flowering crabapple, Gardenia, Hemlock, Hydrangea, tlex, Ixora, Japanese yew, Juniper, Ligustrum, Lilac, I dquat, Mahonia, Mimosa, Mock Orange, Nandina, Oleundai, Pachysandia, Photinia, Picea, Pieris, Pine, Poinsettia, Pomergranite, Poplar, Prunis spp., Pseudotsuga, Pyranantha, Pyrus, RhoJodendrun, Rose, Sage palm, Schefflera, Spirea, Sycamore, Taxus, Thiya, Tsirga, Viburnum, Weinelia, Yaupon

APPLICATION PROCEDURES

Apply TURCAM 2.5 G to give complete and uniform coverage of the pestinfested areas. Applications should be made using the rativs below For control of white incubs, apply when pest, become evident. Control of grobs is best when they are still small; therefore fate summer applications are preferable to spring. Imigate as soon as possible, prek rably within six hours after completing applications, with 1/4-3/4 incides of water to encourage movement of TURCAM 2.5 G into soil and to reduce chances of contact with non-target organisms. For surface-feeding and surface-dwelling insects, apply when pests are

BEST AVAILABLE COPT

TURCAM 2.5 G

EPA REG. NO. 34704-437

evident. Use adequate quantity of water to moisten grass and thatch after application.

Apply TURCAM 2.5 G to give complete and uniform coverage of the pestintested areas. Applications should be made using the rates shown below.

SURFACE APPLICATION

Pest	Dosage of Product			
	Lb/Acre	Lb/1,000 sq. ft		
White grubs of Japanese beetle, Black turf grass Ataenius, European chafer, Northern masked chafer, Southern masked chafer, Green June beetle, Annual white grub (Cyclocephala immaculata) Mole crickets	80 to 120	191028		
Surface dwellers and/or feeders Chinchbugs, Leathoppers, Sod webworms, Ants, Brown dog ticks, Centipedes, Crickets, Earwigs, Firebrats, Fleas, Ground beetles, Millipedes, Pillbugs, Scorpions, Silverfish, Sowbugs, Spiders	40 to 80	09019		

SUBSURFACE APPLICATION

Pest	Dosage of Product			
	Lb. Acre	Lb/1.000 sq. ft.		
White grups of Japanese beetles, Southern masked chafer	90 to 120	1 9 to 2 8		
Mole crickets	50 to 80	11618		

Allow 14 days between applications of TURCAM 2.5G.

LANOSCAPE PLANT RECOMMENDATIONS: Use TURCAM 2.5 G to control specified pests of nonedible ornamental landscape plants including, but not limited to Ageratum, Azarina, Begonia, Calendula, Celosia, Chivsanthemum, Coleus Daffodil Dahlia, Dianthus, Ferns, Fuchsia, Gazania, Geranium Holly Hypoestes, Impatiens, Iris, Ivy, Kairindra Lily of the Valley, Marigoid Nasturtium, Nicotiana, Pansy, Prifunia, Portulaca, Saivia, Shasta daisy, Shapdragon Verbena, Vinca and Zionia

Apply TURCAM 2.5 Gifting velicomplete and uniform coverage of the pest infested areas. Applications should be made using the rates in the above lable applied below or around the landscaped area.

PERIMETER TREATMENT: To help prevent infestation of buildings by abils, crickets, brown dog ticks centipedes earwigs, firebrats fleas, ground beetles millipedes pilibugs, scorbions, silvertish, sowbugs, and spiders, treat a band of soil 6 to 10 feet wide around and adjacent to the building at a rate of 0.3 to 1.9 lbs, per 1000 square feet.

CAHPENTER ANTS: For control of Carpenter ants around frewood piles. Treat the area where firewood is to be stacked at the rate of 0.9 to 1.8 lbs. per 1000 squale feet. After the firewood is in place, treat a 3 to 6 foot band around the woodpile lifthe rows of wood are stacked so there is about 2" between them, repeated treatment or the woodpile can be made by sprinkling or shaking the granules between the rows.

PLANT SAFETY

TURCAM 2.5 G had demonstrated excellent plant safety however, all shedles and varieties have not been fected. When treating large numbers of plants of a single variety, treat a few plants and observe prior to to scale application.

APPLICATION EQUIPMENT. TURCAM 2.5 G is a granular formulation Application using subsurface pracement equipment is recommended for insects below the soil surface. Where this is not practical, apply with a fertilizer spreader or equivalent equipment as uniformly as possible. For white grubs in Jiapanese beefle and Southern masked chafer, apply TURCAM 2.5 G.0.25-0.75, not deep in 2 inch bands. For mole crickets apply TURCAM 2.5 G.0.75-1.00 inch deep in 3 inch bands or less. The following lable lists application equipment, and renormended settings for that equipment for the surface application of TURCAM 2.5 G.0.

Calibration of Spreaders for Applications of TURCAM 2.5 G Approximate Spreader Settings to Apply Pounds of TURCAM

Spreader Model	Pounds of Product per Acre	Once Over	Twice Over	Swath Width
SPYKER (Rolary)	80	3 9	3 4	6 ft
LESCO (Rotary)	80	D1/2		8 ft
CYCLONE (B-1, 30,96)	40 80 1 60	3 25 4 00 5 00	<u>-</u>	-
PRIZE. LAWN- CBR	80 120	4 5 5 0	_	Same as spreader width
GANDY DROP	80 120	30 34	_	30 inches 30 inches
SCOTT DROP	80 120	6 ³ / ₄ 8	_	21 inches 21 inches
SCOTT R-7x	80 120	F-1/2 H-1/2	_	9 tt
SCOTT R-8A	80 120	L M-1/2	=	10 ft 10 ft
VICON or LESCO Pendulum	80	18		*5 ft at 5 mph
LELY HA spreader asembly setting #3	ga	20 4 (right discharge gate opening (raff)		23 ft with a PTO speed of 510 and RPM 1700 at 5 mpn

IMPORTANT. Please note that these settings are approximate as the condition of each piece of equipment can affect actual rates of application. Settings should be made affer a calibration check is completed.

NOTICE

PLATTE WARRANTS THAT THIS PRODUCT CONFORMS TO THE CHEMICAL DESCRIPTION ON THE LABEL THEREOF AND IS REASONABLY FIT FOR THE PURPOSES STATED ON SUCH LABEL ONLY WHEN USED IN ACCORDANCE WITH THE DIRECTIONS UNDER HORMAL USE CONDITIONS IT IS IMPOSSIBLE TO ELIMINATE ALL RISKS INHERENTLY ASSOCIATED WITH THE USE OF THIS PRODUCT CROP INJURY INEFFECTIVENESS OR OTHER UNINTENDED CONSEQUENCES MAY RESULT BECAUSE OF SUCH FACTORS AS WEATHER CONDITIONS PRESENCE OF OTHER MATERIALS. OR THE MANNER OF USE OR APPLICATION ALL OF WHICH ARE BEYOND THE CONTROL OF PLATTE IN NO CASE SHALL PLATTE BE LIABLE FOR CONSEQUENTIAL SPECIAL OR NDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT ALL SUCH RISKS SHALL BE ASSUMED BY THE BLIFF.

EXCEPT AS EXPRESSLY PROVIDED HEREIN PLATTE MAKES NO WARRANTIES. GUARANTEES OR REPRESENTATIONS OF ANY KIND EITHER EXPRESSED OR IMPLIED OR BY USAGE OF TRADE STATUTORY OR OTHERWISE WITH REGARD TO THE PRODUCT SOLD INCLUDING. BUT NOT LIMITED TO MERCHANTABILITY FITNESS FOR A PARTICULAR PURPOSE. USE OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE.

FORMULATED FOR
PLATTE CHEMICAL CO.
150 SO MAIN STREET FREMONT, NEBRASKA 68025-5697