

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS **WARNING**

May be fatal if swallowed, inhaled, or absorbed through skin. Wash thoroughly with soap and water if on skin and after handling and before eating, drinking or using tobacco. Avoid breathing spray mist. Avoid contact with eyes and skin. Wear protective clothing and rubber gloves. Remove contaminated clothing and wash before reuse. Avoid contamination of feed and foodstuffs. Do not use on household pets or humans. Do not permit children or pets to go onto sprayed areas until the spray has completely dried. Do not use in the home. Do not contaminate ornamental fish ponds. • • •

STATEMENT OF PRACTICAL TREATMENT

If swallowed, call physician or Poison Control Center immediately. **DO NOT INDUCE VOMITING.** Vomiting may cause aspiration pneumonia. If inhaled, remove victim to fresh air and apply artificial respiration if indicated. If on skin, wash promptly with soap and water. Rinse thoroughly. If in eyes, rinse eyes with water and call a physician immediately. **NOTE TO PHYSICIAN:** Solvent presents aspiration hazard if taken internally. Gastric lavage is indicated. Product contains an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Shrimp and crabs may be killed at application rates. Birds feeding on treated areas may be killed. Do not apply directly to water. Do not apply when weather



DIAZINON 25 LAWN INSECTICIDE

PROTECTS LAWNS: Bluegrass, Bent, Bermuda, Fescue, St. Augustine.

CONTROLS: Ants, Chinch Bugs, Cutworms, and many others as listed in booklet.

ACTIVE INGREDIENTS:

Diazinon [O,O-diethyl O-(2-isopropyl-6-methyl- 2-pyrimidinyl) phosphorothioate]	25.00%
--	--------

INERT INGREDIENTS:	75.00%
--------------------	--------

TOTAL	100.00%
-------	---------

* This product contains xylene range aromatics

KEEP OUT OF REACH OF CHILDREN **WARNING**

See Side Panels For Additional Precautionary Statements

NET CONTENTS: _____

24773

EXP-1Y

10-24-89

1 of 3

conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

PHYSICAL OR CHEMICAL HAZARDS

Do not, use, pour, spill or store near heat or open flame.

SEE ATTACHED BOOKLET FOR ADDITIONAL PRECAUTIONARY STATEMENTS. READ COMPLETE USE DIRECTIONS IN BOOKLET.

STORAGE AND DISPOSAL

STORAGE: Store in original container only, preferably in a locked area. Keep container tightly closed when not in use. Store in a cool, dry place. Do not use food or drink containers for mixing or storage.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Wrap container in several layers of newspaper and put in trash.

EPA REG. NO. 34704-446
EPA EST. NO. _____

FORMULATED FOR
PLATTE CHEMICAL CO.

180 SO. MAIN STREET FREMONT, NEBRASKA 68025



1,000 Sq. Ft.

8 Ounces

COVERAGE MEASURE GUIDE

2,000 Sq. Ft.

16 Ounces

3,000 Sq. Ft.

24 Ounces






checked for proper position. Determine area to be treated. For example, 1,000 sq. ft. = an area measuring 20 ft. x 50 ft. When applying, check area being treated against measuring guide on side panel. Spray pattern can be tested (without discharging product) by not placing finger over hole on right side of nozzle.



13



Hold sprayer attached to hose in one hand and turn on the water at the tap. Clear water will discharge when water is turned on at tap. Let clear water run until all air is discharged from hose. When ready to treat, place finger over hole on right side of nozzle and this product will mix automatically at the proper ratio. To stop flow of product, remove finger from hole to break siphon action.



**Not Reviewed. Registered claims to be in accordance with
Registration of Product.**

15

DO NOT INTERCHANGE NOZZLES FROM ONE PRODUCT TO ANOTHER.

WARRANTY

1. The manufacturer guarantees and warrants (a) that the active ingredient content and the total net weight are as stated within the lawful limits and (b) that the directions, warnings and other statements on this label are based upon responsible experts' evaluation of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants, and of residues on food crops, and upon reports of field experience. Tests have not been made on all varieties or in all states. 2. The manufacturer further warrants that the material herein is reasonably fit for use under normal conditions as directed hereon. The manufacturer neither makes nor authorizes any agent or representative to make any other warranties of FITNESS OR MERCHANTABILITY, guarantee or representation, express or implied, concerning this material. This product is sold only on the basis that buyer assumes all risks of use or handling which result in loss or damage and which are

beyond manufacturer's negligence, shall be great of which such claim is made indirect or consequential. No modification of this warranty to them in writing, by

100 SQ.

24773

ACTIVE INGREDIENTS:

Diazinon [0,0-diethyl-1-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate]	25.00%
INERT INGREDIENTS:	75.00%
TOTAL	100.00%

***This product contains xylene range aromatics**

4

VOMITING. Vomiting may cause aspiration pneumonia. If inhaled, remove victim to fresh air and apply artificial respiration if indicated. If on skin, wash promptly with soap and water. Rinse thoroughly. If in eyes, rinse eyes with water and call a physician immediately. **NOTE TO PHYSICIAN:** Solvent presents aspiration hazard if taken internally. Gastric lavage is indicated. Product contains an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Shrimp and crabs may be killed at application rates. Birds feeding on treated areas may be killed. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product

6

STORAGE AND DISPOSAL

STORAGE: Store in original container only, preferably in a locked area. Keep container tightly closed when not in use. Store in a cool, dry place. Do not use food or drink containers for mixing or storage.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Wrap container in several layers of newspaper and put in trash.

Kills many outdoor insects which destroy lawns. (Refer to label directions for specific insects controlled.) Contains DIAZINON insecticide which provides positive control of many "hard-to-kill" sucking and chewing insects.

9

Leaving cont'd.

Leafhoppers, Mites (Bermuda, Clover),
Sowbugs (Pillbugs), Springtails (Collembola).

Thoroughly wet down grass a few hours before applying.

After applying 8 ounces of this product to 1000 square feet of lawn, remove finger from hole on right side of nozzle. Apply water only, evenly, over treated area for approximately 3 minutes. To continue applications of product to another area of lawn, place finger over hole on right side of nozzle to start siphon.

2

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

May be fatal if swallowed, inhaled, or absorbed through skin. Wash thoroughly with soap and water if on skin and after handling and before eating, drinking or using tobacco. Avoid breathing spray mist. Avoid contact with eyes and skin. Wear protective clothing and rubber gloves. Remove contaminated clothing and wash before reuse. Avoid contamination of feed and foodstuffs. Do not use on household pets or humans. Do not permit children or pets to go onto sprayed grass until the spray has completely dried. Do not use in the home. Do not contaminate ornamental fish ponds.

STATEMENT OF PRACTICAL TREATMENT

If swallowed, call a physician or Poison Control Center immediately. DO NOT INDUCE

2

only as specified on this label.

This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

7

HOW TO MIX AND APPLY

Step 1: Determine size of spraying job. For lawns, measure area to be sprayed. Make applications when insects first appear. Repeat applications as needed or as noted, below, in Directions for Applying.

Step 2: See "How to Use Sprayer," pages 11 through 14.

Step 3: Spray as directed.

Use contents within 5 months after opening.

DIRECTIONS FOR APPLYING

Problem Areas	Pests — Rates and Directions
LAWNS	Ants, Armyworms, Bermudagrass Thrips, Brown Dog Ticks*, Chiggers, Crickets, Cutworms, Earwigs, Fleas, Fireflies, Lawn Billbugs**, Grubs, Lice, Mosquitoes, Nymphs, Sod Webworms, White Grubs
Bent, Bermuda, Bluegrass, Dichondra, Fescue, Merion, St. Augustine	Chinch Bugs, Lawn Moths (Sod Webworms)

1

Larvae cont'd.

*Brown Dog Ticks: Do not apply to animals. In particular, spray under shrubbery and the grass next to house.

**** Lawn Billbugs:** Apply when activity is first observed or when chewed or brown grass is present, indicating damage from the insect. Water the lawn thoroughly, immediately after treatment.

(1 fl. oz. in 3 gals. of water covers 125 sq. ft. @ fl. oz. in 24 gals. of water covers 1,000 sq. ft.)